Federal Aviation Administration

Transmittal Letter 19-13

MAY 3, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/20/20	19 IL	Chicago/Prospect Heights/Wheeling		9/5198	4/3/2019	VOR RWY 16, Orig-E

AIRAC Date: 20 JUNE 2019

FDC 9/5198 PWK IAP CHICAGO EXECUTIVE, Chicago/Prospect Heights/Wheeling, IL. VOR RWY 16, ORIG-E... DELETE NOTE: NIGHT LANDING: RWY 6, 12, 24 NA. CHART NOTE: CIRCLING RWY 6, 12, 24, 30, 34 NA AT NIGHT. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. CHART NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHICAGO O'HARE INTL ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET AND INCREASE DME MINIMUMS S-16 CATS C AND D VISIBILITY 1/4 MILE. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHICAGO O'HARE INTL ALTIMETER SETTING: INCREASE ALL MDAS 40 FEET AND VISIBILITY DME MINIMUMS S-16 CATS C AND D 1/4 SM. THIS IS VOR RWY 16, ORIG-F. 1903111903-PERM