

**Federal Aviation  
Administration**

**Transmittal Letter 23-14**

**May 12, 2023**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/15/2023	AR	Little Rock	Bill and Hillary Clinton NTL	3/7347	4/27/2023	ILS OR LOC RWY 22R, ILS RWY 22R (SA CAT I), ILS RWY 22R (CAT II, III) AMDT 3A

**AIRAC Date: 15 JUNE 2023**

FDC 3/7347 LIT IAP BILL AND HILLARY CLINTON NTL/ADAMS FLD, LITTLE ROCK, AR. ILS OR LOC RWY 22R, AMDT 3A ... ILS RWY 22R (SA CAT I), AMDT 3A ... ILS RWY 22R (CAT II), AMDT 3A ... ILS RWY 22R (CAT III), AMDT 3A ... CIRCLING CAT A MDA 820 HAA 554.  
DELETE PROFILE NOTE: \*LOC ONLY. DELETE ASTERISK IN PROFILE FROM VDP AT 2.52 DME/1.04 NM TO THLD. DELETE NOTE: VDP NA WHEN USING STUTTGART ALTIMETER SETTING. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE STUTTGART ALTIMETER SETTING: INCREASE ALL DA TO 544 FEET AND INCREASE S-ILS ALL CATS VISIBILITY TO RVR 2200; INCREASE ALL MDAS 100 FEET AND INCREASE S-LOC CAT C/D VISIBILITY TO RVR 5500, AND CIRCLING CAT B VISIBILITY TO 1-1/4 SM, CAT C VISIBILITY TO 3 SM. DELETE NOTE: FOR INOPERATIVE ALS WHEN USING STUTTGART ALTIMETER SETTING, INCREASE S-ILS ALL CATS VISIBILITY TO RVR 4500 AND S-LOC CAT C/D VISIBILITY TO 1-3/8 SM. THIS IS ILS OR LOC RWY 22R, AMDT 3B... ILS RWY 22R (SA CAT I), AMDT 3B... ILS RWY 22R (CAT II), AMDT 3B... ILS RWY 22R (CAT III), AMDT 3B. 2304261732-PERM