

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name		Number	STAR Computer Code	Superseded Number	Dated	Effective Date			
JAIKE (RNAV)		FOUR	JAIKE.JAIKE4	THREE	01/13/2011	04/20/2023			
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BOOYA	BOOYA.JAIKE4	BOOYA	BOOYA						
			BTWNG	047.25	27.27	4000	2100		
			MITCH	061.60	17.58	4000	2100		
			SWANN	077.00	26.39	4000	2100		
			JNJEN	054.28	09.73	4000	1700		
			BUZIE	048.06	23.11	4000	1700		
			SPNCR	047.32	10.05	4000	1700		
			JAIKE	047.36	05.00	2100	1700		AT 13000
GORDONSVILLE	GVE.JAIKE4	GVE VORTAC	GVE VORTAC						
			BOOYA	069.59	44.14	4000	2800		
			BTWNG	047.25	27.27	4000	2100		
			MITCH	061.60	17.58	4000	2100		
			SWANN	077.00	26.39	4000	2100		
			JNJEN	054.28	09.73	4000	1700		
			BUZIE	048.06	23.11	4000	1700		
			SPNCR	047.32	10.05	4000	1700		
			JAIKE	047.36	05.00	2100	1700		AT 13000
HYTRA	HYTRA.JAIKE4	HYTRA	HYTRA						
			JNJEN	026.48	60.65	4000	1700		
			BUZIE	048.06	23.11	4000	1700		
			SPNCR	047.32	10.05	4000	1700		
			JAIKE	047.36	05.00	2100	1700		AT 13000
SWANN	SWANN.JAIKE4	SWANN	SWANN						
			JNJEN	054.28	09.73	4000	1700		
			BUZIE	048.06	23.11	4000	1700		
			SPNCR	047.32	10.05	4000	1700		
			JAIKE	047.36	05.00	2100	1700		AT 13000

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number			STAR Computer Code	Superseded Number			Dated	Effective Date
JAIKE (RNAV)	FOUR			JAIKE.JAIKE4	THREE			01/13/2011	04/20/2023
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
SWNGR	SWNGR.JAIKE4	SWNGR	SWNGR						
			ALXEA	021.56	10.57	4000	2100		
			RAIMY	040.36	29.00	4000	2100		
			VAALI	051.42	40.72	4000	2100		
			SWANN	033.83	27.00	4000	2100		
			JNJEN	054.28	09.73	4000	1700		
			BUZIE	048.06	23.11	4000	1700		
			SPNCR	047.32	10.05	4000	1700		
			JAIKE	047.36	05.00	2100	1700		AT 13000

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL AIRPORTS: FROM JAIKE ON TRACK 047.42/26.40 TO CROSS ILENE AT 13000, THEN ON TRACK 047.55/7.70 TO CROSS WACKI AT 11000 AND AT 250 KIAS, THEN ON TRACK 047.64/5.30 TO MAZIE, THEN ON TRACK 059.04/7.16 TO CROSS REGLE AT 7000, THEN ON TRACK 059.08/15.84 TO SBJ VOR/DME, THEN ON TRACK 059.08. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: HYTRA TRANSITION: Do Not File – To Be Assigned by ATC.

NOTE: BOOYA TRANSITION: Do Not File – To Be Assigned by ATC.

NOTE: ADVISE ATC PRIOR TO SPEED REDUCTION BELOW 250 KIAS.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT GVE VORTAC: HOLD W, LT, 093.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT MAZIE: HOLD SW, LT, 059.01 INBOUND, 4 NM LEGS, 210 KIAS.

CHART HOLDING AT MITCH: HOLD W, RT, 061.60 INBOUND, 10 NM LEGS.

CHART HOLDING AT RAIMY: HOLD SW, LT, 040.36 INBOUND, 10 NM LEGS.

CHART HOLDING AT SPNCR: HOLD SW, RT, 047.36 INBOUND, 4 NM LEGS, 210 KIAS.

CHART HOLDING AT SWNGR: HOLD S, RT, 016.00 INBOUND, 12 NM LEGS.

CHART HOLDING AT VAALI: HOLD SW, LT, 051.42 INBOUND, 10 NM LEGS.

CHART: CRRIS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAIKE (RNAV)	FOUR	JAIKE.JAIKE4	THREE	01/13/2011	04/20/2023

COMMUNICATIONS:

CHART: NEW YORK APP CON.
CHART: PHILADELPHIA APP CON.
CHART: WASHINGTON CENTER.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
47N	MANVILLE	NJ
KCDW	CALDWELL	NJ
KLDJ	LINDEN	NJ
KMMU	MORRISTOWN	NJ
KSMQ	SOMERVILLE	NJ
KTEB	TETERBORO	NJ

LOST COMMUNICATIONS PREFERENCES:**REMARKS:**

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR= KTEB 12W/1980
CHART AT SBJ TERMINUS: LDG 47N/KCDW/KLDJ/KMMU/KSMQ/KTEB.

FLIGHT INSPECTED BY:

PENDING

ORGANIZATION: DATE:

Flight Inspected Signature:

Digitally signed by
JASON KRETSCHMER
Mar 01, 2023

DEVELOPED BY:

HENRY BRADSHAW

AJV-A421

11/03/2022

Developed By Signature:

Digitally signed by
JASON KRETSCHMER
Dec 22, 2022

APPROVED BY:

JASON KRETSCHMER

AJV-A421

Approved By Signature:

Digitally signed by
JASON KRETSCHMER
Dec 22, 2022

CHANGES:

1. TRANSITION ROUTES: DELETED PXT EN ROUTE TRANSITION.
2. TRANSITION ROUTES: DELETED HPW EN ROUTE TRANSITION.
3. TRANSITION ROUTES: DELETED FAK EN ROUTE TRANSITION.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAIKE (RNAV)	FOUR	JAIKE.JAIKE4	THREE	01/13/2011	04/20/2023
4. TRANSITION ROUTES: DELETED RIC EN ROUTE TRANSITION.					
5. TRANSITION ROUTES: ADDED SWANN EN ROUTE TRANSITION.					
6. TRANSITION ROUTES: ADDED SWNGR EN ROUTE TRANSITION.					
7. TRANSITION ROUTES: AMENDED GVE TRANSITION FROM "GVE; OTT VORTAC; PALEO; PEEDS; FUBRR; BUZIE; SPNCR; JAIKE" TO "GVE; BOOYA; BTWNG; MITCH; SWANN; JNJEN; BUZIE; SPNCR; JAIKE".					
8. ARRIVAL ROUTE DESCRIPTION: UPDATED ARRIVAL ROUTE: ADDED LANDING ALL AIRPORTS; CROSS ILENE AT 13000; CROSS WACKI AT 11000 AND 250 KIAS; CROSS REGLE AT 7000; REMOVED MEAS; VM LEG 059.07 CHANGED TO FM 059.08.					
9. PROCEDURAL DATA NOTES: ADDED "NOTE: HYTRA TRANSITION: Do Not File – To Be Assigned by ATC."					
10. PROCEDURAL DATA NOTES: ADDED "NOTE: BOOYA TRANSITION: Do Not File – To Be Assigned by ATC."					
11. PROCEDURAL DATA NOTES: MOVED AND UPDATED "NOTE: DME/DME/IRU OR GPS REQUIRED. NOTE: RNAV 1." TO PBN REQUIREMENT NOTES.					
12. PROCEDURAL DATA NOTES: MOVED "NOTE: RADAR REQUIRED." TO EQUIPMENT REQUIREMENT NOTES.					
13. PROCEDURAL DATA NOTES: DELETED "NOTE: EXPECT TO CROSS PEEDS AT FL240", "NOTE: CROSS ILENE AT 13000.", "NOTE: RIC/HPW/PXT TRANSITIONS AS ASSIGNED BY ATC ONLY.", "NOTE: CROSS JAIKE AT 13000." AND "NOTE: CROSS REGLE AT 7000".					
14. PROCEDURAL DATA NOTES: UPDATED "NOTE: STAR APPLICABLE TO TURBOJET AIRCRAFT ONLY." TO "NOTE: JET AIRCRAFT ONLY"					
15. PROCEDURAL DATA NOTES: REMOVED "NOTE: CROSS WACKI AT 11000 AND 250KTS".					
16. FIXES AND/OR HOLDING PATTERNS: ADDED CHARTED HOLDING AT GVE, MITCH, RAIMY, SWNGR AND VAALI.					
17. FIXES AND/OR HOLDING PATTERNS: REMOVED "CHART: RAIMY WP, CARIS WP, SISSI WP, MARRT WP, WANES WP, ZENNS WP, RIISE WP." AND "CHART HOLDING: SW OF PALEO WP, LT 054.191NBOUND"					
18. REMARKS: REMOVED "ON ALL TRANSITIONS TO FUBBR WP, THE LOWEST MINIMUM OPERATIONAL ALTITUDE IS 17,000', FROM FUBRR TO JAIKE THE LOWEST OPERATIONAL ALTITUDE IS 10,000. THESE ALTITUDES WILL BE USED AS THE OPERATIONAL ALTITUDE FOR DME/DME EVALUATION.", "MOCA AND MAA ALTITUDES ARENA, ATC REQUEST.", AND "ALL CROSSING AND SPEED RESTRICTIONS ARE ATC REQUIREMENTS."					
19. REMARKS: UPDATED "ENVIRONMENTAL REVIEW COMPLETED AND ON FILE AT THE NY TRACON." TO "THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED."					
20. ADDITIONAL FLIGHT DATA: ADDED "CHART AT SBJ TERMINUS: LDG 47N/KCDW/KLDJ/KMMU/KSMQ/KTEB."					
21. TRANSITION ROUTES: ADDED ALL MOCA VALUES.					
22. AIRPORTS SERVED: REMOVED ALL AIRPORT NAMES.					
23. COMMUNICATIONS: REMOVED "TETERBORO ATIS.", "MORRISTOWN ATIS" AND "ESSEX COUNTY ATIS." (WILL REMAIN ON PROCEDURE)					
24. LOST COMM: REMOVED "NA - ATC REQUEST"					

REASONS:

- 1-7. PXT VOR MON DECOMMISSIONING
8. 8260.19I, 4-5-12, C.
- 9-10. PXT VOR MON DECOMMISSIONING
- 11-12. 8260.19I, 4-5-12, D.
13. NO LONGER REQUIRED
14. FPT REQUEST
15. NO LONGER REQUIRED.
16. FPT REQUEST
- 17-18. NO LONGER REQUIRED
19. 8260.19I, 4-5-12, I

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAIKE (RNAV)	FOUR	JAIKE.JAIKE4	THREE	01/13/2011	04/20/2023

20. 8260.19I, 4-5-12, J.

21. 8260.19I, 4-5-12, B(8).

22. NO LONGER REQUIRED.

23. 8260.19I, 4-5-12, F.

24. NO LONGER REQUIRED.

03/01/23: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 11/03/22.


1. REQUIRED EFFECTIVE DATE CHANGED FROM ROUTINE TO 04/20/2023



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JAIKE (RNAV)	FOUR	JAIKE.JAIKE4	THREE	01/13/2011	04/20/2023
Graphic Depiction 1					



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name JAIKE (RNAV)		Number FOUR		STAR Computer Code JAIKE.JAIKE4		Superseded Number THREE		Dated 01/13/2011	Effective Date 04/20/2023
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BOOYA	382420.50N / 0772146.36W	Y		IF					BOOYA.JAIKE4
BTWNG	384636.53N / 0770138.60W	Y	FB	TF	035.25	27.27			
MITCH	385759.40N / 0764428.79W	Y	FB	TF	049.60	17.58			
SWANN	390905.28N / 0761343.94W	Y	FB	TF	065.00	26.39			
JNJEN	391617.29N / 0760518.19W	Y	FB	TF	042.28	09.73			
BUZIE	393457.93N / 0754742.45W	Y	FB	TF	036.06	23.11			
SPNCR	394309.96N / 0754010.74W	Y	FB	TF	035.32	10.05			
JAIKE	394714.76N / 0753625.53W	Y	FB	TF	035.36	05.00	AT 13000		
En Route Transition									
GVE VORTAC	380048.96N / 0780910.90W	Y		IF					GVE.JAIKE4
BOOYA	382420.50N / 0772146.36W	Y	FB	TF	057.59	44.14			
BTWNG	384636.53N / 0770138.60W	Y	FB	TF	035.25	27.27			
MITCH	385759.40N / 0764428.79W	Y	FB	TF	049.60	17.58			
SWANN	390905.28N / 0761343.94W	Y	FB	TF	065.00	26.39			
JNJEN	391617.29N / 0760518.19W	Y	FB	TF	042.28	09.73			
BUZIE	393457.93N / 0754742.45W	Y	FB	TF	036.06	23.11			
SPNCR	394309.96N / 0754010.74W	Y	FB	TF	035.32	10.05			
JAIKE	394714.76N / 0753625.53W	Y	FB	TF	035.36	05.00	AT 13000		
En Route Transition									
HYTRA	381731.91N / 0762449.80W	Y		IF					HYTRA.JAIKE4
JNJEN	391617.29N / 0760518.19W	Y	FB	TF	014.48	60.65			
BUZIE	393457.93N / 0754742.45W	Y	FB	TF	036.06	23.11			
SPNCR	394309.96N / 0754010.74W	Y	FB	TF	035.32	10.05			
JAIKE	394714.76N / 0753625.53W	Y	FB	TF	035.36	05.00	AT 13000		
En Route Transition									
SWANN	390905.28N / 0761343.94W	Y		IF					SWANN.JAIKE4

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name JAIKE (RNAV)		Number FOUR		STAR Computer Code JAIKE.JAIKE4		Superseded Number THREE		Dated 01/13/2011	Effective Date 04/20/2023
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
JNJEN	391617.29N / 0760518.19W	Y	FB	TF	042.28	09.73			
BUZIE	393457.93N / 0754742.45W	Y	FB	TF	036.06	23.11			
SPNCR	394309.96N / 0754010.74W	Y	FB	TF	035.32	10.05			
JAIKE	394714.76N / 0753625.53W	Y	FB	TF	035.36	05.00	AT 13000		
En Route Transition									
SWNGR	373638.12N / 0771922.71W	Y		IF					SWNGR.JAIKE4
ALXEA	374704.46N / 0771709.73W	Y	FB	TF	009.56	10.57			
RAIMY	381236.00N / 0765941.00W	Y	FB	TF	028.36	29.00			
VAALI	384400.85N / 0762638.26W	Y	FB	TF	039.42	40.72			
SWANN	390905.28N / 0761343.94W	Y	FB	TF	021.83	27.00			
JNJEN	391617.29N / 0760518.19W	Y	FB	TF	042.28	09.73			
BUZIE	393457.93N / 0754742.45W	Y	FB	TF	036.06	23.11			
SPNCR	394309.96N / 0754010.74W	Y	FB	TF	035.32	10.05			
JAIKE	394714.76N / 0753625.53W	Y	FB	TF	035.36	05.00	AT 13000		
Common Route									
JAIKE	394714.76N / 0753625.53W	Y		IF			AT 13000		JAIKE.JAIKE4
ILENE	400845.09N / 0751628.27W	Y	FB	TF	035.42	26.40	AT 13000		
WACKI	401500.92N / 0751037.60W	Y	FB	TF	035.55	07.70	AT 11000	AT 250K	
MAZIE	401919.55N / 0750635.28W	Y	FB	TF	035.64	05.30			
REGLE	402412.34N / 0745943.76W	Y	FB	TF	047.04	07.16	AT 7000		
SBJ VOR/DME	403458.96N / 0744430.45W	Y	FO	TF	047.08	15.84			
47N,KCDW,KLDJ, KMMU,KSMQ,KTEB				FM	047.08				