U.S. Department of Transportation

Federal Aviation Administration

Transmittal Letter 23-03

December 9, 2022

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

......EFFECTIVEUPONPUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/26/2023	NE	Wahoo	Wahoo Muni	2/8111	11/30/2022	RNAV (GPS) RWY 20, Orig

AIRAC Date: 26 JANUARY 2023

FDC 2/8111 AHQ IAP WAHOO MUNI, WAHOO, NE. RNAV (GPS) RWY 20, ORIG... CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 40.0). CHANGE MISSED APPROACH INSTRUCTIONS TO READ: CLIMB TO 4000 DIRECT CEGOP AND ON TRACK 129.21 TO YUTAN AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000. ALTERNATE MINIMUMS: STANDARD; NA WHEN LOCAL WEATHER NOT AVAILABLE. DELETE PROFILE NOTE: *LNAV ONLY. DELETE ASTERISK FROM FOLIC 1900 MINIMUM ALTITUDE. DELETE NOTE: USE FREMONT ALTIMETER SETTING, WHEN NOT RECIEVED, USE LINCOLN ALTIMETER SETTING AND INCREASE DA 25 FEET AND ALL MDA 40 FEET. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. THIS IS RNAV (GPS) RWY 20, ORIG-A. 2211301331-PERM