

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name LAIKS (RNAV)	Number FOUR	STAR Computer Code LAIKS.LAIKS4	Superseded Number THREE	Dated 04/22/2021	Effective Date 05 SEP 2024				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
CHILD	CHILD.LAIKS4	CHILD	CHILD						
			BIGFN	095.98	27.00	8000	4400		
			DILLO	096.24	60.84	8000	3600		AT/ABOVE FL200
			KTANA	092.82	18.49	8000	2900		BETWEEN 14000 AND 16000
DILLO	DILLO.LAIKS4	DILLO	LAIKS	110.49	16.29	8000	2900		BETWEEN 10000 AND 14000
			DILLO						AT/ABOVE FL200
			KTANA	092.82	18.49	8000	2900		BETWEEN 14000 AND 16000
			LAIKS	110.49	16.29	8000	2900		BETWEEN 10000 AND 14000
FUSCO	FUSCO.LAIKS4	FUSCO	FUSCO						
			CHILD	094.57	45.23	8000	4400		
			BIGFN	095.98	27.00	8000	4400		
			DILLO	096.24	60.84	8000	3600		AT/ABOVE FL200
			KTANA	092.82	18.49	8000	2900		BETWEEN 14000 AND 16000
			LAIKS	110.49	16.29	8000	2900		BETWEEN 10000 AND 14000
PRTZY	PRTZY.LAIKS4	PRTZY	PRTZY						
			MNTRA	147.06	70.00	8000	4300		
			DILLO	147.41	44.95	8000	3600		AT/ABOVE FL200
			KTANA	092.82	18.49	8000	2900		BETWEEN 14000 AND 16000
			LAIKS	110.49	16.29	8000	2900		BETWEEN 10000 AND 14000
UCOKA	UCOKA.LAIKS4	UCOKA	UCOKA						
			DILLO	110.67	73.71	8000	4300		AT/ABOVE FL200
			KTANA	092.82	18.49	8000	2900		BETWEEN 14000 AND 16000
			LAIKS	110.49	16.29	8000	2900		BETWEEN 10000 AND 14000

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LAIKS (RNAV)	FOUR	LAIKS.LAIKS4	THREE	04/22/2021	05 SEP 2024

ARRIVAL ROUTE DESCRIPTION:

FROM LAIKS ON TRACK 110.63/12.10 TO CROSS BOYZZ AT OR BELOW 11000.

LANDING RWY 18L/R: FROM BOYZZ ON TRACK 126.23/6.55 TO CROSS CRLOS AT 5000, THEN ON TRACK 126.28/5.73 TO CROSS HOUKM AT 5000 AND AT 210 KIAS. EXPECT ILS OR LOC RWY 18L/R, RNAV (RNP) RWY 18L/R, OR RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 36L/R: FROM BOYZZ ON TRACK 149.85/6.44 TO CROSS TRVSS BETWEEN 8000 AND 10000, THEN ON TRACK 149.88/12.58 TO CROSS RATTT AT OR ABOVE 6000 AND AT 220 KIAS, THEN ON TRACK 174.68/5.94 TO CROSS LAIDY AT 5000 AND AT 210 KIAS, THEN ON TRACK 174.68. EXPECT ILS OR LOC RWY 36L/R, RNAV (RNP) RWY 36L/R, OR RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: EXPECT RWY ASSIGNMENT FROM AUSTIN TRACON UPON INITIAL CONTACT.

CHART NOTE: FUSCO TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

CHART NOTE: CHILD TRANSITION: DO NOT FILE - TO BE ASSIGNED BY ATC.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT DILLO: HOLD W, RT, 110.67 INBOUND, 11 NM LEGS.

COMMUNICATIONS:

CHART: AUSTIN APP CON

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KAUS	AUSTIN	TX

LOST COMMUNICATIONS PREFERENCES:**REMARKS:****ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KAUS 04E/2020

CHART AT LAIDY TERMINUS: KAUS LDG RWY 36L/R

CHART AT HOUKM TERMINUS: KAUS LDG RWY 18L/R

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LAIKS (RNAV)	FOUR	LAIKS.LAIKS4	THREE	04/22/2021	05 SEP 2024
FLIGHT INSPECTED BY:					
PAUL A GOSDEN	FPO	06/20/2024	Flight Inspected Signature:	Digitally signed by BEV L BORDY Jun 27, 2024	
DEVELOPED BY:					
CASIMIR TABAKA (BARBARA GORMAN)	AJV-A432	01/21/2024	Developed By Signature:	Digitally signed by CASIMIR L TABAKA Apr 23, 2024	
APPROVED BY:					
CASIMIR TABAKA	AJV-A430		Approved By Signature:	Digitally signed by CASIMIR L TABAKA Apr 23, 2024	

CHANGES:

1. ADDED SPEED RESTRICTION 250KT AT LAIKS WP.
2. CHANGED WP SZAGI NAME TO KTANA.
3. UPDATED DILLO-KTANA (SZAGI)-LAIKS MOCAS FROM 2800 TO 2900.
4. ADDED BLOCK ALTITUDE AT KTANA WP BETWEEN 14000 AND 16000
5. ADDED SPEED RESTRICTION 280KT AT KTANA WP.
6. UPDATED PROCEDURAL DATA NOTE FROM "TURBOJET AND TURBOPROP AIRCRAFT ONLY" TO "JET AIRCRAFT ONLY."
7. REMOVED PROCEDURAL DATA NOTES "RADAR REQUIRED, RNAV 1, DME/DME/IRU OR GPS REQUIRED. ADDED PBN REQUIREMENT NOTE: RNAV 1 - DME/DME/IRU OR GPS; EQUIPMENT REQUIREMENT NOTES: RADAR REQUIRED.
8. ADDED NEW ENROUTE TRANSITIONS FROM PRTZY, CHILD AND FUSCO.
9. ADDED CHART NOTE: FUSCO TRANSTION ATC ASSIGNED ONLY.
10. ADDED CHART NOTE: CHILD TRANSTION ATC ASSIGNED ONLY.
11. REVISED MEAS TO LOWEST ALTITUDE AVAILABLE WITH DME COVERAGE WITH APPROVED ESVS.
12. ADDED HOLDING AT DILLO ON INBOUND COURSE FROM UCOKA.
13. REMOVED AIRPORT NAME FROM AIRPORTS SERVED.
14. REMOVED ATIS FROM COMMUNICATIONS.
15. REMOVED DO NOT CHART MOCAS FROM ADDITIONAL FLIGHT DATA.
16. ADDED TERMINUS INFO TO ADDITIONAL FLIGHT DATA.


REASONS:

- 1-5, 8-10, 12: ATC REQUEST
- 6-7. IAW 8260.19I 4-5-12 D(2/4).
11. NEW DME EVALUATION.
13. UPDATED FORMS.
14. AUTOMATICALLY CHARTED.
15. IAW 8260.19I 4-5-12 B(8).
16. IAW 8260.19I 4-5-2 H(2).

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LAIKS (RNAV)	FOUR	LAIKS.LAIKS4	THREE	04/22/2021	05 SEP 2024
Graphic Depiction 1					




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LAIKS (RNAV)	FOUR	LAIKS.LAIKS4	THREE	04/22/2021	05 SEP 2024

Graphic Depiction 2



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name LAIKS (RNAV)	Number FOUR	STAR Computer Code LAIKS.LAIKS4		Superseded Number THREE		Dated 04/22/2021	Effective Date 05 SEP 2024		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
CHILD	310341.17N / 1002740.62W	Y		IF					CHILD.LAIKS4
BIGFN	305856.12N / 0995644.59W	Y	FB	TF	099.98	27.00			
DILLO	304746.76N / 0984713.91W	Y	FB	TF	100.24	60.84	AT/ABOVE FL200	AT 280K	
KTANA	304533.04N / 0982555.43W	Y	FB	TF	096.82	18.49	14000B16000	AT 280K	
LAIKS	303845.75N / 0980844.06W	Y	FB	TF	114.49	16.29	10000B14000	AT 250K	
En Route Transition									
DILLO	304746.76N / 0984713.91W	Y		IF			AT/ABOVE FL200	AT 280K	DILLO.LAIKS4
KTANA	304533.04N / 0982555.43W	Y	FB	TF	096.82	18.49	14000B16000	AT 280K	
LAIKS	303845.75N / 0980844.06W	Y	FB	TF	114.49	16.29	10000B14000	AT 250K	
En Route Transition									
FUSCO	311036.94N / 1011945.00W	Y		IF					FUSCO.LAIKS4
CHILD	310341.17N / 1002740.62W	Y	FB	TF	098.57	45.23			
BIGFN	305856.12N / 0995644.59W	Y	FB	TF	099.98	27.00			
DILLO	304746.76N / 0984713.91W	Y	FB	TF	100.24	60.84	AT/ABOVE FL200	AT 280K	
KTANA	304533.04N / 0982555.43W	Y	FB	TF	096.82	18.49	14000B16000	AT 280K	
LAIKS	303845.75N / 0980844.06W	Y	FB	TF	114.49	16.29	10000B14000	AT 250K	
En Route Transition									
PRTZY	322852.23N / 0995148.18W	Y		IF					PRTZY.LAIKS4
MNTRA	312722.67N / 0991212.33W	Y	FB	TF	151.06	70.00			
DILLO	304746.76N / 0984713.91W	Y	FB	TF	151.41	44.95	AT/ABOVE FL200	AT 280K	
KTANA	304533.04N / 0982555.43W	Y	FB	TF	096.82	18.49	14000B16000	AT 280K	
LAIKS	303845.75N / 0980844.06W	Y	FB	TF	114.49	16.29	10000B14000	AT 250K	
En Route Transition									
UCOKA	311900.00N / 1000500.00W	Y		IF					UCOKA.LAIKS4
DILLO	304746.76N / 0984713.91W	Y	FB	TF	114.67	73.71	AT/ABOVE FL200	AT 280K	

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name LAIKS (RNAV)		Number FOUR		STAR Computer Code LAIKS.LAIKS4		Superseded Number THREE		Dated 04/22/2021	Effective Date 05 SEP 2024
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
KTANA	304533.04N / 0982555.43W	Y	FB	TF	096.82	18.49	14000B16000	AT 280K	
LAIKS	303845.75N / 0980844.06W	Y	FB	TF	114.49	16.29	10000B14000	AT 250K	
Common Route									
LAIKS	303845.75N / 0980844.06W	Y		IF			10000B14000	AT 250K	LAIKS.LAIKS4
BOYZZ	303341.82N / 0975559.70W	Y	FB	TF	114.63	12.10	AT/BELOW 11000		
Runway Transition									
BOYZZ	303341.82N / 0975559.70W	Y		IF			AT/BELOW 11000		
CRLOS	302927.28N / 0975012.43W	Y	FB	TF	130.23	06.55	AT 5000		
HOUKM	302544.35N / 0974508.98W	Y	FB	TF	130.28	05.73	AT 5000	AT 210K	
KAUS:RWY 18L,RWY 18R									
Runway Transition									
BOYZZ	303341.82N / 0975559.70W	Y		IF			AT/BELOW 11000		
TRVSS	302754.11N / 0975242.66W	Y	FB	TF	153.85	06.44	8000B10000		
RATTT	301634.46N / 0974618.78W	Y	FB	TF	153.88	12.58	AT/ABOVE 6000	AT 220K	
LAIDY	301037.09N / 0974609.28W	Y	FO	TF	178.68	05.94	AT 5000	AT 210K	
KAUS:RWY 36L,RWY 36R									
				FM	178.68				

