

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ROTAN	CEXES (FB)	095.58 / 30.38	4000	LNAV: RW35 CLIMBING RIGHT TURN TO 3300 DIRECT HINTA AND HOLD. ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1664 TREE 325419N/0994438W 1829 AAO 324905N/0994500W AWAQY TO RW35: 3.04/40
ROGEE	GIREW (FB)	250.39 / 19.30	4000	
CEXES (IAF)	HINTA (NOPT) (FB)	084.35 / 5.00	3300	
GIREW (IAF)	HINTA (NOPT) (FB)	264.45 / 5.00	3300	
HINTA (IF/IAF)	AWAQY (FB)	354.40 / 6.11	3200	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD S HINTA, RT, 354.40 INBOUND, 3300 FT. IN LIEU OF PT (IAF)
- FAC: 354.40 FAF: AWAQY DIST FAF TO MAP: 4.98 THLD: 4.98
- MIN. ALT: HINTA 3300, AWAQY 3200, FESGI/2.00 NM TO RW35 2200
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW35 3900

MAG VAR: 6E EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: NA		<input checked="" type="checkbox"/>										
CATEGORY ==>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	2020	1	460	2020	1	460	2020	1 1/4	460		NA				
CIRCLING	2100	1	539	2100	1	539	2100	1 1/2	539		NA				

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ROTAN VIA V62 NORTHWEST BOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ROGEE VIA V16 NORTHEAST BOUND AND VIA V18 EASTBOUND.
 SEE 8260-10



CITY AND STATE STAMFORD, TX	ELEVATION: 1561 TDZE: 1560 AIRPORT NAME: ARLEDGE FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 11 FEB 2010	SUP: AMDT: NONE DATED
---------------------------------------	---	-------------------------------------	--	------------------------------------

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: USE ABILENE RGNL ALTIMETER SETTING; WHEN NOT RECEIVED USE BRECKENRIDGE ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET.
CHART NOTE: PROCEDURE NA AT NIGHT.



CITY AND STATE STAMFORD, TX	ELEVATION: 1561 TDZE: 1560 AIRPORT NAME: ARLEDGE FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 11 FEB 2010	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	HINTA	HINTA	010	IAF	HF	R	FO		354.4 (360T)	004.0	03300
	ROGEE	ROGEE	010		IF		FB				
	ROGEE	GIREW	020	IAF	TF		FB	2.0	250.4 (256T)	019.3	04000
	ROGEE	HINTA	030		TF		FB	1.0	264.5 (271T)	005.0	03300
	ROTAN	ROTAN	010		IF		FB				
	ROTAN	CEXES	020	IAF	TF		FB	2.0	095.6 (102T)	030.4	04000
	ROTAN	HINTA	030		TF		FB	1.0	084.4 (090T)	005.0	03300
		HINTA	010	FACF	IF		FB				03300
		AWAQY	020	FAF	TF		FB	0.5	354.4 (360T)	006.1	03200
		FESGI	021	SDF	TF		FB	0.3	354.4 (360T)	003.0	0220002235
		RW35	030	MAP	TF		FO	0.3	354.4 (360T)	002.0	01594

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	HINTA	040		DF	R	FO	1.0			03300
	HINTA	050		HM	R	FO	2.0	354.4 (360T)	004.0	03300

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AWAQY	N324915.51	W0994412.20	N3249.259	W09944.203
	CEXES	N324310.45	W0995010.81	N3243.174	W09950.180
	FESGI	N325214.36	W0994410.72	N3252.239	W09944.179
	GIREW	N324306.25	W0993819.65	N3243.104	W09938.328
	HINTA	N324308.49	W0994415.23	N3243.142	W09944.254
	ROGEE	N324741.29	W0991605.66	N3247.688	W09916.094
	ROTAN	N324921.98	W1002527.33	N3249.366	W10025.456
	RW35	N325414.59	W0994409.73	N3254.243	W09944.162

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW35	01554	40

CITY AND STATE STAMFORD, TX	ELEVATION: 1561 TDZE: 1560	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
	AIRPORT NAME: ARLEDGE FIELD		RNAV (GPS) RWY 35, ORIG	AMDT: NONE
			11 FEB 2010	DATED: