

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> TRACY MUNI	<u>AIRPORT ID</u> KTKC	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 11	<u>ORIGINAL/AMENDMENT</u> ORIG-B	<u>CITY</u> TRACY	<u>STATE</u> MN
<u>AIRPORT ELEVATION</u> 1341	<u>TDZE</u> 1336	<u>SUPERSEDED</u> RNAV (GPS) RWY 11	<u>ORIGINAL/AMENDMENT</u> ORIG-A	<u>DATED</u> 02/28/2019	<u>MAG VAR</u> 5E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 FEBRUARY 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 1985

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
GHENT		JADIP		TF	FB	1.00	147.16	3.52	3200
POEMS		LEBIC		TF	FB	1.00	029.37	25.11	3500
RWF VOR/DME		CURLU		TF	FO	1.00	251.82	31.88	3200
JADIP	IAF	CURLU	NOPT	TF	FB	1.00	203.61	5.00	3200
LEBIC	IAF	CURLU	NOPT	TF	FB	1.00	023.53	5.00	3200
CURLU	IF/IAF	CICAY		TF	FB	1.00	113.48	6.00	3200
CICAY	FAF	RW11	MAP	TF	FO	0.30	113.57	5.67	
RW11	MAP	1741 MSL		CA			113.57		
1741 MSL		DUPPA		DF	FO	1.00			3000

MISSED APPROACH

MAP:

LNAV: RW11

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3000 DIRECT DUPPA AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. HOLD NW CURLU, RT, 113.48 INBOUND, 3200 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAF:

113.57

FAF: CICAY

DIST FAF TO MAP: 5.67

DIST FAF TO THLD: 5.67

4. MIN ALT: CURLU 3200, CICAY 3200

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS NOT CLEAR

TCH:

8. MSA FROM: RW11 3900

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.
CHART NOTE: RWY 11 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT POEMS ON V148 SOUTHWEST BOUND.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON RWF VOR/DME AIRWAY RADIALS 192 CW 312.
CHART NOTE: CIRCLING NA TO RWY 17-35.

ADDITIONAL FLIGHT DATA:

FAS OBST: 1670 AAO 441659N/0954439W.
HOLD SE, RT, 293.82 INBOUND.
CICAY TO RW11: 3.03/40.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1920	1	584	1920	1	584		NA			NA				
CIRCLING	1960	1	619	1960	1	619		NA			NA				



