

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
SKYEE	ONE	SKYEE1.SKYEE	NONE		26 MAR 20

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	☐	☐	☒	☐	☒

DP ROUTE DESCRIPTION:
CENTENNIAL KAPA:

TAKEOFF RW17L/R: CLIMB ON HEADING 169.95 TO 6385, THEN ON HEADING 169.95 OR AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW35L/R: CLIMB ON HEADING 349.95 TO 6385, THEN ON HEADING 349.95 OR AS ASSIGNED BY ATC. THENCE...

COLORADO AIR AND SPACE PORT KCFO:

TAKEOFF RW08: CLIMB ON A HEADING BETWEEN 312 CW 228 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW17: CLIMB ON A HEADING BETWEEN 352 CW 229 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW26: CLIMB ON A HEADING BETWEEN 315 CW 083 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW35: CLIMB ON A HEADING BETWEEN 313 CW 172 AS ASSIGNED BY ATC. THENCE...

GREELEY-WELD COUNTY KGXY:

TAKEOFF RW10: CLIMB ON A HEADING BETWEEN 292 CW 214 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW17: CLIMB ON A HEADING BETWEEN 350 CW 212 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW28: CLIMB ON A HEADING BETWEEN 294 CW 097 OR BETWEEN 097 CW 209 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW35: CLIMB ON A HEADING BETWEEN 293 CW 169 AS ASSIGNED BY ATC. THENCE...

NORTHERN COLORADO RGNL KFNL:

TAKEOFF RW15: CLIMB ON A HEADING BETWEEN 350 CW 180 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW33: CLIMBING RIGHT TURN ON A HEADING BETWEEN 350 CW 150 AS ASSIGNED BY ATC. THENCE...

ROCKY MOUNTAIN METROPOLITAN KBJC:

TAKEOFF RW12L/R: CLIMB ON A HEADING BETWEEN 350 CW 150 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW30L/R: CLIMBING RIGHT TURN ON A HEADING BETWEEN 350 CW 113 AS ASSIGNED BY ATC. THENCE...

VANCE BRAND KLMO:

TAKEOFF RW11: CLIMB ON A HEADING BETWEEN 030 CW 160 AS ASSIGNED BY ATC. THENCE...

TAKEOFF RW29: CLIMBING RIGHT TURN ON A HEADING BETWEEN 030 CW 110 AS ASSIGNED BY ATC. THENCE...

ALL AIRPORTS:

...EXPECT RADAR VECTORS TO CROSS SATLE AT 8,000 THEN ON TRACK 159.97/11.50 TO SKYEE THEN ON (TRANSITION) MAINTAIN FL230 OR FILED LOWER ALTITUDE. EXPECT HIGHER FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
DAAYE	SKYEE1.DAAYE	SKYEE	SOLAR	TRACK 191.17	31.09	14200	11300	SOLAR AT/ ABOVE 14200
		SOLAR	SMMUR	TRACK 198.85	47.60	17000	12300	SMMUR AT/ABOVE 17000
		SMMUR	DAAYE	TRACK 198.12	28.42	17000	16000	
JOPLN	SKYEE1.JOPLN	SKYEE	SHOJO	TRACK 149.34	33.90	18000	9800	
		SHOJO	SABTH	TRACK 165.43	39.32	18000	9900	

QUALITY
3
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>	
SKYEE		ONE	SKYEE1.SKYEE	NONE		26 MAR 20	
	SABTH		JOPLN	TRACK 159.97	64.64	18000	9900
VRONI	SKYEE1.VRONI	SKYEE	SHOJO	TRACK 149.34	33.90	18000	9800
	SHOJO		SABTH	TRACK 165.43	39.32	18000	9900
	SABTH		VRONI	TRACK 139.31	83.86	18000	7800
SLEEK	SKYEE1.SLEEK	SKYEE	STAKR	TRACK 134.93	37.03	18000	9500
	STAKR		AZARO	TRACK 157.97	39.43	18000	9500
	AZARO		SLEEK	TRACK 131.67	34.65	18000	7700
SUDDZ	SKYEE1.SUDDZ	SKYEE	SCAGS	TRACK 172.15	31.45	14200	10400
	SCAGS		FRNKE	TRACK 188.90	23.86	23000	15800
	FRNKE		SUDDZ	TRACK 188.77	52.14	23000	14300

PROCEDURAL DATA NOTES:

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: RNAV 1.

NOTE: TURBOJETS ONLY.

NOTE: RADAR REQUIRED.

TAKEOFF MINIMUMS:**CENTENNIAL KAPA:**

RWYS 10, 28 NA

RWY 17L STANDARD WITH MINIMUM CLIMB OF 255 FT PER NM TO 8000

RWY 17R STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 8000

RWY 35L, 35R STANDARD

COLORADO AIR AND SPACE PORT KCFO:

RWY 8, 17, 26, 35 STANDARD

GREELEY-WELD COUNTY KGXY:

RWY 10, 17, 28, 35 STANDARD

NORTHERN COLORADO RGNL KFNL:

RWYS 6, 24 NA

RWY 15, 33 STANDARD

ROCKY MOUNTAIN METROPOLITAN KBJC:

RWYS 3, 21 NA

RWY 12L/R, 30L/R STANDARD

VANCE BRAND KLMO:

RWY 11 STANDARD

RWY 29 STANDARD WITH MINIMUM CLIMB OF 370 FT PER NM TO 8000.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

CENTENNIAL:

RWY 17L: 6569 FT MSL AAO 392953.93N/1046044.26W.

RWY17R: 6021 FT MSL OBS LT ON BLDG 393302.52N/1045119.43W (CG), 6559 FT MSL AAO 392953.93N/1045044.26W (CGTA).



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
SKYEE	ONE	SKYEE1.SKYEE	NONE		26 MAR 20

VANCE BRAND:
RWY 29: 6179 FT MSL AAO 401357.20N/1051150.87W.

OBSTACLES MANDATING ROUTE DEVELOPMENT:

CENTENNIAL:

RWY 17L/R: 13591 FT MSL AAO 395019.70N/1054255.40W, 14470 FT MSL AAO 393807.40N/1054902.40W, 12995 FT MSL AAO 384926.53N/1050138.90W.
RWY 35L/R: 13591 FT MSL AAO 395019.70N/1054255.40W, 14470 FT MSL AAO 393807.40N/1054902.40W, 14310 FT MSL AAO 385020.60N/1050238.00W.

COLORADO AIR AND SPACE PORT:

RWY 8: 14464 FT MSL AAO 393517.70N/1053838.00W, 14455 FT MSL AAO 401511.20N/1053651.40W.
RWY 17: 14464 FT MSL AAO 393517.70N/1053838.00W.
RWY 26: 14464 FT MSL AAO 393517.70N/1053838.00W, 14455 FT MSL AAO 401511.20N/1053651.40W.
RWY 35: 14455 FT MSL AAO 401511.20N/1053651.40W.

GREELEY-WELD COUNTY:

RWY 10:14455 FT MSL AAO 401519.05N/1053628.56W, 10920 MSL AAO 403043.86N/1052635.42W, 11847 MSL AAO 401043.35N/1053351.27W.
RWY 17:14455 FT MSL AAO 401519.05N/1053628.56W, 10920 MSL AAO 403043.86N/1052635.42W, 11847 MSL AAO 401043.35N/1053351.27W.
RWY 28:14455 FT MSL AAO 401519.05N/1053628.56W, 10920 MSL AAO 403043.86N/1052635.42W, 11847 MSL AAO 401043.35N/1053351.27W.
RWY 35:14455 FT MSL AAO 401519.05N/1053628.56W, 10920 MSL AAO 403043.86N/1052635.42W, 11847 MSL AAO 401043.35N/1053351.27W.

NORTHERN COLORADO RGNL:

RWY 15: 14470 FT MSL AAO 393518.83N/1053829.25W, 14455 MSL AAO 401511.20N/1053651.40W.
RWY 33: 7159 FT MSL AAO 403802.63N/1051418.62W, 14455 MSL AAO 401511.20N/1053651.40W.

ROCKY MOUNTAIN METROPOLITIAN:

RWY 12L/R: 14470 FT MSL AAO 393607.40N/1054902.40W, 12348 FT MSL AAO 403111.11N/10533512.76W, 9222 FT MSL AAO 393343.86N/1051525.75W.
RWY 30L/R: 14470 FT MSL AAO 393807.40N/1054902.40W, 12348 FT MSL AAO 403111.11N/10533512.76W, 14431 FT MSL AAO 391427.57N/1052950.60W.

VANCE BRAND:

RWY 11: 13575 FT MSL AAO 393327.70N/1053613.80W.
RWY 29: 14459 FT MSL AAO 401511.20N/1053651.40W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

KAPA: REF MAG VAR 8E, EPOCH YR 2015
DME/DME ASSESSMENT: SAT (RNP 2.0)
CHART TOP ALTITUDE: FL230

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
CENTENNIAL	KAPA	DENVER	CO
ROCKY MOUNTAIN METROPOLITAN	KBJC	DENVER	CO
COLORADO AIR AND SPACE PORT	KCFO	DENVER	CO
NORTHERN COLORADO RGNL	KFNL	FORT COLLINS/LOVELAND	CO
GREELEY-WELD COUNTY	KGXY	GREELEY	CO

QUALITY
3
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
SKYEE	ONE	SKYEE1.SKYEE	NONE		26 MAR 20
VANCE BRAND	KLMO		LONGMONT		CO

COMMUNICATIONS:

KAPA: ATIS, CLNC DEL, DEN DEP CON
KBJC: ATIS, CLNC DEL, DEN DEP CON
KCFO: ATIS, CLNC DEL, DEN DEP CON, DENVER CLNC DEL (WHEN TOWER CLOSED)
KFNL: CLNC DEL, DEN DEP CON
KGXY: CLNC DEL, DEN DEP CON
KLMO: DEN DEP CON

FIXES AND/OR NAVAIDS:**REMARKS:****FLIGHT INSPECTED BY**

JAMES HAWLEY

OFFICE

FICO

DATE

1/26/20

DEVELOPED BY

AUSTIN GOTCHER

Digitally signed by
AUSTIN GOTCHER
Feb 12, 2020

OFFICE

AJV-A422

DATE

10/17/2019

APPROVED BY

MARLON ROBINSON

OFFICE

AJV-A420

DATE**TITLE**

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:**ZDV, DEN DEP CON, AMGR.

CHANGES - REASONS:

02/12/2020: THIS IS CORRECTED COPY OF THE FORM APPROVED ON 01/27/2020.

1. IN THE VRONI TRANSITION, CHANGED VRONI TRANSITION COMPUTER CODE FROM SKYEE1.JOPLN TO SKYEE1.VRONI.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
SKYEE		ONE		SKYEE1.SKYEE		NONE			26 MAR 20
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
SATLE	394927.32N/1045331.82W	Y	-	IF	-	-	AT 8000		
SKYEE	393811.89N/1045025.62W	Y	FB	TF	167.97	11.50			
SKYEE	393811.89N/1045025.62W	Y	-	IF	-	-		SKYEE1.DAAYE	
SOLAR	390847.92N/1050332.82W	Y	FB	TF	199.17	31.09	AT/ABOVE 14200		
SMMUR	382613.90N/1053054.35W	Y	FB	TF	206.85	47.60	AT/ABOVE 17000		
DAAYE	380040.43N/1054644.19W	Y	FB	TF	206.12	28.42			
SKYEE	393811.89N/1045025.62W	Y	-	IF	-	-		SKYEE1.JOPLN	
SHOJO	390652.06N/1043339.04W	Y	FB	TF	157.34	33.90			
SABTH	382745.86N/1042755.30W	Y	FB	TF	173.43	39.32			
JOPLN	372437.63N/1041103.71W	Y	FB	TF	167.97	64.46			
SKYEE	393811.89N/1045025.62W	Y	-	IF	-	-		SKYEE1.VRONI	
SHOJO	390652.06N/1043339.04W	Y	FB	TF	157.34	33.90			
SABTH	382745.86N/1042755.30W	Y	FB	TF	173.43	39.32			
VRONI	371652.72N/1033110.19W	Y	FB	TF	147.31	83.86			
SKYEE	393811.89N/1045025.62W	Y	-	IF	-	-		SKYEE1.SLEEK	
STAKR	390834.11N/1042144.43W	Y	FB	TF	142.93	37.03			
AZARO	383016.30N/1040933.92W	Y	FB	TF	165.97	39.43			

QUALITY
3
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
SKYEE		ONE		SKYEE1.SKYEE		NONE			26 MAR 20
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
SLEEK	380346.17N/1034110.33W	Y	FB	TF	139.67	34.65			
SKYEE	393811.89N/1045025.62W	Y	-	IF	-	-		SKYEE1.SUDDZ	
SCAGS	390643.37N/1045032.11W	Y	FB	TF	180.15	31.45	AT/ABOVE 14200		
FRNKE	384352.20N/1045924.00W	Y	FB	TF	196.90	23.86	AT/ABOVE FL230		
SUDDZ	375351.90N/1051824.39W	Y	FB	TF	196.77	52.14			

