

RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES						MISSED APPROACH											
FROM		TO		COURSE AND DISTANCE		ALTITUDE											
FST VORTAC COQHU (IF/IAF)		COQHU (FO)		117.62 / 16.19		5300		LNAV: RW30									
		HUGBO (FB)		297.61 / 6.10		4900		CLIMB TO 5100 DIRECT ATGIY AND HOLD.									
									ADDITIONAL FLIGHT DATA: HOLD NW, RT, 117.42 INBOUND. CHART FAS OBST: 3274 TOWER 305238N/1025332W HUGBO TO RW30: 3.04/55 CHART: 3687 TOWER 305200N/1024854W.								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																	
2. HOLD SE COQHU, RT, 297.61 INBOUND, 5300 FT. IN LIEU OF PT (IAF)																	
3. FAC: 297.56 FAF: HUGBO DIST FAF TO MAP: 5.69 THLD: 5.69																	
4. MIN. ALT: COQHU 5300, HUGBO 4900, TAPGE/2.50 NM TO RW30 3860																	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT:																	
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																	
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																	
8. MSA FROM: RW30 6400																	
MAG VAR: 9E EPOCH YEAR: 1995																	
MINIMUMS																	
TAKEOFF: [] STANDARD [X] SEE FAA FORM 8260-15A FOR THIS AIRPORT ALTERNATE: N A [] STANDARD @ []																	
CATEGORY =====>	A			B			C			D			E				
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LNAV MDA	3500	1	489	3500	1	489	3500	1 1/4	489	3500	1 1/2	489					
CIRCLING	3540	1	529	3540	1	529	3600	1 1/2	589	3760	2 1/2	749					
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PECOS ALTIMETER SETTING AND INCREASE SEE 8260-10																	
CITY AND STATE FORT STOCKTON, TX				ELEVATION: 3011 TDZE: 3011 AIRPORT NAME: FORT STOCKTON-PECOS COUNTY				FACILITY IDENTIFIER: RNAV				PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 30, AMDT 1 27 AUG 2009				SUP: AMDT: ORIG DATED 08/10/2000	

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

ALL MDA 160 FEET, INCREASE LNAV CAT C/D VISIBILITY 1/2 MILE, CIRCLING CAT C VISIBILITY 3/4 MILE, CAT D VISIBILITY 1/2 MILE.

CHART NOTE: CIRCLING TO RWY 11-29, 7-25, 16-34 NA.

CHART NOTE: PROCEDURE NA AT NIGHT.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT FST VORTAC VIA V198-222 WESTBOUND.

QUALITY
6
CHECKED

CITY AND STATE FORT STOCKTON, TX	ELEVATION: 3011 TDZE: 3011 AIRPORT NAME: FORT STOCKTON-PECOS COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 30, AMDT 1 27 AUG 2009	SUP:
				AMDT: ORIG
				DATED: 08/10/2000

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG
DATED:	08/10/2000

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG
DATED:	08/10/2000

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	FST	FST	010		IF		FB				
	FST	COQHU	020		TF		FO	2.0	117.6 (127T)	016.2	05300
	FST	COQHU	030	IAF	HF	R	FO		297.6 (307T)	006.0	05300
		COQHU	010	FACF	IF		FB				05300
		HUGBO	020	FAF	TF		FB	0.5	297.6 (307T)	006.1	04900
		TAPGE	021	SDF	TF		FB	0.3	297.6 (307T)	003.2	0386003878
		RW30	030	MAP	TF		FO	0.3	297.6 (307T)	002.5	03065

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	ATGIY	040		DF		FO	1.0			05100
	ATGIY	050		HM	R	FO	2.0	117.4 (126T)	006.0	05100

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	FST	N305707.59	W1025832.56	N3057.127	W10258.543
	ATGIY	N310155.22	W1030608.98	N3101.920	W10306.150
	COQHU	N304725.80	W1024327.12	N3047.430	W10243.452
	HUGBO	N305104.59	W1024908.59	N3051.077	W10249.143
	TAPGE	N305258.72	W1025207.05	N3052.979	W10252.118
	RW30	N305428.21	W1025427.14	N3054.470	W10254.452

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW30	03010	55

CITY AND STATE
FORT STOCKTON, TX

ELEVATION: 3011 TDZE: 3011
AIRPORT NAME:
 FORT STOCKTON-PECOS COUNTY

**FACILITY
 IDENTIFIER:**
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 30, AMDT 1
27 AUG 2009

SUP:
AMDT: ORIG
DATED: 08/10/2000