

**Federal Aviation
Administration**

Transmittal Letter 21-17

June 25, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/12/2021	NY	Farmingdale	Republic	1/3942	6/10/2021	RNAV (GPS) Y RWY 14, Amdt 2D

12 AUGUST 2021

FDC 1/3942 FRG IAP REPUBLIC, FARMINGDALE, NY. RNAV (GPS) Y RWY 14, AMDT 2D...
CIRCLING CAT A MDA 640/HAA 560, CAT B MDA 720/HAA 640, CAT C MDA 860/HAA 780,
CAT D MDA 1000/HAA 920, CAT C VIS 2 1/4, CAT D VIS 3. CHANGE NOTE TO READ: WHEN
LOCAL ALTIMETER SETTING NOT RECEIVED, USE ISLIP ALTIMETER SETTING: INCREASE
LPV DA TO 314 FEET; INCREASE LNAV/VNAV DA TO 426 FEET; INCREASE ALL MDAS 40
FEET AND VISIBILITY CAT C 1/4 SM. CHANGE NOTE TO READ: FOR UNCOMPENSATED
BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. PBN
REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. ALTERNATE
MINIMUMS STANDARD EXCEPT CAT C 800-2 1/4, CAT D 1000-3, NA WHEN LOCAL
WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) Y RWY 14, AMDT 2E. 2105111635-PERM