

**Federal Aviation  
Administration**

**Transmittal Letter 20-04**

**December 27, 2019**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/30/2020	NY	Ithaca	Ithaca Tompkins Rgnl	9/6370	12/13/2019	RNAV (GPS) Y RWY 14, Orig-A

**AIRAC Date: 30 JANUARY 2020**

FDC 9/6370 ITH IAP ITHACA TOMPKINS RGNL, ITHACA, NY. RNAV (GPS) Y RWY 14, ORIG-A... CIRCLING MDA CAT A/B/C 2040/HAA 941,VIS CAT A/B 1 1/4, CAT C 2 3/4. CIRCLING CAT D NA. CHART CIRCLING ICON. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOTE RECEIVED, USE ELMIRA ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND INCREASE LNAV CAT C VISIBILITY 1/4 MILE, CAT D VISIBILITY 1/2 MILE, AND INCREASE CIRCLING CATS C AND D VISIBILITY 1/2 MILE. DELETE NOTE: VDP NA WHEN USING ELMIRA ALTIMETER SETTING.. THIS IS RNAV (GPS) Y RWY 14, ORIG-B. 1912121808-PERM