

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BEAR LAKE	ONE	1U71.LUNDI	NONE		20 APRIL 2023

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 28: CLIMB ON HEADING 284.11 TO 6433, THEN CLIMBING RIGHT TURN DIRECT PAPIE, THEN ON DEPICTED ROUTE.  
TAKEOFF RWY 34: CLIMB ON HEADING 344.11 TO 6433, THEN CLIMB DIRECT PAPIE, THEN ON DEPICTED ROUTE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

**PBN REQUIREMENTS NOTES:**

RNAV 1-GPS.

**EQUIPMENT REQUIREMENT NOTES:**

**TAKEOFF MINIMUMS:**

RWY 10, 16: NA - ATC

RWY 28: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 6433 THEN MINIMUM CLIMB OF 255 FT PER NM TO 7600.

RWY 34: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 6433 THEN MINIMUM CLIMB OF 260 FT PER NM TO 7600.

**TAKEOFF OBSTACLES NOTES:**

**CONTROLLING OBSTACLES:**

RWY 28: 7140 FT MSL AAO 422046.20N/1112444.18W

RWY 34: 7140 FT MSL AAO 422048.30N/1112437.71W

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: 9708 FT MSL AAO 421209.00N/1113257.00W

**MSA:**

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

AIRPORT MV: 1U7 E11/2020

DME/DME ASSESSMENT: NOT CONDUCTED.

CHART MINIMUM CROSSING ALTITUDE AT PAPIE - AT/ABOVE 8700

CHART MINIMUM CROSSING ALTITUDE AT EKLKA - AT/ABOVE 10100

CHART MINIMUM CROSSING ALTITUDE AT LUNDI - AT/ABOVE 10100



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BEAR LAKE	ONE	1U71.LUNDI	NONE		20 APRIL 2023

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
1U7	PARIS	ID

COMMUNICATIONS:

FIXES AND/OR NAVAIDS:

EKLKA, LUNDI

REMARKS:

AIRSPACE DOCKET: 20-ANM-42  
RWY 16/34 HAS BSC MARKINGS AND NO LIGHT SYSTEMS.  
AIRCRAFT ALTITUDE AT EKLKA AND LUNDI WITH STANDARD CLIMB GRADIENT EXCEED 10100 FT. CHARTING OF MIN ALTITUDE AT EKLKA AND LUNDI REQUIRED PER FPT.  
70 FT VEGETATION HEIGHT UTILIZED, PROVIDED BY FPT CHECKLIST.  
PROCEDURE NAMING DOES NOT USE LUNDI AS LUNDI IS ALREADY USED AT KAFO. BEAR LAKE NAMING COORDINATED WITH FPT AND ATC.

FLIGHT INSPECTED BY *Digitally signed by*  
BRANDON C EASTIN **ERIC N SUSKI**  
Feb 17, 2023

OFFICE  
FPO  
DATE  
02/13/2023

DEVELOPED BY *Digitally signed by*  
KELLY DEAN **KELLY D DEAN**  
Oct 06, 2022

OFFICE  
AJV-A431  
DATE  
08/10/2022

APPROVED BY *Digitally signed by*  
JOHNNIE BAKER **ERIC N SUSKI**  
Oct 20, 2022

OFFICE  
AJV-A430  
DATE  
TITLE  
MANAGER

REQUIRED EFFECTIVE DATE  
ROUTINE

COORDINATED WITH:

**A4A** ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** ZLC ARTCC, APRT MGR

CHANGES - REASONS:



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BEAR LAKE	ONE	1U71.LUNDI	NONE		20 APRIL 2023

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RWY 28 (AER)	421453.08N/1111942.93W	N	-	-	-	-			CG 500 FT PER NM TO 6433
6433 MSL	-	-	-	VA	295.11	-	AT/ABOVE 6433		CG 255 FT PER NM TO 7600
PAPIE	422803.73N/1112446.91W	Y	FB	DF	-	-	AT/ABOVE 8700		RIGHT TURN
EKLKA	423350.25N/1112754.46W	Y	FB	TF	338.20	6.22	AT/ABOVE 10100		
LUNDI	424128.04N/1115209.25W	Y	FB	TF	293.22	19.46	AT/ABOVE 10100		
RWY 34 (AER)	421429.14N/1112042.80W	N	-	-	-	-			CG 500 FT PER NM TO 6433
6433 MSL	-	-	-	VA	355.11	-	AT/ABOVE 6433		CG 260 FT PER NM TO 7600
PAPIE	422803.73N/1112446.91W	Y	FB	DF	-	-	AT/ABOVE 8700		
EKLKA	423350.25N/1112754.46W	Y	FB	TF	338.20	6.22	AT/ABOVE 10100		
LUNDI	424128.04N/1115209.25W	Y	FB	TF	293.22	19.46	AT/ABOVE 10100		

