U.S. Department of Transportation

Federal Aviation Administration

**Transmittal Letter 22-17** 

June 24, 2022

## PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

......EFFECTIVEUPONPUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/11/2022	MI	Boyne Falls	Boyne Mountain	2/0705	5/26/2022	Takeoff Minimums and Obstacle DP, Amdt 4

## AIRAC Date: 11 AUGUST 2022

FDC 2/0705 BFA ODP BOYNE MOUNTAIN, BOYNE FALLS, MI. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4... TAKEOFF MINIMUMS: RWY 17: STANDARD WITH MINIMUM CLIMB OF 490 FT PER NM TO 1400 OR 1300-3 FOR CLIMB IN VISUAL CONDITIONS. RWY 35: STANDARD WITH MINIMUM CLIMB OF 310 FT PER NM TO 1400 OR 1300-3 FOR CLIMB IN VISUAL CONDITIONS. ALL OTHER DATA REMAINS AS PUBLISHED. THIS IS TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, AMDT 4A. 2205261602-PERM