### Federal Aviation Administration

## **Transmittal Letter 19-03**

#### January 31, 2019

### PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

#### The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: EFFECTIVEUPONPUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/31/2019	MN	ELBOW LAKE	ELBOW LAKE MUNI-PRIDE OF THE PRAIRIE	8/0440	12/12/2018	RNAV (GPS) RWY 14 ORIG-A

# AIRAC Date: 31 JANUARY 2019

FDC 8/0440 Y63 IAP ELBOW LAKE MUNI - PRIDE OF THE PRAIRIE, Elbow Lake, MN. RNAV (GPS) RWY 14, ORIG-A... DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 54C (130F). CHART NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C OR ABOVE 54C. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CIRCLING CAT B MDA 1680/HAA 474. THIS IS RNAV (GPS) RWY 14, ORIG-B. 1810241218-PERM