U.S. Department of Transportation

Federal Aviation Administration

Transmittal Letter 22-17

June 24, 2022

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DA	ATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/11/202	22	MN	Elbow Lake	Elbow Lake Muni - Pride Of The Prairie		4/14/2022	RNAV (GPS) RWY 14, Orig-B

AIRAC Date: 11 AUGUST 2022

FDC 2/7716 Y63 IAP ELBOW LAKE MUNI - PRIDE OF THE PRAIRIE, ELBOW LAKE, MN. RNAV (GPS) RWY 14, ORIG-B... CHART NOTE: CIRCLING NA TO RWYS 11W AND 29W. DELETE NOTE: RNP APCH. PBN REQUIREMENTS NOTE: RNP APCH - GPS. DELETE NOTE: *LNAV ONLY. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FERGUS FALLS ALTIMETER SETTING: INCREASE LPV DA TO 1504 FEET; INCREASE LNAV/VNAV DA TO 1605 FEET AND VISIBILITY ALL CATS 1/4 MILE; INCREASE ALL MDAS 60 FEET. THIS IS RNAV (GPS) RWY 14, ORIG-C. 2204131917-PERM