

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
AXLES						ONE	AXLES1.AXLES	NONE		19 MARCH 2026
TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV					
	☒	☐	☐	☐	☒					

DP ROUTE DESCRIPTION:
TAKEOFF RWY 22: CLIMB ON HEADING 223.65 TO 5103, THEN DIRECT AZTEC, THEN ON TRACK 284.77 TO OUGHT, THEN ON TRACK 348.99 TO CROSS AXLES AT OR ABOVE MEA/MCA FOR ROUTE OF FLIGHT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 22: STANDARD WITH MINIMUM CLIMB OF 400 FT/NM TO 7700.

TAKEOFF OBSTACLES NOTES:

RWY 22: BUILDING 46 FT FROM DER, 188 FT LEFT OF CENTERLINE, 14 FT AGL/4586 FT MSL.
WIND INDICATOR 60 FT FROM DER, 159 FT RIGHT OF CENTERLINE, 8 FT AGL/4578 FT MSL.
TREES BEGINNING 75 FT FROM DER, 15 FT LEFT OF CENTERLINE, UP TO 4652 FT MSL.
TREES BEGINNING 147 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 4699 FT MSL.
TREES BEGINNING 991 FT FROM DER, 116 FT LEFT OF CENTERLINE, UP TO 4656 FT MSL.
TREES BEGINNING 1118 FT FROM DER, 16 FT LEFT OF CENTERLINE, UP TO 4658 FT MSL.
TREES, TERRAIN BEGINNING 2.3 NM FROM DER, 2507 FT LEFT OF CENTERLINE, UP TO 5015 FT MSL.

CONTROLLING OBSTACLES:

RWY 22: 6762 FT MSL AAO 465206.00N/1124612.00W (CLIMB GRADIENT), 7329 FT MSL TERRAIN 465915.00N/1124939.00W (CLIMB GRADIENT TERMINATION ALTITUDE)
OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: 9600 FT AAO 470700.00N/1124421.00W

MSA:

S69,10600

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

AIRPORT MV: S69 12E/2025



AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
S69	LINCOLN	MT

COMMUNICATIONS:

FIXES AND/OR NAVAIDS:

REMARKS:

50 FT VEGETATION USED PER FPT.

FLIGHT INSPECTED BY

TROY E DEVINE

Digitally signed by
CASIMIR L TABAKA
Jan 06, 2026

SIGNATURE

OFFICE

AJF

DATE

11/21/2025

DEVELOPED BY

JACOB CLARK

SIGNATURE

Digitally signed by
JACOB H CLARK
Aug 25, 2025

OFFICE

AJV-A432

DATE

08/21/2025

APPROVED BY

CASIMIR TABAKA

SIGNATURE

Digitally signed by
CASIMIR L TABAKA
Oct 21, 2025

OFFICE

AJV-A432

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A☐ ALPA☒ AOPA☒ APA☐ HAI☐ NBAA☒ OTHER:ZLC, AMGR.

CHANGES - REASONS:

ORIGINAL PROCEDURE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
AXLES		ONE		AXLES1.AXLES		NONE			19 MARCH 2026
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW22 (AER)	465728.73N/1123835.56W	N	-	-	-	-			CG 400 FT/NM TO 7700
5103 MSL	-	-	-	VA	235.65	-	AT OR ABOVE 5103		
AZTEC	465432.68N/1124451.10W	Y	FB	DF	-	-			
OUGHT	465901.50N/1125800.23W	Y	FB	TF	296.77	09.98			
AXLES	472814.11N/1125706.99W	Y	FB	TF	000.99	29.23			

