

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)  
TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

AIRPORT ID	CITY	STATE	AMDT NO	ACTUAL EFFECTIVE DATE
KMGJ	MONTGOMERY	NY	3A	10 AUGUST 2023

**TAKEOFF MINIMUMS:**

RWY 4: STANDARD.

RWY 8: 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 372 FT/NM TO 700.

RWY 22: 300-1 1/8 OR STANDARD WITH MINIMUM CLIMB OF 290 FT/NM TO 600.

RWY 26: 500-3 WITH MINIMUM CLIMB OF 220 FT/NM TO 1300 OR STANDARD WITH MINIMUM CLIMB OF 382 FT/NM TO 900, OR 1500-3 FOR VCOA.

**TEXTUAL DEPARTURE PROCEDURES:**

RWY 4: CLIMB ON HEADING 036.22 TO 2100 BEFORE PROCEEDING ON COURSE.

RWY 8: CLIMB ON HEADING 080.23 TO 1100 BEFORE TURNING LEFT.

RWY 22: CLIMB ON HEADING 216.23 TO 1000 BEFORE PROCEEDING ON COURSE.

RWY 26: CLIMB ON HEADING 260.23 TO 1000 BEFORE TURNING RIGHT.

**VISUAL CLIMB OVER AIRPORT:**

RWY 26: OBTAIN ATC APPROVAL FOR VCOA WHEN REQUESTING IFR CLEARANCE. CLIMB IN VISUAL CONDITIONS TO CROSS ORANGE COUNTY AIRPORT AT OR ABOVE 1700 BEFORE PROCEEDING ON COURSE.

**TAKEOFF OBSTACLE NOTES:**

NOTE: RWY 4: TERRAIN 23 FT FROM DER, 304 FT LEFT OF CENTERLINE, 371 FT MSL. TERRAIN 24 FT FROM DER, 183 FT LEFT OF CENTERLINE, 373 FT MSL. TREES, TERRAIN, TRAVERSE WAYS, VEGETATION, FENCE BEGINNING 32 FT FROM DER, 21 FT RIGHT OF CENTERLINE, UP TO 410 FT MSL. TREES, TRAVERSE WAYS BEGINNING 88 FT FROM DER, 39 FT LEFT OF CENTERLINE, UP TO 404 FT MSL. TREE 699 FT FROM DER, 574 FT LEFT OF CENTERLINE, 405 FT MSL. TREES BEGINNING 782 FT FROM DER, 490 FT LEFT OF CENTERLINE, UP TO 417 FT MSL. TREE 1004 FT FROM DER, 690 FT RIGHT OF CENTERLINE, 430 FT MSL. TREE 1046 FT FROM DER, 727 FT LEFT OF CENTERLINE, 439 FT MSL. TREES BEGINNING 1113 FT FROM DER, 545 FT RIGHT OF CENTERLINE, UP TO 436 FT MSL. TREES BEGINNING 1166 FT FROM DER, 18 FT LEFT OF CENTERLINE, UP TO 92 FT AGL/454 FT MSL. TREE 1394 FT FROM DER, 455 FT RIGHT OF CENTERLINE, 438 FT MSL. TREES BEGINNING 1470 FT FROM DER, 105 FT RIGHT OF CENTERLINE, UP TO 440 FT MSL. TREES BEGINNING 1521 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 85 FT AGL/447 FT MSL. TREES BEGINNING 4334 FT FROM DER, 448 FT RIGHT OF CENTERLINE, UP TO 102 FT AGL/491 FT MSL.

NOTE: RWY 8: TRAVERSE WAY, FENCE BEGINNING 106 FT FROM DER, 288 FT RIGHT OF CENTERLINE, UP TO 387 FT MSL. TREE 120 FT FROM DER, 516 FT RIGHT OF CENTERLINE, 74 FT AGL/450 FT MSL. TREES, TERRAIN, FENCES, BUILDING BEGINNING 133 FT FROM DER, 120 FT RIGHT OF CENTERLINE, UP TO 91 FT AGL/465 FT MSL. TREES, TERRAIN, SIGNS, FENCES, VEGETATION, POLES, BUILDING, TRAVERSE WAYS BEGINNING 383 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 104 FT AGL/485 FT MSL. POLES, FENCES, SIGN BEGINNING 621 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 27 FT AGL/401 FT MSL. BUILDING, POLE BEGINNING 828 FT FROM DER, 220 FT LEFT OF CENTERLINE, UP TO 32 FT AGL/411 FT MSL. TREE, SIGN, TRAVERSE WAYS BEGINNING 835 FT FROM DER, 60 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/455 FT MSL. TREES, TRAVERSE WAY, SIGN BEGINNING 879 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 101 FT AGL/479 FT MSL. TREES, TRAVERSE WAY, SIGNS, BUILDING, POLES, ANTENNA, ELECTRICAL SYSTEM BEGINNING 1001 FT FROM DER, 5 FT LEFT OF CENTERLINE, UP TO 99 FT AGL/483 FT MSL. TREES BEGINNING 2539 FT FROM DER, 21 FT RIGHT OF CENTERLINE, UP TO 89 FT AGL/490 FT MSL. TREES, POLE BEGINNING 2659 FT FROM DER, 27 FT RIGHT OF CENTERLINE, UP TO 97 FT AGL/500 FT MSL. TREES BEGINNING 2752 FT FROM DER, 327 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/487 FT MSL. REES, BUILDING BEGINNING 2785 FT FROM DER, 176 FT LEFT OF CENTERLINE, UP TO 89 FT AGL/488 FT MSL. TREES, POLE BEGINNING 2821 FT FROM DER, 186 FT LEFT OF CENTERLINE, UP TO 74 FT AGL/490 FT MSL. TREES BEGINNING 2919 FT FROM DER, 377 FT LEFT OF CENTERLINE, UP TO 92 FT AGL/494 FT MSL. TREES BEGINNING 2949 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/496 FT MSL. TREES BEGINNING 3469 FT FROM DER, 66 FT LEFT OF CENTERLINE, UP TO 96 FT AGL/500 FT MSL. TREES BEGINNING 3553 FT FROM DER, 75 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/507 FT MSL. TREES BEGINNING 3568 FT FROM DER, 357 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/502 FT MSL. TREES BEGINNING 3600 FT FROM DER, 20 FT LEFT OF CENTERLINE, UP TO 88 FT AGL/516 FT MSL. TREES BEGINNING 3609 FT FROM DER, 30 FT RIGHT OF CENTERLINE, UP TO 88 FT AGL/505 FT MSL. TREES BEGINNING 3754 FT FROM DER, 64 FT RIGHT OF CENTERLINE, UP TO 63 FT AGL/509 FT MSL. TREES BEGINNING 3981 FT FROM DER, 82 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/534 FT MSL. TREES BEGINNING 4272 FT FROM DER, 5 FT LEFT OF CENTERLINE, UP TO 84 FT AGL/520 FT MSL. TREES BEGINNING 4283 FT FROM DER, 17 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/563 FT MSL. TREES BEGINNING 4474 FT FROM DER, 14 FT RIGHT OF CENTERLINE, UP TO 86 FT AGL/569 FT MSL. TREES BEGINNING 4620 FT FROM DER, 440 FT LEFT OF CENTERLINE, UP TO 73 FT AGL/522 FT MSL. TREES, WATER TOWERS BEGINNING 4626 FT FROM DER, 35 FT LEFT OF CENTERLINE, UP TO 73 FT AGL/526 FT MSL. TREE 4629 FT FROM DER, 1515 FT RIGHT OF CENTERLINE, 90 FT AGL/571 FT MSL. TREES BEGINNING 4636 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 103 FT AGL/577 FT MSL. TREE 1 NM FROM DER, 1833 FT RIGHT OF CENTERLINE, 105 FT AGL/519 FT MSL.

NOTE: RWY 22: TREES, TOWER, NAVAID BEGINNING 65 FT FROM DER, 273 FT RIGHT OF CENTERLINE, UP TO 408 FT MSL. TREES BEGINNING 354 FT FROM DER, 299 FT RIGHT OF CENTERLINE, UP TO 76 FT AGL/423 FT MSL. TREES BEGINNING 898 FT FROM DER, 435 FT RIGHT OF CENTERLINE, UP TO 433 FT MSL. TREE 1542 FT FROM DER, 876 FT LEFT OF CENTERLINE, 401 FT MSL. TREE 1745 FT FROM DER, 851 FT LEFT OF CENTERLINE, 404 FT MSL. TREES BEGINNING 1864 FT FROM DER, 983 FT LEFT OF CENTERLINE, UP TO 73 FT AGL/422 FT MSL. TREES BEGINNING 2268 FT FROM DER, 993 FT LEFT OF CENTERLINE, UP TO 49 FT AGL/426 FT MSL. TREES BEGINNING 2303 FT FROM DER, 933 FT LEFT OF CENTERLINE, UP TO 58 FT AGL/431 FT MSL. TREES BEGINNING 2378 FT FROM DER, 986 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/432 FT MSL. TREE 2393 FT FROM DER, 1012 FT LEFT OF CENTERLINE, 438 FT MSL. TREES BEGINNING 2409 FT FROM DER, 914 FT LEFT OF CENTERLINE, UP TO 71 FT AGL/440 FT MSL. TREES BEGINNING 2517 FT FROM DER, 685 FT RIGHT OF CENTERLINE, UP TO 436 FT MSL. TREES BEGINNING 3110 FT FROM DER, 1067 FT RIGHT OF CENTERLINE, UP TO 78 FT AGL/441 FT MSL. TREE 3334 FT FROM DER, 723 FT RIGHT OF CENTERLINE, 77 FT AGL/448 FT MSL. TREE 3350 FT FROM DER, 703 FT RIGHT OF CENTERLINE, 84 FT AGL/449 FT MSL. TREES BEGINNING 3352 FT FROM DER, 333 FT RIGHT OF CENTERLINE, UP TO 91 FT AGL/455 FT MSL. TREES BEGINNING 3438 FT FROM DER, 770 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/457 FT MSL. TREES BEGINNING 3452 FT FROM DER, 251 FT RIGHT OF CENTERLINE, UP TO 81 FT

QUALITY  
42  
CHECKED

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>	<u>AMDT NO</u>	<u>ACTUAL EFFECTIVE DATE</u>
KMGJ	MONTGOMERY	NY	3A	10 AUGUST 2023

AGL/460 FT MSL.TREES BEGINNING 3481 FT FROM DER, 208 FT RIGHT OF CENTERLINE, UP TO 87 FT AGL/467 FT MSL. TREES BEGINNING 3514 FT FROM DER, 62 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/473 FT MSL.TREES BEGINNING 3754 FT FROM DER, 87 FT LEFT OF CENTERLINE, UP TO 79 FT AGL/452 FT MSL.TREES BEGINNING 3843 FT FROM DER, 135 FT LEFT OF CENTERLINE, UP TO 77 FT AGL/458 FT MSL.TREES BEGINNING 3859 FT FROM DER, 107 FT RIGHT OF CENTERLINE, UP TO 89 FT AGL/475 FT MSL.TREES BEGINNING 4174 FT FROM DER, 57 FT RIGHT OF CENTERLINE, UP TO 96 FT AGL/480 FT MSL.TREES BEGINNING 4246 FT FROM DER, 419 FT RIGHT OF CENTERLINE, UP TO 102 FT AGL/485 FT MSL.TREES BEGINNING 4334 FT FROM DER, 982 FT RIGHT OF CENTERLINE, UP TO 491 FT MSL.TREE 4460 FT FROM DER, 1673 FT RIGHT OF CENTERLINE, 503 FT MSL.TREES BEGINNING 4520 FT FROM DER, 1055 FT RIGHT OF CENTERLINE, UP TO 82 FT AGL/505 FT MSL.TREES BEGINNING 4736 FT FROM DER, 1025 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/516 FT MSL.TREES BEGINNING 4832 FT FROM DER, 987 FT RIGHT OF CENTERLINE, UP TO 528 FT MSL.TREES BEGINNING 5225 FT FROM DER, 1766 FT RIGHT OF CENTERLINE, UP TO 518 FT MSL.

NOTE: RWY 26: TREES BEGINNING 322 FT FROM DER, 274 FT RIGHT OF CENTERLINE, UP TO 403 FT MSL. TREES BEGINNING 642 FT FROM DER, 399 FT RIGHT OF CENTERLINE, UP TO 418 FT MSL. TREES BEGINNING 734 FT FROM DER, 177 FT RIGHT OF CENTERLINE, UP TO 420 FT MSL. TREES, VEGETATION BEGINNING 913 FT FROM DER, 252 FT RIGHT OF CENTERLINE, UP TO 433 FT MSL. TREES BEGINNING 1102 FT FROM DER, 399 FT RIGHT OF CENTERLINE, UP TO 92 FT AGL/448 FT MSL.TREES BEGINNING 1319 FT FROM DER, 443 FT RIGHT OF CENTERLINE, UP TO 80 FT AGL/449 FT MSL.TREES BEGINNING 1359 FT FROM DER, 185 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/452 FT MSL. TREE 1367 FT FROM DER, 586 FT LEFT OF CENTERLINE, 15 FT AGL/393 FT MSL. TREE 1378 FT FROM DER, 100 FT LEFT OF CENTERLINE, 403 FT MSL. TREES, TERRAIN BEGINNING 1521 FT FROM DER, 206 FT LEFT OF CENTERLINE, UP TO 418 FT MSL. TREES BEGINNING 1560 FT FROM DER, 19 FT RIGHT OF CENTERLINE, UP TO 88 FT AGL/454 FT MSL. TREES BEGINNING 1659 FT FROM DER, ON AND RIGHT OF CENTERLINE, UP TO 97 FT AGL/455 FT MSL. TREE 1684 FT FROM DER, 392 FT LEFT OF CENTERLINE, 428 FT MSL.TREES, TERRAIN, VEGETATION BEGINNING 1724 FT FROM DER, 89 FT LEFT OF CENTERLINE, UP TO 429 FT MSL. TREES BEGINNING 1997 FT FROM DER, 46 FT LEFT OF CENTERLINE, UP TO 433 FT MSL.TREES BEGINNING 2103 FT FROM DER, 10 FT LEFT OF CENTERLINE, UP TO 436 FT MSL. TREES BEGINNING 2632 FT FROM DER, 70 FT LEFT OF CENTERLINE, UP TO 79 FT AGL/438 FT MSL. TREES BEGINNING 2666 FT FROM DER, 179 FT LEFT OF CENTERLINE, UP TO 77 FT AGL/448 FT MSL. TREES BEGINNING 2695 FT FROM DER, 38 FT LEFT OF CENTERLINE, UP TO 91 FT AGL/455 FT MSL. TREES BEGINNING 2773 FT FROM DER, 22 FT LEFT OF CENTERLINE, UP TO 94 FT AGL/457 FT MSL.TREES BEGINNING 2786 FT FROM DER, 411 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/456 FT MSL.TREES BEGINNING 2828 FT FROM DER, 390 FT RIGHT OF CENTERLINE, UP TO 77 FT AGL/461 FT MSL.TREES BEGINNING 2894 FT FROM DER, 8 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/471 FT MSL.TREES BEGINNING 2959 FT FROM DER, 294 FT RIGHT OF CENTERLINE, UP TO 93 FT AGL/473 FT MSL.TREES, BUILDING BEGINNING 3001 FT FROM DER, 290 FT RIGHT OF CENTERLINE, UP TO 103 FT AGL/479 FT MSL.TREES BEGINNING 3371 FT FROM DER, 641 FT LEFT OF CENTERLINE, UP TO 90 FT AGL/460 FT MSL.TREES BEGINNING 3432 FT FROM DER, 748 FT LEFT OF CENTERLINE, UP TO 96 FT AGL/468 FT MSL.TREES BEGINNING 3508 FT FROM DER, 219 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/481 FT MSL.TREES BEGINNING 3540 FT FROM DER, 738 FT LEFT OF CENTERLINE, UP TO 89 FT AGL/475 FT MSL.TREE 3590 FT FROM DER, 1249 FT RIGHT OF CENTERLINE, 58 FT AGL/483 FT MSL.TREES BEGINNING 3601 FT FROM DER, 446 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/488 FT MSL.TREES BEGINNING 3631 FT FROM DER, 37 FT RIGHT OF CENTERLINE, UP TO 68 FT AGL/493 FT MSL.TREES BEGINNING 3672 FT FROM DER, 55 FT LEFT OF CENTERLINE, UP TO 96 FT AGL/480 FT MSL.TREES BEGINNING 3678 FT FROM DER, 264 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/499 FT MSL.TREES BEGINNING 3755 FT FROM DER, 736 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/503 FT MSL.TREES BEGINNING 3793 FT FROM DER, 47 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/517 FT MSL.TREES BEGINNING 3899 FT FROM DER, 15 FT LEFT OF CENTERLINE, UP TO 102 FT AGL/485 FT MSL.TREE 3973 FT FROM DER, 788 FT LEFT OF CENTERLINE, 73 FT AGL/489 FT MSL.TREE 3987 FT FROM DER, 812 FT LEFT OF CENTERLINE, 74 FT AGL/495 FT MSL.TREES BEGINNING 3996 FT FROM DER, 209 FT LEFT OF CENTERLINE, UP TO 84 FT AGL/499 FT MSL.TREE 4058 FT FROM DER, 922 FT LEFT OF CENTERLINE, 65 FT AGL/500 FT MSL.TREES BEGINNING 4097 FT FROM DER, 344 FT LEFT OF CENTERLINE, UP TO 118 FT AGL/547 FT MSL.TREES BEGINNING 4180 FT FROM DER, 133 FT RIGHT OF CENTERLINE, UP TO 83 FT AGL/519 FT MSL.TREES BEGINNING 4258 FT FROM DER, 348 FT LEFT OF CENTERLINE, UP TO 548 FT MSL.TREES BEGINNING 4280 FT FROM DER, 197 FT RIGHT OF CENTERLINE, UP TO 107 FT AGL/521 FT MSL.TREES BEGINNING 4313 FT FROM DER, 1007 FT LEFT OF CENTERLINE, UP TO 89 FT AGL/550 FT MSL.TREES BEGINNING 4325 FT FROM DER, 256 FT RIGHT OF CENTERLINE, UP TO 67 FT AGL/527 FT MSL.TREES BEGINNING 4335 FT FROM DER, 305 FT LEFT OF CENTERLINE, UP TO 91 FT AGL/559 FT MSL.TREES BEGINNING 4372 FT FROM DER, 335 FT RIGHT OF CENTERLINE, UP TO 77 FT AGL/541 FT MSL.TREES BEGINNING 4429 FT FROM DER, 452 FT RIGHT OF CENTERLINE, UP TO 76 FT AGL/542 FT MSL.TREES BEGINNING 4452 FT FROM DER, 368 FT LEFT OF CENTERLINE, UP TO 561 FT MSL.TREES BEGINNING 4541 FT FROM DER, 819 FT LEFT OF CENTERLINE, UP TO 82 FT AGL/564 FT MSL.TREES, TERRAIN, VEGETATION BEGINNING 4557 FT FROM DER, 36 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/566 FT MSL.TREES, TERRAIN BEGINNING 4595 FT FROM DER, 914 FT RIGHT OF CENTERLINE, UP TO 82 FT AGL/552 FT MSL.TREES BEGINNING 4673 FT FROM DER, 13 FT RIGHT OF CENTERLINE, UP TO 88 FT AGL/556 FT MSL.TREES BEGINNING 4747 FT FROM DER, 110 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/559 FT MSL.TREES, BUILDINGS, POLE, FENCE BEGINNING 4936 FT FROM DER, ON AND RIGHT OF CENTERLINE, UP TO 86 FT AGL/561 FT MSL.TREES BEGINNING 5880 FT FROM DER, 482 FT RIGHT OF CENTERLINE, UP TO 71 FT AGL/562 FT MSL.TREES BEGINNING 1.7 NM FROM DER, 3089 FT RIGHT OF CENTERLINE, UP TO 651 FT MSL.TREES BEGINNING 1.7 NM FROM DER, 478 FT LEFT OF CENTERLINE, UP TO 701 FT MSL.TREES BEGINNING 1.8 NM FROM DER, 2700 FT RIGHT OF CENTERLINE, UP TO 722 FT MSL.TREES, BUILDING BEGINNING 1.8 NM FROM DER, 767 FT LEFT OF CENTERLINE, UP TO 733 FT MSL.TREES BEGINNING 1.9 NM FROM DER, 2328 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/727 FT MSL.TREES BEGINNING 2 NM FROM DER, 2230 FT RIGHT OF CENTERLINE, UP TO 104 FT AGL/736 FT MSL.TREES BEGINNING 2.1 NM FROM DER, 2098 FT RIGHT OF CENTERLINE, UP TO 90 FT AGL/812 FT MSL.TREE 2.5 NM FROM DER, 2207 FT RIGHT OF CENTERLINE, 102 FT AGL/741 FT MSL.

**CONTROLLING OBSTACLES:**

RWY 8: 577 FT MSL TREE 413040.89N/0741416.57W (CLIMB-TO ALTITUDE) (CEILING), 563 FT MSL TREE 413039.62N/0741420.90W (CLIMB GRADIENT), 519 FT MSL TREE 413045.01N/0741357.21W (VISIBILITY).

RWY 22: 528 FT MSL TREE 412951.40N/0741651.11W (CLIMB GRADIENT) (CLIMB-TO ALTITUDE) (CEILING), 518 FT MSL TREE 412947.87N/0741653.26W (VISIBILITY).

RWY 26: 559 FT MSL TREE 412957.10N/0741652.39W (CLIMB GRADIENT), 812 FT MSL TREE 413004.17N/0741859.14W (CLIMB-TO ALTITUDE) (CEILING), 741 FT MSL TREE 412941.02N/0741922.08W (VISIBILITY), 788 FT MSL TREE 412849.77N/0741905.60W (CLIMB GRADIENT) (CLIMB-TO ALTITUDE).

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 4, 8, 22: 2499 FT MSL AAO 414030.57N/0742121.14W, RWY 26: 2344 FT MSL TOWER 414002.00N/0742206.00W.

VISUAL CLIMB AREA OBSTACLE: 899 FT MSL TREE 413205.27N/0741604.98W.

OBSTACLE OUTSIDE VISUAL CLIMB AREA MANDATING VCOA CLIMB TO ALTITUDE: 2499 FT MSL AAO 414030.57N/0742121.14W.



<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>	<u>AMDT NO</u>	<u>ACTUAL EFFECTIVE DATE</u>
KMGJ	MONTGOMERY	NY	3A	10 AUGUST 2023

**REMARKS:**

<u>FLIGHT INSPECTED BY</u>	<i>Digitally signed by</i>	<u>OFFICE</u>	<u>DATE</u>	
STEPHEN BAUER	<b>RAKE MCGRAW</b>	FPO	04/26/2023	
	Apr 28, 2023			
<u>DEVELOPED BY</u>	<i>Digitally signed by</i>	<u>OFFICE</u>	<u>DATE</u>	
RAKE MCGRAW (DEREK LARUE)	<b>RAKE MCGRAW</b>	AJV-A422	04/11/2023	
	Apr 28, 2023			
<u>APPROVED BY</u>	<i>Digitally signed by</i>	<u>OFFICE</u>	<u>DATE</u>	<u>TITLE</u>
RAKE MCGRAW	<b>RAKE MCGRAW</b>	AJV-A422	06/15/2023	MANAGER
	Apr 28, 2023			

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:**

A4A  ALPA  AOPA  APA  HAI  NBAA

**OTHER:**

ZBW, NYC APP CON, AMGR

**CHANGES - REASONS:**

1. CHANGED RWY 8: 300-1 OR STD. W/MIN. CLIMB OF 335' PER NM TO 700 TO RWY 8: 300-1 1/4 OR STANDARD WITH 372 FT PER NM TO 700- NEW OBSTACLE SURVEY. NEW OBSTACLE EVALUATION CONDUCTED.
2. CHANGED RWY 26: 500-3 W/MIN. CLIMB OF 220' PER NM TO 1300 OR STD. W/MIN. CLIMB OF 380' PER NM TO 900 OR 1500-3 FOR VCOA TO RWY 26: 500-3 WITH MINIMUM CLIMB OF 220 FT/NM TO 1300 OR STANDARD WITH MINIMUM CLIMB OF 382 FT/NM TO 900, OR 1500-3 FOR VCOA- NEW OBSTACLE EVALUATION CONDUCTED.
3. CHANGED RWY 4: CLIMB ON HEADING 036.23 TO 2100 BEFORE PROCEEDING ON COURSE TO RWY 4: CLIMB ON HEADING 036.22 TO 2100 BEFORE PROCEEDING ON COURSE- NEW AIRNAV DATA.
4. CHANGED RWY 8: CLIMB ON HEADING 080.22 TO 1100 BEFORE TURNING LEFT TO RWY 8: CLIMB ON HEADING 080.23 TO 1100 BEFORE TURNING LEFT- NEW AIRNAV DATA.
5. CHANGED RWY 22: CLIMB ON HEADING 216.24 TO 1000 BEFORE PROCEEDING ON COURSE TO RWY 22: CLIMB ON HEADING 216.23 TO 1000 BEFORE PROCEEDING ON COURSE- NEW AIRNAV DATA.
6. UPDATED TAKEOFF OBSTACLES FOR RWYS 4/22 AND RWYS 8/26- NEW OBSTACLE EVALUATIONS CONDUCTED.
7. CHANGED RWY 8 CONTROLLING OBSTACLE FROM 560 FT MSL TREE 413042.92N/0741416.46W (CLIMB GRADIENT/CLIMB-TO ALTITUDE/VISIBILITY/CEILING) TO 577 FT MSL TREE 413040.89N/0741416.57W (CLIMB-TO ALTITUDE) (CEILING), 563 FT MSL TREE 413039.62N/0741420.90W (CLIMB GRADIENT), 519 FT MSL TREE 413045.01N/0741357.21W (VISIBILITY)(CG TREE/ CGTA TREE)- NEW OBSTACLE EVALUATION.
8. CHANGED RWY 26 CONTROLLING OBSTACLES FROM 1040 FT MSL AAO 412920.34N/0742129.14W (CLIMB GRADIENT/CLIMB-TO ALTITUDE), 839 FT MSL TREE 413007.04N/0741855.75W (CLIMB-TO ALTITUDE/CEILING), 791 FT MSL TREE 412953.01N/0741912.90W (VISIBILITY), 561 FT MSL TREE 412954.91N/0741652.78W (CLIMB GRADIENT) TO 559 FT MSL TREE 412957.10N/0741652.39W (CLIMB GRADIENT), 812 FT MSL TREE 413004.17N/0741859.14W (CLIMB-TO ALTITUDE) (CEILING), 741 FT MSL TREE 412941.02N/0741922.08W (VISIBILITY), 788 FT MSL TREE 412849.77N/0741905.60W (CLIMB GRADIENT) (CLIMB-TO ALTITUDE)- NEW OBSTACLE EVALUATION.
9. CHANGED RWY 26 VCOA CONTROLLING OBSTACLES FROM 899 FT MSL AAO 413209.31N/0741603.06W, 2460 FT MSL AAO 414014.99N/0742120.91W TO 899 FT MSL TREE 413205.27N/0741604.98W 2499 FT MSL AAO 414030.57N/0742121.14W - NEW OBSTACLE EVALUATION.

