

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BGMAN (RNAV)	ONE	BGMAN.BGMAN1	NONE		11 Jul 2024

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
KARTS	KARTS.BGMAN1	KARTS	KARTS						
			BGMAN	028.23	118.21	14900	14900		AT 17000

ARRIVAL ROUTE DESCRIPTION:

LANDING RWY 12: FROM BGMAN ON TRACK 046.49/12.41 TO CROSS ALNYT AT OR ABOVE 13000, THEN ON TRACK 046.95/3.49 TO CROSS JAZMN AT OR ABOVE 12000 , THEN ON TRACK 046.95. EXPECT RNAV (RNP) RWY 12 APPROACH OR RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 30: FROM BGMAN ON TRACK 066.25/12.68 TO CROSS USEET AT OR ABOVE 13000, THEN ON TRACK 066.46/3.20 TO CROSS FARVE AT OR ABOVE 12000 , THEN ON TRACK 066.46. EXPECT RNAV (RNP) RWY 30 APPROACH OR RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: GPS REQUIRED

FIXES AND/OR HOLDING PATTERNS:

COMMUNICATIONS:

CHART: SALT LAKE CITY CENTER

CHART: BIG SKY APP CON, BIG SKY TWR, BIG SKY GND CON.

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KBZN	BOZEMAN	MT

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ATC ELECTS TO END WITH FO AT TERMINUS FIX(ES) IN ORDER TO PREVENT AIRCRAFT FMS FROM AUTOMATICALLY TURNING ON TO RNP APPROACH PROCEDURE



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BGMAN (RNAV)	ONE	BGMAN.BGMAN1	NONE		11 Jul 2024

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: UNSAT.
MAG VAR = KBZN 13E/2010
CHART AT JAZMN TERMINUS: LDG RWY 12
CHART AT FARVE TERMINUS: LDG RWY 30

FLIGHT INSPECTED BY:**ORGANIZATION:** **DATE:**

GARY J VEER

FPO

03/29/2024

Flight Inspected Signature:

*Digitally signed by***CASIMIR L TABAKA**

Apr 05, 2024

DEVELOPED BY:

JOSEPH L. ZEDER

AJV-A432

09/28/2023

Developed By Signature:

*Digitally signed by***CASIMIR L TABAKA**

Nov 13, 2023

APPROVED BY:

CASIMIR TABAKA (MANGER)

AJV-A432

Approved By Signature:

*Digitally signed by***CASIMIR L TABAKA**


Nov 13, 2023

CHANGES:**REASONS:**QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
BGMAN (RNAV)	ONE	BGMAN.BGMAN1	NONE		11 Jul 2024
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name BGMAN (RNAV)	Number ONE	STAR Computer Code BGMAN.BGMAN1		Superseded Number NONE		Dated	Effective Date 11 Jul 2024		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
KARTS	440409.02N / 1135321.63W	Y		IF					KARTS.BGMAN1
BGMAN	453210.30N / 1120231.59W	Y	FB	TF	041.23	118.21	AT 17000	AT/BELOW 250K	
Runway Transition									
BGMAN	453210.30N / 1120231.59W	Y		IF			AT 17000	AT/BELOW 250K	
ALNYT	453827.28N / 1114717.31W	Y	FB	TF	059.49	12.41	AT/ABOVE 13000		
JAZMN	454012.13N / 1114258.58W	Y	FO	TF	059.95	03.49	AT/ABOVE 12000		
KBZN:RWY 12				FM	059.95				
Runway Transition									
BGMAN	453210.30N / 1120231.59W	Y		IF			AT 17000	AT/BELOW 250K	
USEET	453430.74N / 1114447.88W	Y	FB	TF	079.25	12.68	AT/ABOVE 13000		
FARVE	453505.75N / 1114019.11W	Y	FO	TF	079.46	03.20	AT/ABOVE 12000		
KBZN:RWY 30				FM	079.46				

