

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JSONN (RNAV)	FOUR	JSONN.JSONN4	THREE	02/23/2023	10 AUG 2023

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ASIIX	ASIIX.JSONN4	ASIIX	ASIIX						BETWEEN FL190 AND FL230
			JSONN	176.49	27.04	12000	2900		AT 12000
DPEAK	DPEAK.JSONN4	DPEAK	DPEAK						BETWEEN FL190 AND FL230
			JSONN	103.95	57.99	12000	2900		AT 12000

ARRIVAL ROUTE DESCRIPTION:

FROM JSONN ON TRACK 134.46/18.13 TO CROSS SDKIS AT OR ABOVE 7000.

LANDING RWY 1L: FROM SDKIS ON TRACK 144.93/11.23 TO STAKE, THEN ON TRACK 145.39/10.26 TO CROSS KALEB AT 7000 AND AT 210 KIAS, THEN ON TRACK 190.86/3.00 TO CROSS GOONR AT 7000, THEN ON TRACK 190.86. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR RNP, GPS, OR ILS RWY 1L APPROACH.

LANDING RWY 1R: FROM SDKIS ON TRACK 140.67/12.12 TO SHIBA, THEN ON TRACK 145.20/10.00 TO CROSS FIDVU AT 7000 AND AT 210 KIAS, THEN ON TRACK 190.95/3.72 TO CROSS BOOMY AT 7000, THEN ON TRACK 191.20. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR RNP, GPS, OR ILS RWY 1R APPROACH.

LANDING RWY 9: FROM SDKIS ON TRACK 160.46/8.06 TO HOLE, THEN ON TRACK 160.44/8.06 TO CROSS GURRA AT 5000 AND AT 210 KIAS. EXPECT RNP Z RWY 9 APPROACH, OR EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR ILS OR GPS RWY 9 APPROACHES.

LANDING RWY 19L: FROM SDKIS ON TRACK 104.71/10.89 TO CROSS BURBS AT OR ABOVE 5000, THEN ON TRACK 107.57/8.93 TO CROSS FARMS AT 4000 AND AT 210 KIAS. EXPECT RNP Z RWY 19L APPROACH, OR EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR ILS OR GPS RWY 19L APPROACHES.

LANDING RWY 19R: FROM SDKIS ON TRACK 107.42/10.75 TO CROSS GRYBL AT OR ABOVE 5000, THEN ON TRACK 107.24/8.06 TO CROSS HOLMS AT 4000 AND AT 210 KIAS. EXPECT RNP Z RWY 19R APPROACH, OR EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR ILS OR GPS RWY 19R APPROACHES.

LANDING RWY 27: FROM SDKIS ON TRACK 125.13/11.01 TO ARCOS, THEN ON TRACK 125.25/11.22 TO INNIE, THEN ON TRACK 094.02/1.56 TO CROSS BHAMA AT 6000 AND AT 210 KIAS, THEN ON TRACK 094.02. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE FOR RNP, GPS, OR ILS RWY 27 APPROACH.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: EXPECT RUNWAY ASSIGNMENT FROM KANSAS CITY TRACON UPON INITIAL CONTACT.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ANX VORTAC: HOLD E, RT, 268.00 INBOUND, 4 NM LEGS.

CHART HOLDING AT ASIIX: HOLD N, LT, 176.49 INBOUND, 11 NM LEGS.

CHART HOLDING AT DPEAK: HOLD W, LT, 103.95 INBOUND, 11 NM LEGS.

CHART HOLDING AT JSONN: HOLD NW, LT, 134.46 INBOUND, 4 NM LEGS.

CHART HOLDING AT STJ VORTAC: HOLD S, RT, 355.00 INBOUND, 4 NM LEGS.

CHART HOLDING AT CYPRE: HOLD S, LT, 010.93 INBOUND, 5 NM LEGS.

CHART HOLDING AT SPICY: HOLD S, RT, 010.94 INBOUND, 5 NM LEGS.

CHART HOLDING AT CARBB: HOLD E, RT, 274.14 INBOUND, 5 NM LEGS.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JSONN (RNAV)	FOUR	JSONN.JSONN4	THREE	02/23/2023	10 AUG 2023

COMMUNICATIONS:

CHART: KANSAS CITY APP CON

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KMCI	KANSAS CITY	MO

LOST COMMUNICATIONS PREFERENCES:

RWY 1L: AFTER GOONR PROCEED TO CYPRE AT 6000 AND HOLD.
RWY 1R: AFTER BOOMY PROCEED TO SPICY AT 6000 AND HOLD
RWY 9: AFTER GURRA PROCEED TO WOOKE AT 4000, THEN ON ILS OR LOC RWY 9 APPROACH.
RWY 19L: AFTER FARMS PROCEED TO MGEE AT 3600, THEN ON ILS OR LOC RWY 19L APPROACH
RWY 19R: AFTER HOLMS PROCEED TO BRTNY AT 3300, THEN ON ILS OR LOC RWY 19R APPROACH
RWY 27: AFTER BHAMA MAINTAIN 6000, PROCEED TO CARBB AND HOLD.

REMARKS:

ABBREVIATED AMENDMENT.
ALTITUDE USE IN LOST COMM SAME AS ON PUBLISHED IAPS.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: KMCI 02E/2015
CHART AT GOONR TERMINUS: KMCI LDG RWY 1L
CHART AT BOOMY TERMINUS: KMCI LDG RWY 1R
CHART AT GURRA TERMINUS: KMCI LDG RWY 9
CHART AT FARMS TERMINUS: KMCI LDG RWY 19L
CHART AT HOLMS TERMINUS: KMCI LDG RWY 19R
CHART AT BHAMA TERMINUS: KMCI LDG RWY 27

FLIGHT INSPECTED BY:**ORGANIZATION: DATE:**Processed IAW Technical Support Group (AJF-17) Memo dated 07/07/2021 Guidance for Procedural
Changes Requiring Flight Inspection/Validation

Flight Inspected Signature:

Digitally signed by
CASIMIR L TABAKA

Jun 13, 2023

DEVELOPED BY:

John Griffiths, Airspace & Procedures Specialist

ZKC-530A

01/06/2023

Developed By Signature:

Digitally signed by
CASIMIR L TABAKA

Jun 13, 2023

APPROVED BY:

JOHNNIE BAKER

AJV-A430

Approved By Signature:

Digitally signed by
CASIMIR L TABAKA

Jun 13, 2023

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JSONN (RNAV)	FOUR	JSONN.JSONN4	THREE	02/23/2023	10 AUG 2023

CHANGES:

1. UPDATED PHRASING FOR ALL LOST COMM INSTRUCTIONS.
2. CHARTED HOLDING PATTERNS: ADDED HOLDING ON CYPRE, SPICY AND CARBB.
3. ARRIVAL DESCRIPTION RWY 27: CHANGED TF COURSE FROM 094.03 TO 094.02
4. ADDED PROCEDURAL DATA NOTE EXPECT RUNWAY ASSIGNMENT FROM KANAS CITY TRACON UPON INITIAL CONTACT.

REASONS:


- 1, 2, 4. ATC OPERATIONAL REQUEST TO IMPROVE EFFIECIENCY OF UPDATED SIAPS.
3. NO TURN REQUIRED AT TERMINUS.

QUALITY
14
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
JSONN (RNAV)	FOUR	JSONN.JSONN4	THREE	02/23/2023	10 AUG 2023
Graphic Depiction 1					



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name JSONN (RNAV)		Number FOUR		STAR Computer Code JSONN.JSONN4			Superseded Number THREE		Dated 02/23/2023	Effective Date 10 AUG 2023
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>	
En Route Transition										
ASIIIX	401611.03N / 0952231.42W	Y		IF			FL190BFL230		ASIIIX.JSONN4	
JSONN	394907.77N / 0952136.09W	Y	FB	TF	178.49	27.04	AT 12000			
En Route Transition										
DPEAK	400527.63N / 0963358.24W	Y		IF			FL190BFL230		DPEAK.JSONN4	
JSONN	394907.77N / 0952136.09W	Y	FB	TF	105.95	57.99	AT 12000			
Common Route										
JSONN	394907.77N / 0952136.09W	Y		IF			AT 12000		JSONN.JSONN4	
SDKIS	393557.26N / 0950526.47W	Y	FB	TF	136.46	18.13	AT/ABOVE 7000			
Runway Transition										
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000			
STAKE	392632.04N / 0945732.02W	Y	FB	TF	146.93	11.23				
KALEB	391753.04N / 0945024.89W	Y	FB	TF	147.39	10.26	AT 7000	AT 210K		
GOONR	391457.40N / 0945116.47W	Y	FO	TF	192.86	03.00	AT 7000			
KMCI:RWY 1L				FM	192.86					
Runway Transition										
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000			
SHIBA	392618.12N / 0945557.20W	Y	FB	TF	142.67	12.12				
FIDVU	391753.15N / 0944858.47W	Y	FB	TF	147.20	10.00	AT 7000	AT 210K		
BOOMY	391415.43N / 0945002.87W	Y	FO	TF	192.95	03.72	AT 7000			
KMCI:RWY 1R				FM	193.20					
Runway Transition										
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000			
HHOLE	392815.81N / 0950218.28W	Y	FB	TF	162.46	08.06				

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name JSONN (RNAV)		Number FOUR		STAR Computer Code JSONN.JSONN4		Superseded Number THREE		Dated 02/23/2023	Effective Date 10 AUG 2023
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
GURRA	392034.19N / 0945910.21W	Y	FB	TF	162.44	08.06	AT 5000	AT 210K	
KMCI:RWY 9									
Runway Transition									
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000		
BURBS	393248.44N / 0945157.38W	Y	FB	TF	106.71	10.89	AT/ABOVE 5000		
FARMS	392948.39N / 0944105.35W	Y	FB	TF	109.57	08.93	AT 4000	AT 210K	
KMCI:RWY 19L									
Runway Transition									
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000		
GRYBL	393221.93N / 0945220.14W	Y	FB	TF	109.42	10.75	AT/ABOVE 5000		
HOLMS	392941.96N / 0944229.98W	Y	FB	TF	109.24	08.06	AT 4000	AT 210K	
KMCI:RWY 19R									
Runway Transition									
SDKIS	393557.26N / 0950526.47W	Y		IF			AT/ABOVE 7000		
ARCOS	392917.67N / 0945406.37W	Y	FB	TF	127.13	11.01			
INNIE	392229.24N / 0944235.40W	Y	FB	TF	127.25	11.22			
BHAMA	392219.40N / 0944035.34W	Y	FO	TF	096.02	01.56	AT 6000	AT 210K	
KMCI:RWY 27				FM	096.02				