

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KCXE	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> 1D	<u>CITY</u> CHASE CITY	<u>STATE</u> VA		
<u>AIRPORT ELEVATION</u> 503	<u>TDZE</u> 503	<u>SUPERSEDED</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> 1C	<u>DATED</u> 11/07/2019	<u>MAG VAR</u> 9W	<u>EPOCH YEAR</u> 2005
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 3 NOVEMBER 2022	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
SBV VORTAC		TEROC		TF	FB	1.00	055.44	25.69	3000
YUDUG	IAF	NASAE		TF	FB	1.00	270.43	7.70	3000
TEROC	IAF	NASAE		TF	FB	1.00	093.56	5.00	3000
NASAE	IF	OCAPI		TF	FB	1.00	183.61	6.25	2100
OCAPI	FAF	RW18	MAP	TF	FO	0.30	183.61	4.87	
RW18	MAP	903 MSL		CA			183.61		903
903 MSL		DOCMO		DF	FO	1.00			3000

MISSED APPROACH

MAP:

LNAV: RW18

MISSED APPROACH INSTRUCTIONS:

CLIMBING LEFT TURN TO 3000 DIRECT DOCMO AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3000.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
16
CHECKED

PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)

2. PROFILE STARTS AT NASAE

3. FAF: 183.61 FAF: OCAPI DIST FAF TO MAP: 4.87 DIST FAF TO THLD: 4.87

4. MIN ALT: NASAE 3000, OCAPI 2100

5. DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT:

6. MIN GP INCPT: GP ALT AT FAF : OM: MM: IM:

7. GP ANGLE: 34:1: IS NOT CLEAR 20:1: IS NOT CLEAR TCH:

8. MSA FROM: RW18 2600

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.
CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON SBV VORTAC AIRWAY RADIALS 032 CW 086.

ADDITIONAL FLIGHT DATA:

CHART FARMVILLE MOA
CHART FAS OBST: 799 TOWER (51-022594) 365134N/0783032W
HOLD SW, LT, 042.67 INBOUND.
CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ CAT A 1100-3, CAT B 1100-3 NA WHEN LOCAL WEATHER NOT AVAILABLE

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1520	3	1017	1520	3	1017		NA			NA				

CHANGES - REASONS

1. UPDATED ALTIMETER TO LOCAL ALTIMETER, REMOVE KDAN, USE KAVC UPDATE SECONDARY ALTIMETER MDA - AWOS-3 ON FIELD
2. NEW FINAL CONTROLLING OBSTACLE - DATABASE UPDATE
3. REMOVE VGS1 NOTE - NO VASI ON FIELD
4. NEW CONTROLLING OBSTACLE FOR BOTH INITIAL LEGS - DATABASE UPDATE
5. NEW CONTROLLING OBSTACLE FOR INTERMEDIATE SEGMENT - DATABASE UPDATE
6. NEW CONTROLLING OBSTACLES FOR MISSED APPROACH - DATABASE UPDATE
7. ADDED CHART NOTE 20:1 IS NOT CLEAR - 8260.19 CRITERIA 8-6-7
8. UPDATED PBN REQUIREMENTS NOTE - 8260.19 CRITERIA 8-6-8
9. ADDED CHART PROFILE NOTE: VISUAL SEGMENT-OBSTACLES - FLIGHT CHECK REQUIRED
10. DELETED VDA - VISUAL SEGMENT OBSTACLES.
11. ADDED ALTERNATE MINIMUMS - ON FIELD AWOS-3.



AIRPORT ID
KCXE

PROCEDURE NAME
RNAV (GPS) RWY 18

ORIGINAL/AMENDMENT
1D

CITY
CHASE CITY

STATE
VA

COORDINATED WITH:

A4A ☐ ALPA ☐ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ZDC, ARPT MGR, VA DOT

FLIGHT CHECKED BY

BOB S PRESSLER

OFFICE
FPO

DATE
08/04/2022

Digitally signed by
DAVID TEFFETELLER
Aug 12, 2022

DEVELOPED BY

CASIMIR L. TABAKA (CHARLES HIRST)

Digitally signed by
CHARLES HIRST
Jun 22, 2022

OFFICE
AJV-A431

DATE
05/24/2022

APPROVED BY

CASIMIR TABAKA

Digitally signed by
ERIC N SUSKI
Jun 27, 2022

OFFICE
AJV-A431

DATE

TITLE
MANAGER

QUALITY
16
CHECKED