

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EGAXE	ONE	EGAXE1.EGAXE	NONE		5 Oct 2023

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 8: CLIMB ON HEADING 082.14 TO 2143, THEN CLIMBING LEFT TURN DIRECT EGAXE, THENCE...

TAKEOFF RWY 26: CLIMB DIRECT EGAXE, THENCE...

...THENCE AS ASSIGNED BY ATC. MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:**PBN REQUIREMENTS NOTES:**

RNAV 1 - GPS.

EQUIPMENT REQUIREMENT NOTES:**TAKEOFF MINIMUMS:**

RWY 26: STANDARD.

RWY 8: STANDARD WITH MINIMUM CLIMB OF 264 FT/NM TO 3500.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 8: 3000 FT MSL AAO 632404.48N/1424628.73W.

MSA:

MSA FROM PFTO 8600

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

CHART: TOP ALTITUDE: ASSIGNED BY ATC.

DME/DME ASSESSMENT: NOT CONDUCTED.

AIRPORT MV: PFTO 17E/2025.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
PFTO	TOK	AK

QUALITY
26
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EGAXE	ONE	EGAXE1.EGAXE	NONE		5 Oct 2023

COMMUNICATIONS:

CHART ORT/PAOR ASOS, UNICOM, NORTHWAY RADIO, ANCHORAGE CENTER.

FIXES AND/OR NAVAIDS:**REMARKS:**

80 FT VEGETATION USED PER FPT.

FLIGHT INSPECTED BY

JORDAN ROLIH

*Digitally signed by***ERIC N SUSKI**

Jul 12, 2023

OFFICE

FPO

DATE

07/07/2023

DEVELOPED BY

RICHARD E CHRISTENSEN

*Digitally signed by***RICHARD E CHRISTENSEN**

Apr 10, 2023

OFFICE

AJV-A431

DATE

02/24/2023

APPROVED BY

JOHNNIE BAKER

*Digitally signed by***ERIC N SUSKI**

Apr 17, 2023

OFFICE

AJV-A430

DATE**TITLE**

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:**A4A** ☐**ALPA** ☒**AOPA** ☒**APA** ☐**HAI** ☐**NBAA** ☒**OTHER:** FAI FSS, ORT FSS, ZAN, AMGR, ALASKA AERO, CAPSTONE**CHANGES - REASONS:**

NEW RNAV SID TO ACCOMMODATE THE MEDEVAC OPERATIONS IN AND OUT OF PFTO.




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.

Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EGAXE (RNAV)	ONE	EGAXE1.EGAXE	NONE		5 Oct 2023

Graphic Depiction 1



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
EGAXE		ONE		EGAXE1.EGAXE		NONE			5 Oct 2023
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW08 (AER)	631948.21N/1425740.39W	N	-	-	-	-			
2143 MSL		-	-	VA	099.14	-	AT/ABOVE 2143		CG 264 FT/NM TO 3500
EGAXE	632631.64N/1433650.29W	Y	FB	DF	-	-			LEFT TURN
RW26 (AER)	631944.29N/1425646.13W	N	-	-	-	-			
EGAXE	632631.64N/1433650.29W	Y	FB	DF	-	19.27			

