

**Federal Aviation  
Administration**

**Transmittal Letter 21-12**

**April 16, 2021**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
5/20/2021	AR	Camden	Harrell Fld	1/2189	4/2/2021	RNAV (GPS) RWY 1, Amdt 1A

**AIRAC Date: 20 MAY 2021**

FDC 1/2189 CDH IAP HARRELL FLD, CAMDEN, AR. RNAV (GPS) RWY 1, AMDT 1A...  
CIRCLING CAT D MDA 960/HAA 830, VIS CAT D 2 3/4. CHANGE NOTE TO READ: RWY 1  
HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. 20:1 IS CLEAR.  
DELETE NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 1 PROCEDURE NA AT  
NIGHT. DELETE NOTE: WHEN VGSI INOP, CIRCLING RWY 19 NA AT NIGHT. CHANGE  
NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -  
15C OR ABOVE 43C. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE:  
RNP APCH - GPS. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT  
RECEIVED, USE EL DORADO ALTIMETER SETTING AND INCREASE LPV DA TO 507 FEET,  
LNAV/VNAV DA TO 499 FEET AND ALL MDA 80 FEET; INCREASE LPV ALL CATS VISIBILITY  
1/8 SM, LNAV CATS C AND D 3/8 SM, AND CIRCLING CAT D 1/4 SM. ALTERNATE  
MINIMUMS STANDARD EXCEPT CAT D 900-2 3/4, NA WHEN LOCAL WEATHER NOT  
AVAILABLE. THIS IS RNAV (GPS) RWY 1, AMDT 1B. 2103301331-PERM