

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION LOC STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.25							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: 4.44 NM AFTER MELFA/I-MFV 5.44 DME OR AT I-MFV 1.00 DME					
CCV VORTAC (IAF)		UCGEL/CCV 10.59 DME (NOPT)			051.69 / 10.59			2000		CLIMBING RIGHT TURN TO 2000 ON HEADING 220 AND CCV VORTAC R-052 TO UCGEL/CCV 10.59 DME AND HOLD.  ALTERNATE MA (DO NOT CHART): CLIMBING LEFT TURN TO 2000 ON HEADING 230 AND HCM VORTAC R-082 TO JAMIE INT/HCM 36.91 DME AND HOLD.					
UCGEL/I-MFV 11.49 DME (IF)		MELFA/I-MFV 5.44 DME			033.98 / 6.05 (I-MFV)			1500							
										ADDITIONAL FLIGHT DATA:  CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD W JAMIE INT/HCM 36.91 DME, LT, 082.00 INBOUND. FAS OBST: 249 AAO 373525N/0754757W CHART R-4006, R-6604A, R-6604E, R-6609. CHART W-386. CHART VDP AT 2.30 DME DISTANCE VDP TO THLD 1.29 NM. CHART IN PLANVIEW: JAMIE INT/HCM 36.91 DME. CHART CIRCLING ICON. MELFA TO RW03: 3.00/40.					
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 11W EPOCH YEAR: 2000					
2. HOLD SW UCGEL, RT, 033.98 INBOUND, 2000 FT. IN LIEU OF PT (IAF)															
3. FAC 033.98 FAF MELFA/I-MFV 5.44 DME DIST FAF TO MAP 4.44 THLD 4.44															
4. MIN. ALT UCGEL 2000, MELFA 1500															
8. MSA FROM: CCV VORTAC 1800															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @						
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-03	500	1	453	500	1	453	500	1 3/8	453	500	1 3/8	453			
CIRCLING	500	1	452	560	1	512	700	1 3/4	652	700	2	652			
NOTES:															
CHART NOTE: CIRCLING TO RWY 21 NA AT NIGHT. @ NA WHEN AIRPORT OPERATIONS CLOSED.															
CHART NOTE: DME REQUIRED.															
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON CCV VORTAC AIRWAY RADIALS 016 CW 041.															
CITY AND STATE		ELEVATION: 48 TDZE: 47		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP		QUALITY 10 CHECKED			
MELFA, VA		AIRPORT NAME:		I-MFV		LOC RWY 3, AMDT 1, 10/12/2017				AMDT		ORIG			
		ACCOMACK COUNTY								DATE		03/31/2016			

**LOC STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.25**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY  
10  
CHECKED

CITY AND STATE

MELFA, VA

ELEVATION: 48

TDZE: 47

AIRPORT NAME:

ACCOMACK COUNTY

FACILITY  
IDENTIFIER:  
I-MFVPROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
LOC RWY 3, AMDT 1, 10/12/2017

SUP:

AMDT: ORIG

DATED: 03/31/2016

**LOC STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.25**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY  
10  
CHECKED

CITY AND STATE

MELFA, VA

ELEVATION: 48

TDZE: 47

AIRPORT NAME:

ACCOMACK COUNTY

FACILITY  
IDENTIFIER:

I-MFV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

LOC RWY 3, AMDT 1, 10/12/2017

SUP:

AMDT: ORIG

DATED: 03/31/2016