

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KPSF	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 26	<u>ORIGINAL/AMENDMENT</u> 2B	<u>CITY</u> PITTSFIELD	<u>STATE</u> MA		
<u>AIRPORT ELEVATION</u> 1188	<u>TDZE</u> 1159	<u>SUPERSEDED</u> RNAV (GPS) RWY 26	<u>ORIGINAL/AMENDMENT</u> 2A	<u>DATED</u> 12/29/2022	<u>MAG VAR</u> 15W	<u>EPOCH YEAR</u> 2000
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 30 NOVEMBER 2023	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
CTR VOR/DME		GIVHE		TF	FB	1.00	009.04	7.11	4000
CAM VOR/DME		WIROR		TF	FB	1.00	169.49	24.37	5700
GIVHE	IAF	AZBAF		TF	FB	1.00	349.48	7.25	4000
WIROR	IAF	AZBAF		TF	FB	1.00	169.38	7.25	4000
AZBAF	IF	HIMUT		TF	FB	1.00	259.43	5.71	3200
HIMUT	FAF	JUGES/3.82 NM TO RW26		TF	FB	0.30	259.37	2.51	
JUGES/3.82 NM TO RW26		RW26	MAP	TF	FO	0.30	259.37	3.82	
RW26	MAP	2800 MSL		CA			259.37		2800
2800 MSL		HIDAL		DF	FO	1.00			4000

MISSED APPROACH

MAP:

LPV: DA
LNAV/VNAV: DA
LNAV: RW26

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2800 THEN CLIMBING LEFT TURN TO 4000 DIRECT HIDAL AND HOLD.
**MISSED APPROACH REQUIRES MINIMUM CLIMB OF 285 FEET PER NM TO 2700.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPSF
RUNWAY	RW26
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W26A
LTP/FTP LATITUDE	422553.2820N
LTP/FTP LONGITUDE	0731651.3045W
LTP/FTP ELLIPSOIDAL HEIGHT	+03151
FPAP LATITUDE	422514.5745N
FPAP LONGITUDE	0731839.6745W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0984
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	4F7B4EFD

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+03451
FPAP ORTHOMETRIC HEIGHT	+03451

