

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KERMIT	FOUR	KER4.KER	THREE	01/03/19	21 Mar 2024

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	☐	☐	☒	☐	☐

DP ROUTE DESCRIPTION:**CHARLOTTE/DOUGLAS INTL (KCLT):****RWY 18C:** CLIMB ON HEADING 182.96 TO 1200 BEFORE TURNING LEFT, THENCE...**RWY 18L:** CLIMB ON HEADING 182.97, THENCE...**RWY 18R:** CLIMBING RIGHT TURN HEADING 200.00, THENCE...**RWY 36C:** CLIMB ON HEADING 002.96 TO 1400 THEN LEFT TURN HEADING 330, THENCE...**RWY 36L:** CLIMB ON HEADING 002.96 TO 1800 THEN LEFT TURN HEADING 315, THENCE...**RWY 36R:** CLIMBING RIGHT TURN HEADING 025.00, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 8000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

CONCORD-PADGETT RGNL (KJQF):**RWY 2:** CLIMB ON HEADING 016.46 TO 2200, THENCE...**RWY 20:** CLIMBING LEFT TURN HEADING 150.00 TO 2400, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

GASTONIA MUNI (KAKH):**RWY 3:** CLIMB ON HEADING 049.34 TO 2700, BEFORE TURNING LEFT, THENCE...**RWY 21:** CLIMB ON HEADING 214.33 TO 1600 BEFORE PROCEEDING NORTH, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE

CHARLOTTE-MONROE EXECUTIVE (KEQY):**RWY 5:** CLIMB ON HEADING 052.98, THENCE...**RWY 23:** CLIMB ON HEADING 232.99, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

ROCK HILL/YORK CO/BRYANT FIELD (KUZA):**RWY 2:** CLIMB ON HEADING 016.23, THENCE...**RWY 20:** CLIMB ON HEADING 196.23, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

LINCOLN-TON-LINCOLN COUNTY RGNL (KIPJ):**RWY 5:** CLIMB ON HEADING 063.15 TO 2000 BEFORE PROCEEDING ON COURSE. THENCE...**RWY 23:** CLIMB ON HEADING 243.16 TO 2800 BEFORE TURNING LEFT, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

LANCASTER COUNTY-MC WHIRTER FIELD (KLKR):**RWY 6:** CLIMB ON HEADING 065.51, THENCE...**RWY 24:** CLIMB ON HEADING 245.52. THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

STANLY COUNTY (KVUJ):**RWY 4R:** CLIMB ON HEADING 043.18, THENCE...**RWY22L:** CLIMB ON HEADING 223.19, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KERMIT	FOUR	KER4.KER	THREE	01/03/19	21 Mar 2024

MID-CAROLINA RGNL (KRUQ):**RWY 2:** CLIMB ON HEADING 021.99, THENCE...**RWY 20:** CLIMB ON HEADING 201.99 TO 1700 BEFORE TURNING RIGHT, THENCE...

... ON RADAR VECTORS TO INTERCEPT FILED/ASSIGNED TRANSITION OR ENROUTE FIX/NAVAID. MAINTAIN 3000, EXPECT FILED ALTITUDE/FLIGHT LEVEL 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
JOTTA	KER4.JOTTA	CLT VOR/DME	JOTTA	010.76 (CLT R-011)	49.64	6000	3400	
NALEY	KER4.NALEY	CLT VOR/DME	JOTTA	010.76 (CLT R-011)	49.64	6000	3400	
		JOTTA	NALEY	010.76 (CLT R-011)	20.35	8000	4000	
MERIL	KER4.MERIL	CLT VOR/DME	MERIL	075.77 (CLT R-076)	78.64	8000	4100	
LILLS	KER4.LILLS	CLT VOR/DME	LILLS	111.58 (CLT R-112)	52.58	9000	2700	
ANDYS	KER4.ANDYS	CLT VOR/DME	ANDYS	196.00 (CLT R-196)	50.00	8000	2300	
TREAL	KER4.TREAL	CLT VOR/DME	ANDYS	196.00 (CLT R-196)	50.00	8000	2300	
		ANDYS	TREAL	196.00 (CLT R-196)	79.33	18000	2100	
DEBIE	KER4.DEBIE	CLT VOR/DME	DEBIE	255.00 (CLT R-255)	45.00	11000	2700	
HAMLN	KER4.HAMLN	CLT VOR/DME	WALUT	175.19 (CLT R-175)	31.83	5000	2200	
		WALUT	HAMLN	175.19 (CLT R-175)	18.70	5000	2000	
NEANO	KER4.NEANO	CLT VOR/DME	BOBZY	274.71 (CLT R-275)	33.56	8000	2900	
		BOBZY	NEANO	249.85 (ODF R-070)	18.89	8000	3600	

PROCEDURAL DATA NOTES:**NOTE: (CHARLOTTE/DOUGLAS INTL ONLY):** FOR TURBO JET AIRCRAFT REQUESTING AT OR ABOVE 11000.**NOTE: (ALL OTHER AIRPORTS):** FOR TURBO JET AIRCRAFT ONLY.**NOTE: ((CHARLOTTE/DOUGLAS INTL ONLY):** ACCELERATE TO 250K, IF UNABLE ADVISE ATC. UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280K, IF UNABLE ADVISE ATC.**NOTE: (ALL OTHER AIRPORTS):** UPON REACHING 10000 MSL, ACCELERATE TO AND MAINTAIN 280K, IF UNABLE ADVISE ATC.**NOTE: (CHARLOTTE/DOUGLAS INTL ONLY):** TRANSPONDER CODE WILL BE ISSUED VIA PDC OR CHARLOTTE CLEARANCE DELIVERY.**NOTE: (CONCORD-PADGETT RGNL ONLY):** TRANSPONDER CODE WILL BE ISSUED VIA CONCORD ATCT OR CHARLOTTE CLEARANCE DELIVERY.**NOTE: (GASTONIA MUNI, CHARLOTTE-MONROE EXECUTIVE, ROCK HILL/YORK CO/BRYANT FIELD, LINCOLNTON-LINCOLN COUNTY RGNL, LANCASTER COUNTY-MC WHIRTER FIELD, STANLY COUNTY, MID-CAROLINA RGNL ONLY):** TRANSPONDER CODE WILL BE ISSUED VIA CHARLOTTE CLEARANCE DELIVERY.**PBN REQUIREMENTS NOTES:****EQUIPMENT REQUIREMENT NOTES:**

RADAR AND DME REQUIRED.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KERMIT	FOUR	KER4.KER	THREE	01/03/19	21 Mar 2024

TAKEOFF MINIMUMS:

CHARLOTTE /DOUGLAS INTL (KCLT):
RWY 18C, 18L, 18R, 36C, 36L, 36R: STANDARD.

CONCORD-PADGETT RGNL (KJQF):

RWY 2: STANDARD.
RWY 20: STANDARD WITH MINIMUM CLIMB OF 320 FT PER NM TO 2400.

GASTONIA MUNI (KAKH):

RWY 3, 21: STANDARD.

CHARLOTTE-MONROE EXECUTIVE (KEQY):

RWY 5, 23: STANDARD.

LINCOLN-TON-LINCOLN COUNTY RGNL (KIPJ):

RWY 5, 23: STANDARD.

LANCASTER COUNTY-MC WHIRTER FIELD (KLKR):

RWY 6, 24: STANDARD.

STANLY COUNTY (KVUJ):

RWY 4L, 22R: NA - ENVIRONMENTAL.
RWY 22L: STANDARD
RWY 4R: 300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 315 FT PER NM TO 1000.

MID-CAROLINA RGNL (KRUQ):

RWY 2: STANDARD.
RWY 20: 400-2 3/4 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 1300, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 1200 FT PRIOR TO DER.

ROCK HILL/YORK CO/BRYANT FIELD (KUZA):

RWY 2, 20: STANDARD.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:**CONCORD-PADGETT RGNL (KEQY):**

RWY 20: 1950 FT MSL TOWER 351715.00N/0804144.00W.

STANLY COUNTY (KVUJ):

RWY 4R: 732 FT MSL TREE (37-111225) 352557.53N/0800829.12W (CLIMB GRADIENT), 803 FT MSL TREE (37-112801) 352620.07N/0800816.77W (CLIMB TO ALTITUDE), 820 FT MSL TREE (37-116182) 352627.52N/0800810.70W (CEILING), 790 FT MSL (37-114938) 352637.40N/0800804.59N (VISIBILITY).

MID-CAROLINA RGNL (KRUQ):

RWY 20: 1121 FT MSL TOWER 353613.00N/0803234.12W.

MSA:

KCLT: MSA FROM KCLT 3800.
KJQF: MSA FROM KJQF 3800.
KAKH: MSA FROM KAKH 3800.
KEQY: MSA FROM KEQY 3100.
KIPJ: MSA FROM BZM VOR/DME 3800.
KLKR: MSA FROM KLKR 2300.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
KERMIT	FOUR	KER4.KER	THREE	01/03/19	21 Mar 2024

KVUJ: MSA FROM KVUJ 3100.
KRUQ: MSA FROM KRUQ 3400.
KUZA: MSA FROM KUZA 3800.

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

AIRPORT MV: KCLT (P) 7W/2000, KJQF 6W/1995, KAKH 6W/2000, KEQY 6W/1990, KIPJ 6W/1995, KLKR 7W/2000, KVUJ 6W/1985, KRUQ 6W/1985, KUZA 5W/1990.

CHART: V37, JOTTA TO NALEY. **CHART:** ODF DME AT NEANO.

CHARLOTTE/DOUGLAS INTL - CHART: TOP ALTITUDE 8000

CHART: SOUTHEAST AND NORTHWEST DEPARTURE SECTORS WITH DASHED LINE EXTENDED THROUGH CLT VOR/DME FROM 055 DEGREES TO 235 DEGREES.

CONCORD-PADGETT RGNL - CHART: TOP ALTITUDE 3000.

GASTONIA MUNI - CHART: TOP ALTITUDE 3000.

CHARLOTTE-MONROE EXECUTIVE - CHART: TOP ALTITUDE 3000.

LINCOLN-TON-LINCOLN COUNTY RGNL - CHART: TOP ALTITUDE 3000.

LANCASTER COUNTY-MC WHIRTER FIELD - CHART: TOP ALTITUDE 3000.

STANLY COUNTY - CHART: TOP ALTITUDE 3000.

MID-CAROLINA RGNL - CHART: TOP ALTITUDE 3000.

ROCK HILL/YORK CO/BRYANT FIELD - CHART: TOP ALTITUDE 3000.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KCLT	CHARLOTTE	NC
KJQF	CONCORD	NC
KAKH	GASTONIA	NC
KEQY	MONROE	NC
KIPJ	LINCOLN-TON	NC
KLKR	LANCASTER	SC
KVUJ	ALBEMARLE	NC
KRUQ	SALISBURY	NC
KUZA	ROCK HILL	SC

COMMUNICATIONS:

CHARLOTTE/DOUGLAS INTL: CHART: ATIS, CLNC DEL, GND CON, TOWER.

CONCORD-PADGETT RGNL: CHART: ATIS, CLNC DEL, GND CON, TOWER, UNICOM.

GASTONIA MUNI: CHART: ASOS, CLNC DEL, UNICOM.

CHARLOTTE-MONROE EXECUTIVE: CHART: ASOS, CLNC DEL, UNICOM.

ROCK HILL/YORK CO/BRYANT FIELD: CHART: ASOS, CLNC DEL, UNICOM

LINCOLN-TON-LINCOLN COUNTY RGNL: CHART: AWOS, CLNC DEL (GCO), UNICOM.

LANCASTER COUNTY-MC WHIRTER FIELD: CHART: AWOS, GCO, UNICOM.

MID-CAROLINA RGNL: CHART: AWOS, CLNC DEL, UNICOM.

STANLY COUNTY: CHART: ATIS, CLNC DEL, GND CON, TOWER.



FIXES AND/OR NAVAIDS:
BZM VOR/DME, PSK VORTAC, RDU VORTAC,
ODF VOR/DME.

REMARKS:
ABBREVIATED AMENDMENT

FLIGHT INSPECTED BY	<i>Digitally signed by</i>	OFFICE	DATE
JEFFREY ECKMAN	CASEY D HILL	FPO	09/15/2023
	Jan 18, 2024		

DEVELOPED BY	<i>Digitally signed by</i>	OFFICE	DATE
ANA VEGA	ANA Y VEGA	AJV-A412	01/06/2023
	May 05, 2023		

APPROVED BY	<i>Digitally signed by</i>	OFFICE	DATE	TITLE
JULIE MORGAN	MARK D ADAMS	AJV-A410		MANAGER
	May 12, 2023			

REQUIRED EFFECTIVE DATE
ROUTINE

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:** ZTL, CLT APP CON, CLT ATCT, JQF ATCT, VUJ ATCT, AMGR(S).

- CHANGES - REASONS:**
1. REMOVED ALL REFERENCES TO KCLT RWY 5/23 - INCORPORATE NOTAM CLT 05/427.
 2. DP DESCRIPTION: CHARLOTTE/DOUGLAS INTL (KCLT): RWY 18C UPDATED FROM "CLIMB ON HEADING 182.96, THENCE" TO "CLIMB ON HEADING 182.96 TO 1200 BEFORE TURNING LEFT" - CLEARS NOTAM FDC 3/0602. RWY 36C UPDATED CLIMB ON HEADING FROM "002.98" TO "002.96" - MIRROR RWY TRUE BEARING AND TO MATCH OTHER SIDS.
 3. DP DESCRIPTION: CONCORD-PADGETT RGNL (KJQF): RWY 20 UPDATED CLIMB ON HEADING FROM "150: TO "150.00" - LIST TO HUNDREDTH OF A DEGREE.
 4. DP DESCRIPTION: LINCOLNTON-LINCOLN COUNTY RGNL (KIPJ): RWY 23 UPDATED CLIMB ON HEADING FROM "233.15" TO "243.16" - TO MATCH ODP.
 5. TAKEOFF MINIMUMS: STANLY COUNTY (KVUJ) AMENDED RWY 4R FROM "300 1 ½ OR STANDARD WITH MINIMUM CLIMB OF 276 FT PER NM TO 1000" TO "300-1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 315 FT PER NM TO 1000" - INCORPORATE FDC 3/0577.
 6. TAKEOFF MINIMUMS: STANLY COUNTY (KVUJ) RWY 4L, 22R UPDATED TO READ "NA - ENVIRONMENTAL" - PER AIRNAV USED AS ASSAULT STRIP BY MILITARY, IT IS NOT USED FOR IFR OPERATIONS.
 7. CONTROLLING OBSTACLES: STANLY COUNTY (KVUJ) RWY 4R UPDATED FROM "837 FT MSL TREE 352627.34N/0800808.17W" TO "732 FT MSL TREE (37-111225) 352557.53N/0800829.12W (CLIMB GRADIENT) AND ADDED "803 FT MSL TREE (37-112801) 352620.07N/0800816.77W (CLIMB TO ALTITUDE), 820 FT MSL TREE (37-116182) 352627.52N/0800810.70W (CEILING), 790 FT MSL (37-114938) 352637.40N/0800804.59N (VISIBILITY)" - NEW PENETRATING OBSTACLES.
 8. CONTROLLING OBSTACLES: REMOVED ALL "ROUTE DEVELOPMENT" OBSTACLES - ROUTES ARE NOT BASED ON OBSTACLES.
 9. MOVED RADAR AND DME REQUIRED NOTE FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES - 8260.46J SECTION 2.
 10. PROCEDURAL DATA NOTES: REPLACED "TURBOJET" WITH "TURBO JET" - IAW 8260.46J APP E, SEC 1, PARA 2G.
 11. COMMUNICATIONS: REMOVED DEPARTURE CONTROL (DEP CON) - CHARTING DEPARTURE CONTROL FREQUENCY OCCURS AUTOMATICALLY PER IAW 8260.46J APPENDIX E.
 12. AIRPORTS SERVED: UPDATED TO "AIRPORT ID" ONLY - IAW 8260.46J.
 13. CHANGED DP ROUTE DESCRIPTION FOR ALL RUNWAYS FROM "CLIMB HEADING" TO "CLIMB ON HEADING" - IAW 8260.46J APPENDIX E.
 14. ADDED "APT. ID" FOLLOWING THE AIRPORT NAME ON DP ROUTE DESCRIPTION, TAKEOFF MINIMUMS AND CONTROLLING OBSTACLES - IAW 8260.46J.
 15. ADDED TO MSA "KCLT: MSA FROM KCLT 3800. KJQF: MSA FROM KJQF 3800. KAKH: MSA FROM KAKH 3800. KEQY: MSA FROM KEQY 3100. KIPJ: MSA FROM BZM VOR/DME 3800. KLKR: MSA FROM KLKR 2300. KVUJ: MSA FROM KVUJ 3100. KRUQ: MSA FROM KRUQ 3400. KUZA: MSA FROM KUZA 3800" - IAW 8260.3E, PARA 2-3-2.B, SINCE THE ONLY VOR (CLT) THAT IS WITHIN 25 NM OF THE AIRPORT IS SLATED FOR DECOMM IN 2026, USED THE AIRPORT (ARP) FOR THE MSA.
 16. ADDITIONAL FLIGHT DATA: ADDED " AIRPORT MV: KCLT (P) 7W/2000, KJQF 6W/1995, KAKH 6W/2000, KEQY 6W/1990, KIPJ 6W/1995, KLKR 7W/2000, KVUJ 6W/1985, KRUQ 6W/1985, KUZA 5W/1990" - CRITERIA CLARIFICATION MEMO (7/15/2022) TO MEMO 283 (6/2/2022).
 17. COMMUNICATIONS: ADDED "CHART:" TO THE FREQUENCIES FOR EACH AIRPORT - IAW 8260.46J APP. E, SEC 1.
 18. COMMUNICATIONS: STANLY COUNTY (KVUJ) REMOVED "UNICOM" - PER NFDD 42 REMOVED FROM ARP.
 19. FIXES AND/OR NAVAIDS: UPDATED ODF FROM "VORTAC" TO "VOR/DME" - NAME CHANGED.

