

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> FOK	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 6	<u>ORIGINAL/AMENDMENT</u> 3	<u>CITY</u> WESTHAMPTON BEACH	<u>STATE</u> NY
<u>AIRPORT ELEVATION</u> 66	<u>TDZE</u> 57	<u>SUPERSEDED</u> RNAV (GPS) RWY 6	<u>ORIGINAL/AMENDMENT</u> 2C	<u>DATED</u> 03/25/2021
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 12 JUNE 2025	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>MAG VAR</u> 13W
				<u>EPOCH YEAR</u> 1980
				<u>CANCEL/SUSPEND</u>

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
ORCHA		ZATBO		TF	FO	1.00	253.20	25.76	2600
SARDI	IAF	ZATBO	NOPT	TF	FB	1.00	012.26	10.60	2600
ZATBO	IF/IAF	TAZZY		TF	FB	1.00	055.39	6.02	1700
TAZZY	FAF	CILVA/2.50 NM TO RW06		TF	FB	0.30	055.46	2.48	
CILVA/2.50 NM TO RW06		RW06	MAP	TF	FO	0.30	055.46	2.50	
RW06	MAP	420 MSL		CA			055.46		
420 MSL		MATTY		DF	FO	1.00			2000

MISSED APPROACH

MAP:

LNAV: RW06

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2000 DIRECT MATTY AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SW ZATBO, RT, 055.39 INBOUND, 2600 FT. IN LIEU OF PT (IAF), MAX 14000.
- FAC: 055.46 FAF: TAZZY DIST FAF TO MAP: 4.98 DIST FAF TO THLD: 4.98
- MIN ALT: ZATBO 2600, TAZZY 1700, CILVA/2.50 NM TO RW06 880
- DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT: OM: MM: IM:
- MIN GP INCPT: GP ALT AT FAF:
- GP ANGLE: 34:1: IS NOT CLEAR 20:1: IS NOT CLEAR TCH:
- MSA FROM: RW06 1900

QUALITY
37
CHECKED

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.

CHART NOTE: CIRCLING RWY 15, 19 NA AT NIGHT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HWV ALTIMETER SETTING INCREASE ALL MDAS 40 FEET AND LNAV VISIBILITY CAT C/D 1/8 SM, AND CIRCLING VISIBILITY CAT C 1/4 SM.

ADDITIONAL FLIGHT DATA:

HOLD NE, RT, 235.61 INBOUND.

CHART FAS OBST: 160 TOWER (36-172871) 405020N/0723837W.

CHART VDP AT 0.96 NM TO RW06.

CHART CIRCLING ICON.

TAZZY TO RW06: 3.00/66.

MINIMUMS:**TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT****ALTERNATE:** NA ☐ STANDARD - CAT D 800-2 1/4, NA WHEN LOCAL WEATHER NOT AVAILABLE.

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	420	1	363	420	1	363	420	1	363	420	1	363			
CIRCLING	600	1	534	620	1	554	700	2	634	740	2 1/4	674			

CHANGES - REASONS

1. TERMINAL ROUTES: CHANGED INITIAL APPROACH FIX FROM "HTO VORTAC" TO "ORCHA" AND RNP FROM "2.00" TO "1.00" – PER ATC REQUEST, HTO VORTAC DECOMMISSIONING.
2. TERMINAL ROUTES: UPDATED ZATBO TO TAZZY RNP FROM "0.50" TO "1.00" AND DISTANCE FROM "6.02" TO "5.98" – IAW 8260.58C TABLE 1-2-1.
3. TERMINAL ROUTES: UPDATED CA ALTITUDE FROM "298 MSL" TO "420 MSL" – LPV AND LNAV/VNAV MINS REMOVED.
4. MISSED APPROACH: REMOVED MAP FOR LPV AND LNAV/VNAV - LPV AND LNAV/VNAV MINS REMOVED.
5. PROFILE LINE 3: UPDATED FAC FROM "055.45" TO "055.46," DIST FAF TO MAP AND DIST FAF TO THLD FROM "5.02" TO "4.98" – TAZZY MOVED TO ALIGN WITH VGSI DATA.
6. PROFILE LINE 4: MIN ALT CHANGED FROM "ZATBO 2600, TAZZY 1700, CILVA/2.50 NM TO RW06 880*" TO "ZATBO 2600, TAZZY 1700, CILVA/2.50 NM TO RW06 880" – REMOVED ASTERISK, NO LONGER REQUIRED.
7. PROFILE LINE 6: REMOVED MIN GP INCPT AND GP ALT AT PFAF - LPV AND LNAV/VNAV MINS REMOVED.
8. PROFILE LINE 7: ADDED 20:1 "IS NOT CLEAR" AND REMOVED GP ANGLE AND TCH – IAW 8260.19J 8-6-7, LPV AND LNAV/VNAV MINS REMOVED.
9. PBN REQUIREMENT NOTES: ADDED "RNP APCH - GPS" –DATA IAW 8260.19J 8-6-9.
10. NOTES: ADDED "CHART NOTE: RWY 6 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED" – IAW 8260.19J 8-6-10.
11. NOTES: REMOVED "CHART NOTE: DME/DME RNP-0.3 NA," "LNAV ONLY," "CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT," "CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON HTO VORTAC AIRWAY RADIALS 236 CW 285," "BARO-VNAV AND VDP NA WHEN USING SHIRLEY ALTIMETER SETTING" AND "FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15°C (5°F) OR ABOVE 43°C (109°F)" – NO LONGER REQUIRED.
12. NOTES: UPDATED CHART NOTE FROM "CIRCLING TO RWY 15 AND RWY 19 NA AT NIGHT" TO "CIRCLING RWY 15, 19 NA AT NIGHT" – 20:1 PENETRATIONS EXIST.
13. NOTES: UPDATED NOTE FROM "WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SHIRLEY ALTIMETER SETTING AND INCREASE LPV DA TO 325 AND ALL CATS VISIBILITY 1/8 SM, INCREASE LNAV/VNAV DA TO 361 AND LNAV/VNAV ALL CATS VISIBILITY 1/8 SM; INCREASE ALL MDAS 40 FT INCREASE LNAV CAT C/D VISIBILITY 1/4 SM AND CIRCLING CAT C VISIBILITY 1/4 SM" TO "CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HWV ALTIMETER SETTING INCREASE ALL MDAS 40 FEET AND LNAV VISIBILITY CAT C/D 1/8 SM, AND CIRCLING VISIBILITY CAT C 1/4 SM" –UPDATED OBSTACLES, UPDATED MINS.
14. ADDITIONAL FLIGHT DATA: UPDATE CHART FAS OBST FROM "153 ANT (KFOKT1427) 405020N/0723837W" TO "160 TOWER (36-172871) 405020N/0723837W" – NEW SURVEY, NEW OBSTACLE IDENTIFIED.
15. ADDITIONAL FLIGHT DATA: REMOVED "WAAS CHANNEL # 81822," "REFERENCE PATH ID: W06A," AND "LTP HAE: 17.1 M" - LPV AND LNAV/VNAV MINS REMOVED.
16. ADDITIONAL FLIGHT DATA: ADDED "TAZZY TO RW06: 3.00/66" TCH UPDATED FROM "55" TO "66" TO ALIGN WITH VGSI – 8620.19J 8-6-11.
17. MINIMUMS: CIRCLING CHANGED VIS CAT C CHANGED FROM "1 3/4" TO "2" – IAW 8260.3F TABLE 3-3-1.
18. MINIMUMS: REMOVED LPV AND LNAV/VNAV MINS - NO VGS SURVEY, IAW 8260.19 2-6-6.
18. REMOVED FAS DATA - LPV AND LNAV/VNAV MINS REMOVED.

COORDINATED WITH:

A4A

☐

ALPA

☒

AOPA

☒

APA

☐

HAI

☐

NBAA

☒

OTHER: ZBW, NEW YORK APP CON, FOK ATCT

FLIGHT CHECKED BY

CHRISTOPHER R VANDEVEER

Digitally signed by

ROBERT G HAMILTON

May 05, 2025

OFFICE

AJF

DATE

04/29/2025

DEVELOPED BY

ERIC N SUSKI (JUDITH TUTTLE)

Digitally signed by

ROBERT G HAMILTON

May 05, 2025

OFFICE

AJV-A431

DATE

01/09/2025

APPROVED BY

ERIC N SUSKI

Digitally signed by

ROBERT G HAMILTON

May 05, 2025

OFFICE

AJV-A431

DATE

TITLE

MANAGER