

**FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
 TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KTEB	<u>PROCEDURE NAME</u> RNAV (GPS) Y RWY 6	<u>ORIGINAL/AMENDMENT</u> 4	<u>CITY</u> TETERBORO	<u>STATE</u> NJ		
<u>AIRPORT ELEVATION</u> 8	<u>TDZE</u> 6	<u>SUPERSEDED</u> RNAV (GPS) Y RWY 6	<u>ORIGINAL/AMENDMENT</u> 3	<u>DATED</u> 08/10/2023	<u>MAG VAR</u> 12W	<u>EPOCH YEAR</u> 1980
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 16 MAY 2024	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

**TERMINAL ROUTES**

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
COATE		ELIZE		TF	FB	1.00	188.41	13.41	3000
STW VOR/DME		ELIZE		TF	FB	1.00	131.54	10.06	3000
ELIZE		ALIDA		TF	FB	1.00	131.50	13.77	3000
SBJ VOR/DME		ALIDA		TF	FB	1.00	060.96	19.82	3000
ALIDA		DWURF		TF	FB	1.00	120.47	3.60	3000
DWURF	IAF	JUGGY		TF	FB	1.00	130.96	5.53	2000
JUGGY	IF	DANDY		TF	FB	1.00	060.05	3.96	1500
DANDY		TORBY		TF	FB	1.00	060.07	2.09	1300
TORBY	FAF	RW06	MAP	TF	FO	0.30	060.12	3.90	
RW06	MAP	1000 MSL		CA			060.12		1000
1000 MSL		TEBLE		DF	FB	1.00			2000
TEBLE		UBUCK		TF	FO	1.00	271.93	12.43	3000



**MISSED APPROACH**

**MAP:**

LPV: DA  
LNAV: RW06

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 1000, THEN CLIMBING LEFT TURN TO 2000 DIRECT TEBLE, CROSS TEBLE AT OR BELOW 2000, THEN CLIMB TO 3000 ON TRACK 271.93 TO UBUCK AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**

**PROFILE:**

1. PT	SIDE OF COURSE	OUTBOUND	FT WITHIN	MILES OF	(IAF)
2. PROFILE STARTS AT JUGGY					
3. FAC:	060.12	FAF: TORBY	DIST FAF TO MAP: 3.90	DIST FAF TO THLD: 3.90	
4. MIN ALT:	JUGGY 2000, DANDY 1500, TORBY 1300				
5. DIST TO THLD FROM OM:	MM:	IM:	150 HAT:	363 HAT: 0.97	GS ANT:
6. MIN GP INCPT:	1300	GP ALT AT PFAF:	TORBY 1300	OM:	MM:
7. GP ANGLE:	3.00	34:1: IS CLEAR	20:1: IS CLEAR	TCH: 53.4	IM:
8. MSA FROM: RW06 2900					

**PBN REQUIREMENTS NOTE:**

RNP APCH - GPS.

**EQUIPMENT REQUIREMENTS NOTE:**

RADAR REQUIRED.

**NOTES:**

CHART NOTE: CIRCLING NA FOR CATS B, C AND D NW OF RWYS 6 AND 19.  
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT COATE ON V252 NORTHBOUND AND ON V116-188, T218 NORTHWEST BOUND.  
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON SBJ VOR/DME AIRWAY RADIALS 028 CW 147.  
CHART NOTE: FOR INOPERATIVE ALS, INCREASE LPV ALL CATS VISIBILITY TO RVR 5500 AND INCREASE LNAV CATS C/D VISIBILITY TO 2 1/2 SM.

**ADDITIONAL FLIGHT DATA:**

CHART AT OR BELOW 2000 AT TEBLE.  
HOLD E, RT, 271.75 INBOUND.  
CHART FAS OBST: 335 TANK (34-000556) 405034N/0740534W.  
CHART VDP AT 2.31 NM TO RW06.  
WAAS CHANNEL # 65707  
REFERENCE PATH ID: W06A  
CHART MANDATORY 2000 AT JUGGY.  
CHART MANDATORY 1500 AT DANDY.  
LTP HAE: -30.5 M



**MINIMUMS:**  
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

**ALTERNATE:** NA  STANDARD - CAT C 900-2 1/2, CAT D 1100-3

<u>CATEGORY:</u>	A			B			C			D			E		
<u>FINAL TYPE</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>
LPV DA	369	3500	363	369	3500	363	369	3500	363	369	3500	363			
LNAV MDA	800	2400	794	800	4000	794	800	1 3/4	794	800	1 3/4	794			
CIRCLING	800	1	792	800	1 1/4	792	820	2 1/2	812	1040	3	1032			

**CHANGES - REASONS**

1. CHANGED ALL REFERENCE FROM "STICC" (FAF) TO "TORBY" (FAF) - ALIGN PROCEDURE WITH ILS AND COPTER PROCEDURES TO SAME RUNWAY AND FPT/ATC REQUEST.

**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**  **OTHER:** ZNY, NY TRACON, TEB ATCT, AMGR

**FLIGHT CHECKED BY**  
STEPHEN BAUER

*Digitally signed by*  
**ERIC N SUSKI**  
Dec 15, 2023

**OFFICE**  
FPO

**DATE**  
10/30/2023

**DEVELOPED BY**  
FRANK JACKSON JR

*Digitally signed by*  
**FRANK JACKSON**  
Sep 12, 2023

**OFFICE**  
AJV-A431

**DATE**  
08/09/2023

**APPROVED BY**  
JOHNNIE BAKER

*Digitally signed by*  
**ERIC N SUSKI**  
Sep 27, 2023

**OFFICE**  
AJV-A430

**DATE**

**TITLE**  
MANAGER



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KTEB
RUNWAY	RW06
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W06A
LTP/FTP LATITUDE	405048.2225N
LTP/FTP LONGITUDE	0740413.0575W
LTP/FTP ELLIPSOIDAL HEIGHT	-00305
FPAP LATITUDE	405147.6870N
FPAP LONGITUDE	0740245.5715W
THRESHOLD CROSSING HEIGHT (TCH)	00053.4
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0920
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	7B7D7B46

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+00015
FPAP ORTHOMETRIC HEIGHT	+00015

