FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE ILS STANDARD INSTRUMENT APPROACH PROCEDURE **TITLE 14 CFR PART 97.29**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

PROCEDURE NAME AIRPORT ID BDH

ORIGINAL/AMENDMENT

CITY

STATE

AIRPORT ELEVATION

ILS OR LOC RWY 13

ORIGINAL/AMENDMENT

WILLMAR **DATED**

MN **EPOCH YEAR**

1126

TDZE SUPERSEDED

05/20/2021

MAG VAR 4E

FACILITY

1124 ILS OR LOC RWY 13

ORIG-B

2000

I-BDH

COORDINATES OF FACILITIES

ACTUAL EFFECTIVE DATE 25 JANUARY 2024

REQUIRED EFFECTIVE DATE ROUTINE

CANCEL/SUSPEND

TERMINAL ROUTES

| <u>FROM</u> | FIX TYPE | <u>TO</u> | FIX TYPE | LEG TYPE | FO/FB | RNP | COURSE | DISTANCE | ALTITUDE |
|-------------|----------|------------------------|----------|----------|-------|-----|--------|----------|----------|
| RWF VOR/DME | | BDH VOR/DME | | | | | 353.07 | 39.03 | 3100 |
| BDH VOR/DME | | LOPOW INT/BDH 5.74 DME | FAF/IAF | | | | 304.33 | 5.74 | 3100 |

MISSED APPROACH

MAP:

ILS: DA

LOC: 5.11 NM AFTER LOPOW INT/BDH 5.74 DME

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2500 THEN CLIMBING RIGHT TURN TO 3100 DIRECT BDH VOR/DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 3100.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

2.

1. **PT** R SIDE OF COURSE 305.72 **OUTBOUND** 2900 FT WITHIN MILES OF LOPOW INT/BDH 5.74 DME (IAF)

FAC: 125.72 LOPOW INT/BDH 5.74 DME DIST FAF TO MAP: 5.11 DIST FAF TO THLD: 5.11

MIN ALT: LOPOW INT/BDH 5.74 DME 2800

DIST TO THLD FROM OM: MM: IM: 150 HAT: GS ANT: 951

MIN GS INCPT: 2800 GS ALT AT PFAF: LOPOW INT/BDH 5.74 DME 2800 OM: MM: IM:

GS ANGLE: 3.00 34:1: 20:1: **TCH**: 49.4

8. MSA FROM: BDH VOR/DME 3100

CITY **AIRPORT ID** PROCEDURE NAME ORIGINAL/AMENDMENT STATE BDH ILS OR LOC RWY 13 WILLMAR MN

NOTES:

CHART NOTE: CIRCLING NA TO RWYS 3 AND 21.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OLIVIA ALTIMETER SETTING: INCREASE S-ILS 13 DA TO 1379 FEET; INCREASE ALL MDAS 60 FEET AND CIRCLING

VISIBILITY CAT D 1/4 SM.

CHART NOTE: VDP NA WHEN USING OLIVIA RGNL ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:

HOLD SE, LT, 315.98 INBOUND. FAS OBST: 1350 AAO 451203N/0951441W. CHART VDP AT 1.97 DME. DISTANCE VDP TO THLD 1.33 NM. CHART 3100 PRIOR TO LOPOW IN PROFILE.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA Х

| CATEGORY: | A | | В | | С | | D | | | E | | | | | |
|------------|--------|-----|---------|--------|-----|---------|--------|------------|---------|--------|------------|---------|--------|------------|---------|
| FINAL TYPE | DA/MDA | VIS | HAT/HAA | DA/MDA | VIS | HAT/HAA | DA/MDA | <u>VIS</u> | HAT/HAA | DA/MDA | <u>VIS</u> | HAT/HAA | DA/MDA | <u>VIS</u> | HAT/HAA |
| S-ILS 13 | 1324 | 3/4 | 200 | 1324 | 3/4 | 200 | 1324 | 3/4 | 200 | 1324 | 3/4 | 200 | | | |
| S-LOC 13 | 1600 | 3/4 | 476 | 1600 | 3/4 | 476 | 1600 | 1 | 476 | 1600 | 1 | 476 | | | |
| CIRCLING | 1600 | 1 | 474 | 1600 | 1 | 474 | 1660 | 1 1/2 | 534 | 1960 | 2 3/4 | 834 | | | |

| AIRPORT ID BDH | PROCEDURE NAME ILS OR LOC RWY 13 | ORIGINAL/AMENDMENT 1 | <u>CITY</u> WILLMAR | <u>STATE</u> MN |
|--|---|--|---------------------------------|-----------------------|
| CHANGES - REASONS | | | | |
| 2. TERMINAL ROUTES: REPLACIFROM 3500 TO 3100 - PER IFP/A | TC CHECKLIST REQUEST. | R/DME, CHANGED SEGMENT COURSE FROM 025.71 TO 35 | · | 03 AND ALTITUDE |
| 4. TERMINAL ROUTES: CHANGE | D BDH VOR/DME TO LOPOW INT/BDH 5.74 DM | OW INT/BDH 5.74 DME" AND - FAF MOVED 507 FT BASED (IE DISTANCE FROM 5.65 TO 5.74 AND ALTITUDE FROM 30(| | ASED ON GPA/TCH |
| 5. MISSED APPROACH: CHANGE | N PT ENTRY CONTROLLING OBS. ED MAP LOC FROM "5.03 NM AFTER LOPOW IN D DME PORTION REMOVED DUE TO NOT MEE" | IT/BDH 5.65 DME OR AT BDH 0.64 DME" TO "5.11 NM AFTEI | R LOPOW INT/BDH 5.74 DME" - FAF | MOVED 507 FT |
| 6. CHANGED PRIMARY MISSED | APPROACH INSTRUCTIONS FROM "CLIMB TO | 2500 THEN CLIMBING RIGHT TURN TO 3000 DIRECT BDH E CLIMB-IN-HOLD TO 3100" - NEW CONTROLLING OBST IN | | O 2500 THEN |
| 8. PROFILE LINE 1: CHANGED P | ED APPROACH INSTRUCTIONS - DWN VORMO T COURSE FROM 305.73 TO 305.72 AND OUTBO | N NATL PROGRAM. OUND FROM 2800 TO 2900 - FAF MOVED 507 FT BASED O | N GPA/TCH, ALTITUDE DRIVEN BY | AIRSPACE |
| | AC FROM 125.73 TO 125.72, FAF FROM "LOPOV O ON GPA/TCH TO ALIGN TO FAC. | W INT/BDH 5.65 DME" TO "LOPOW INT/BDH 5.74 DME", DIS | T FAF TO MAP AND DIST FAF TO T | HLD FROM 5.03 TO |
| 10. PROFILE LINE 4: CHANGED I 11. PROFILE LINE 6: CHANGED I | MIN ALT FROM "LOPOW 2800" TO "LOPOW INT/ GS ALT AT PFAF FROM "LOPOW INT/BDH 5.65 | /BDH 5.74 DME 2800" - FAF MOVED 507 FT BASED ON GPA DME" TO "LOPOW INT/BDH 5.74 DME" - FAF MOVED 507 FT | | |
| 13. REMOVED PLANVIEW NOTE | TCH FROM 52.2 TO 49.4 - NEW AIRNAV DATA F "MAXIMUM ENTRY ALTITUDE 6000" - NO LONG NA WHEN USING OLIVIA RGNL ALTIMETER SE' | GER REQUIRED. | | |
| 15. CHANGED CHART NOTE FRO | OM "CHART NOTE: CIRCLING RWY 3, 21 NA" TO | O "CIRCLING NA TO RWYS 3 AND 21" - UPDATED TO CURR ND" TO "HOLD SE, LT, 315.98 INBOUND" - ALIGN WITH VOR | | |
| 18. ADDITIONAL FLIGHT DATA: F | REMOVED "CHART IN PLANVIEW DWŃ VORTAC | | | N. I. INIO ODOTA OL F |
| 20. ADDITIONAL FLIGHT DATA: A | ADDED "CHART VDP AT 1.97 DME" AND "DISTA | .L TOWER 450839N/0951029W" TO "FAS OBST: 1350 AAO 4: NCE VDP TO THLD 1.33 NM" - PER 8260.19I, 8-6-10M(MEM(CAT A AND B VISIBILITY FROM 1 SM TO 3/4 SM AND CATS | O). | |

| A4A APA X AOPA X APA | A HAI | NBAA X OTHER | R: ZMP, AMG | R | | |
|---|---|---|---------------------|--------------------|---------------------------|-------------------------|
| FLIGHT CHECKED BY SCOTT WIEBE | Digitally signed by CASIMIR L TABAKA Nov 28, 2023 | | | OFFICE FPO | DATE 11/16/2023 | |
| <u>DEVELOPED BY</u> CASIMIR L. TABAKA (SILVIA YOUNG) | | | Digitally signed by | OFFICE AJV-A432 | <u>DATE</u> 07/11/2023 | |
| | | С | ASIMIR L TABAKA | | | |
| APPROVED BY CASIMIR L. TABAKA | | Digitally signed by CASIMIR L TABAKA Oct 22, 2023 | Oct 22, 2023 | OFFICE AJV-A432 | DATE | <u>TITLE</u> MANAGER |

CONTROLLING OBSTACLE, UPDATED 8260.3E TABLE 3-3-1.
22. CHANGED CIRCLING CAT A AND B MDA/HAT FROM 1620/494 TO 1600/474 - NEW CONTROLLING OBSTACLE.