

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
GULKANA	TWO	GKN2.GKN	11/27/2025		22JAN2026

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 08: CLIMB ON HEADING 082.14 TO 2143, THEN RIGHT TURN DIRECT BLUEW, THENCE...

TAKEOFF RWY 26: CLIMB ON HEADING 262.15 TO INTERCEPT COURSE 184.69 TO BLUEW, THENCE...

...THEN ON TRACK 210.05 TO GKN VOR/DME, THEN ON ASSIGNED ROUTE. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT ASSIGNED ALTITUDE 10 MIN AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	---------------------------------	------------------------	----------------------	---------------	-----------------	------------	-------------	--------------------------------

PBN REQUIREMENT NOTES:

RNAV 1 - GPS.

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 8: STANDARD WITH A MINIMUM CLIMB OF 291 FT/NM TO 8500.

RWY 26: STANDARD WITH A MINIMUM CLIMB OF 295 FT/NM TO 8500.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 8: 3353 MSL AAO 631315.00N/1424857.00W (CLIMB GRADIENT), 6903 MSL TERRAIN 630027.00N/1433218.00W (CGTA).

RWY 26: 3356 MSL AAO 631433.00/1430654.00W (CLIMB GRADIENT), 6903 MSL TERRAIN 630027.00N/1433218.00W (CGTA).

MSA:

MSA FROM PFTO 8600

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: ASSIGNED BY ATC.

DME/DME ASSESSMENT: NOT CONDUCTED.

AIRPORT MV: PFTO 17E/2025.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>
-------------------	-------------



DP NAME GULKANA	NUMBER TWO	DP COMPUTER CODE GKN2.GKN	SUPERSEDED NUMBER 11/27/2025	DATED	ACTUAL EFFECTIVE DATE 22JAN2026
6K8/PFTO		TOK			AK

COMMUNICATIONS:

CHART: 6K8/PFTO AWOS, NORTHWAY RADIO, ANCHORAGE CENTER.

FIXES AND/OR NAVAIDS:

REMARKS:

80 FT VEGETATION USED PER FPT.
ABBREVIATED AMENDMENT.

FLIGHT INSPECTED BY

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021
GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHTS AND/OR IAW VALIDATION.

SIGNATURE

Digitally signed by
ALLAN WILL

Nov 20, 2025

OFFICE

DATE

DEVELOPED BY

LIAM DONAHUE (THOMAS KUKLISH)

SIGNATURE

Digitally signed by
ALLAN WILL

Nov 20, 2025

OFFICE

DATE

AJV-A330

11/06/2025

APPROVED BY

KYLE THOMPSON

SIGNATURE

Digitally signed by
ALLAN WILL

Nov 20, 2025

OFFICE

DATE

TITLE

AJV-A330

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

Nov 20, 2025

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:**FAI FSS, ORT FSS, ZAN, AMGR, ALASKA AERO, CAPSTONE

CHANGES - REASONS:

1. CHANGED COMPUTER CODE FROM GULKA1.GULKA TO GKN2.GKN - REQUEST FROM ZAN TO MAKE THE CHANGE.
2. REMARKS: ADDED "ABBREVIATED AMENDMENT" - IAW 8260.46K APPENDIX E, SECTION 1, PARA 2.Q.(4).



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
GULKANA	TWO	GKN2.GKN		11/27/2025	22JAN2026

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW08 (AER)	631948.21N/1425740.39W	N	-	-	-	-			
2143MSL		-	-	VA	099.14	-	AT/ABOVE 2143		CG 291 FT PER NM TO 8500
BLUEW	631052.47N/1430754.75W	Y	FB	DF	-	-			RIGHT TURN
RW26 (AER)	631944.29N/1425646.13W	N	-	-	-	-			
	631957.70N/1425951.91W	-	-	VI	279.15	01.41			CG 295 FT PER NM TO 8500
BLUEW	631052.47N/1430754.75W	Y	FB	CF	201.69	09.81			
BLUEW	631052.47N/1430754.75W	Y	-	IF	-	-			
GKN VOR/DME	620913.51N/1452650.51W	Y	FB	TF	227.05	89.04			

