

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> DEKALB-PEACHTREE	<u>AIRPORT ID</u> KPDK	<u>PROCEDURE NAME</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> ATLANTA	<u>STATE</u> GA	
<u>AIRPORT ELEVATION</u> 998	<u>TDZE</u>	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 5W	<u>EPOCH YEAR</u> 2015
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 15 AUGUST 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TAA

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>ALTITUDE</u>
1. 190/30 CW 010/30	NOPT	190/10 CW 010/10	IF/IAF	4700
2. 190/10 CW 010/10		JUDYY	IF/IAF	3600
3. 010/30 CW 190/30		JUDYY	IF/IAF	4200

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
JUDYY	IF/IAF	LIPPY		TF	FB	1.00	280.12	6.00	2600
LIPPY	FAF	TOMTE	MAP	TF	FO	0.30	279.89	5.01	
TOMTE	MAP	1398 MSL		CA			279.89		
1398 MSL		BAPPY		DF	FO	1.00			4000

MISSED APPROACH

MAP:
TOMTE

MISSED APPROACH INSTRUCTIONS:
CLIMBING RIGHT TURN TO 4000 DIRECT BAPPY AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
41
CHECKED

PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD E JUDYY, RT, 280.12 INBOUND, 3000 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAC: 279.89

FAF: LIPPY

DIST FAF TO MAP: 5.01

DIST FAF TO THLD:

4. MIN ALT: LIPPY 2600

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS NOT CLEAR

TCH:

8. MSA FROM:

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: CIRCLING TO RWY 3L,16, 21R NA AT NIGHT.

ADDITIONAL FLIGHT DATA:

FAC CROSSES MIDPOINT OF RWY 3R-21L.
CHART CIRCLING ICON.
CHART FAS OBST: 1320 AAO 335139N/0841226W.
HOLD N, RT, 186.00 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - CAT C 900-2 1/2, CAT D 1100-3

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
CIRCLING	1580	1	582	1580	1	582	1840	2 1/2	842	2060	3	1062			

CHANGES - REASONS



COORDINATED WITH:

A4A ☐ ALPA ☒ AOPA ☒ APA ☒ HAI ☐ NBAA ☒ OTHER: ZTL, ATL APP CON, KPDK ATCT, AMGR

FLIGHT CHECKED BY

MARC HINCK

Digitally signed by
DONALD H LANIER
May 21, 2019

OFFICE

FICO

DATE

5/17/19

DEVELOPED BY

DONALD H. LANIER (ARTHUR ULVESTAD)

Digitally signed by
DONALD H LANIER

OFFICE

AJV-A431

DATE

03/18/2019

APPROVED BY

LONNIE EVERHART

May 21, 2019
Digitally signed by
DONALD H LANIER
May 21, 2019

OFFICE

AJV-A430

DATE

TITLE
MANAGER

