

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

AIRPORT ID LNY/PHNY	PROCEDURE NAME RNAV (GPS) RWY 3	ORIGINAL/AMENDMENT ORIG-E	CITY LANAI CITY	STATE HI
AIRPORT ELEVATION 1308	TDZE 1307	SUPERSEDED RNAV (GPS) RWY 3	DATED 08/12/2021	MAG VAR 11E
FACILITY RNAV	COORDINATES OF FACILITIES	ACTUAL EFFECTIVE DATE 27 NOVEMBER 2025	REQUIRED EFFECTIVE DATE ROUTINE	EPOCH YEAR 1990
			CANCEL/SUSPEND	

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
MKK VORTAC		JORDA		TF	FB	1.00	179.99	29.14	3700
LNY VORTAC		OJOVU		TF	FO	1.00	214.01	10.00	3700
CRISI	IAF	OJOVU	NOPT	TF	FB	1.00	340.60	11.11	3700
JORDA	IAF	OJOVU	NOPT	TF	FB	1.00	083.73	9.69	3700
OJOVU	IF/IAF	EYEPO		TF	FB	1.00	032.98	7.32	2600
EYEPO	FAF	RW03	MAP	TF	FO	0.30	033.02	3.86	
RW03	MAP	1708 MSL		CA			033.02		
1708 MSL		GRAMY		DF	FO	1.00			3300

MISSED APPROACH

MAP:

LNAV: RW03

MISSED APPROACH INSTRUCTIONS:

CLIMBING LEFT TURN TO 3300 DIRECT GRAMY AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

- PT** **SIDE OF COURSE** **OUTBOUND** **FT WITHIN** **MILES OF** (IAF)
- HOLD SW OJOVU, RT, 032.98 INBOUND, 3700 IN LIEU OF PT (IAF), MAX 6000.
- FAC:** 033.02 **FAF:** EYEPO **DIST FAF TO MAP:** 3.86 **DIST FAF TO THLD:** 3.86
- MIN ALT:** OJOVU 3700, EYEPO 2600
- DIST TO THLD FROM OM:** **MM:** **IM:** **150 HAT:** **GS ANT:**
- MIN GP INCPT:** **GP ALT AT FAF:** **OM:** **MM:** **IM:**
- GP ANGLE:** **34:1:** IS CLEAR **20:1:** IS CLEAR **TCH:**
- MSA FROM:** RW03 7000



PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).
 CHART NOTE: CIRCLING RWY 21 NA AT NIGHT.
 CHART NOTE: CIRCLING NA FOR CAT C SE OF RWY 3-21.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA, EXCEPT FOR OPERATORS WITH APPROVED WEATHER REPORTING SERVICE.

ADDITIONAL FLIGHT DATA:

HOLD W, RT, 098.00 INBOUND.
 CHART FAS OBST: 1396 TREE 204633N/1565700W.
 CHART VDP AT 1.14 NM TO RW03.
 EYEPO TO RW03: 3.03/52.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA STANDARD - CAT C 1000-2 3/4

<u>CATEGORY:</u>	<u>A</u>			<u>B</u>			<u>C</u>			<u>D</u>			<u>E</u>		
<u>FINAL TYPE</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>	<u>DA/MDA</u>	<u>VIS</u>	<u>HAT/HAA</u>
LNAV MDA	1720	1	413	1720	1	413	1720	1 1/8	413	1720	1 1/8	413			
CIRCLING	1900	1	592	1940	1	632	2240	2 3/4	932		NA				

CHANGES - REASONS

1. CHANGED IN ADDITIONAL FLIGHT DATA, CHART FAS OBST FROM: "1356 FARM VEHICLE 204648N/1565706W" TO: "1396 TREE 204633N/1565700W" - NEW OBSTACLE EVALUATION.
2. CHANGED IN ADDITIONAL FLIGHT DATA, VDP FROM: "CHART VDP AT 1.15 NM TO RW03" TO: "CHART VDP AT 1.14 NM TO RW03" - 8260.19J M(2).
3. RAISED CIRCLING CAT A MDA/HAA FROM: 1840/532 TO: 1860/552 - NEW OBSTACLE EVALUATION.
4. RAISED CIRCLING CAT B MDA/HAA FROM: 1900/592 TO: 1940/632 - NEW OBSTACLE EVALUATION.
5. RAISED CIRCLING CAT C MDA/HAA FROM: 2140/832 TO: 2240/932 - NEW OBSTACLE EVALUATION.
6. RAISED CARCLING CAT C VISIBILITY FROM: 2 1/2 TO: 2 3/4 - 8260.3G VISIBILITY TABLES VALUE.
7. CHANGED ALTERNATE MINIMUMS FROM: "STANDARD" TO "STANDARD - CAT C 1000-2 3/4" - CHANGE IN MINIMUMS/VISIBILITY VALUES.
8. INCORPORATE ORIG-D NOTAMS INTO THIS AMDT - BRINGING PROCEDURE INTO CURRENT CRITERIA.
9. CHANGED PBN REQUIREMENTS NOTE FROM: RNP APCH TO: RNP APCH - GPS - CURRENT CRITERIA DOCUMENTATION.
10. LNAV MDA CAT C AND D VISIBILITY CHANGED FROM 1 1/4 SM TO 1 1/8 SM - 8260.3G TABLE 3-3-1.



AIRPORT ID
LNY/PHNY

PROCEDURE NAME
RNAV (GPS) RWY 3

ORIGINAL/AMENDMENT
ORIG-E

CITY
LANAI CITY

STATE
HI

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA**

OTHER: HNL CERAP (ZHN), LANAI AMGR, MKK ATCT, USAF

FLIGHT CHECKED BY

KENNETH E JACK

Digitally signed by
CASIMIR L TABAKA
Oct 10, 2025

OFFICE

AJF

DATE

10/08/2025

DEVELOPED BY

CASIMIR L. TABAKA (THERON CYRUS)

Digitally signed by
CASIMIR L TABAKA
Jun 18, 2025

OFFICE

AJV-A432

DATE

06/04/2025

APPROVED BY

CASIMIR L. TABAKA

Digitally signed by
CASIMIR L TABAKA
Jun 18, 2025

OFFICE

AJV-A432

DATE

TITLE
MANAGER

