

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BRIDGES	TWO	RVF2.HIA	ONE	02/01/2018	31 DECEMBER 2020

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 35: CLIMB ON HEADING 350.43 TO 5300, THEN CLIMBING RIGHT TURN DIRECT HIA VOR/DME, CONTINUE CLIMB IN HIA VOR/DME HOLDING PATTERN (HOLD N, RT, 190.52 INBOUND) TO CROSS HIA VOR/DME AT OR ABOVE 10600 BEFORE PROCEEDING ON COURSE. EXPECT FILED ALTITUDE FIVE MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	---------------------------------	------------------------	----------------------	---------------	-----------------	------------	-------------	--------------------------------

**PROCEDURAL DATA NOTES:**

NOTE: GPS REQUIRED  
NOTE: RNAV 1.

**TAKEOFF MINIMUMS:**

RWY 07, 17, 25: NA- ENVIRONMENTAL.  
RWY 35: STANDARD.

**TAKEOFF OBSTACLES NOTES:**

NOTE: RWY 35, AIRFIELD LT 10 FT FROM DER, 9 FT RIGHT OF CENTERLINE, 2 FT AGL/4791 FT MSL. AIRFIELD LT 10 FT FROM DER, 10 FT LEFT OF CENTERLINE, 2 FT AGL/4791 FT MSL. FENCE BEGINNING 188 FT FROM DER, 296 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/4807 FT MSL. POLE 499 FT FROM DER, 607 FT LEFT OF CENTERLINE, 34 FT AGL/4808 FT MSL. VEHICLE ON SECONDARY RD BEGINNING 643 FT FROM DER, 492 FT RIGHT OF CENTERLINE, 4817 FT MSL. VEHICLE ON SECONDARY RD BEGINNING 1193 FT FROM DER, 503 FT RIGHT OF CENTERLINE, UP TO 4831 FT MSL. POLE 1319 FT FROM DER, 612 FT RIGHT OF CENTERLINE, 34 FT AGL/4849 FT MSL. POLE 1431 FT FROM DER, 754 FT RIGHT OF CENTERLINE, 30 FT AGL/4851 FT MSL.

**CONTROLLING OBSTACLES:**

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 35: 10174 FT MSL AAO 453348.00N/1120857.00W.

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: KRVF 12E, EPOCH YEAR 2020.  
CHART HOLDING PATTERN AT HIA VOR/DME, HOLD N, RT, 190.52 INBOUND, 7 MILE LEGS.

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
RUBY VALLEY FIELD	KRVF	TWIN BRIDGES	MT

**COMMUNICATIONS:**

ZLC

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

ABBREVIATED AMENDMENT - DOES NOT QUALIFY AS A PERIODIC REVIEW.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BRIDGES	TWO	RVF2.HIA	ONE	02/01/2018	31 DECEMBER 2020

**FLIGHT INSPECTED BY**

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJF-10) MEMO, APRIL 29, 2020 SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

*Digitally signed by*

**MARK D ADAMS**

Sep 03, 2020

**OFFICE**

**DATE**

**DEVELOPED BY**

DEANNA M. FIELDS

*Digitally signed by*

**DEANNA M FIELDS**

Aug 21, 2020

**OFFICE**

AJV-A412

**DATE**

07/15/2020

**APPROVED BY**

JULIE MORGAN

*Digitally signed by*

**MARK D ADAMS**

Sep 03, 2020

**OFFICE**

AJV-A41

**DATE**

**TITLE**

**REQUIRED EFFECTIVE DATE**

ROUTINE

**COORDINATED WITH:**

A4A  ALPA  AOPA  APA  HAI  NBAA  OTHER: ZLC, AMGR.

**CHANGES - REASONS:**

ALL REFERENCE TO K7S1 CHANGED TO KRVF, AIRPORT NAME CHANGED FROM TWIN BRIDGES TO RUBY VALLEY FIELD - RESOLUTION 24-2020, A RESOLUTION RE-NAMING THE TWIN BRIDGES AIRPORT.

DP ROUTE DESCRIPTION: TAKEOFF RWY 35: THE WORDING CLIMB HEADING CHANGED TO CLIMB ON HEADING - PER CRITERIA.

UPDATED DP COMPUTER CODE FROM 7S11.HIA TO RVF2.HIA - AIRPORT ID CHANGE.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BRIDGES	TWO	RVF2.HIA	ONE	02/01/2018	31 DECEMBER 2020

  

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW35 (AER)	453141.63N/121802.05W	N	-	-	-	-			
5300 MSL		-	-	VA	002.43	-	AT/ABOVE 5300		
HIA VOR/DME	455142.44N/1121010.59W	Y	FO	DF	-	-	AT/ABOVE 10600		RIGHT TURN
HIA VOR/DME	455142.44N/1121010.59W	Y	FO	HA	202.52	7.00	10600		RIGHT TURN

