

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ITOCI (IAF)	DELOO (NOPT) (FB)	087.41 / 5.00	3000	LNAV: RW18 CLIMB TO 3000 DIRECT HOROK AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 357.49 INBOUND. CHART FAS OBST: 1079 TREE 400837N/0923317W CHART 1382 TOWER 401030N/0923320W. CHART VDP AT 1.07 MILES TO RW18. WOGED TO RW18: 3.04/45.
ZESUR (IAF)	DELOO (NOPT) (FB)	267.55 / 5.00	3000	
DELOO (IF/IAF)	WOGED (FB)	177.48 / 7.58	2500	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD N DELOO, RT, 177.48 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 177.49 FAF: WOGED DIST FAF TO MAP: 4.62 THLD: 4.62
- MIN. ALT: DELOO 3000, WOGED 2500
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 3E

EPOCH YEAR: 1990

MINIMUMS

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A		STANDARD @									
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	1340	1	374	1340	1	374	1340	1	374	1340	1 1/4	374				
CIRCLING	1400	1	434	1420	1	454	1420	1 1/2	454	1520	2	554				

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
CHART NOTE: VDP NA WHEN USING OTTUMWA INDUSTRIAL ALTIMETER SETTING.
SEE 8260-10

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

QUALITY
4
CHECKED

CITY AND STATE KIRKSVILLE, MO	ELEVATION: 966 TDZE: 966 AIRPORT NAME: KIRKSVILLE RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 2 02 JUL 2009	SUP: AMDT: 1 DATED 07/05/2007
--------------------------------------	--	---------------------------------	--	-------------------------------------

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OTTUMWA INDUSTRIAL ALTIMETER SETTING AND INCREASE ALL MDA 160 FEET; INCREASE LNAV CATS C AND D VISIBILITY 1/2 MILE, AND CIRCLING CATS C AND D VISIBILITY 1/4 MILE

TAA

	FROM	TO	ALT
1.	087/30 CW 268/30 (NOPT)	087/12 CW 268/12	3100
	087/12 CW 268/12	DELOO (IF/IAF) (FB)	3000
2.	268/30 CW 357/30	ZESUR (IAF) (FB)	3000
3.	357/30 CW 087/30	ITOCI (IAF) (FB)	3000

QUALITY
CHECKED

CITY AND STATE

KIRKSVILLE, MO

ELEVATION: 966 TDZE: 966

AIRPORT NAME:

KIRKSVILLE RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 18, AMDT 2

02 JUL 2009

SUP:

AMDT: 1

DATED: 07/05/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KIRKK3FR18	ADELOO	010DELOOK3EA0EE	CR	HF			17750040	+	03000	18000		B	JS
SUSAP KIRKK3FR18	AITOCI	010ITOCIK3EA0E	A	IF						18000		B	JS
SUSAP KIRKK3FR18	AITOCI	020DELOOK3EA0EE		010TF			08740050	+	03000			B	JS
SUSAP KIRKK3FR18	AZESUR	010ZESURK3EA0E	A	IF						18000		B	JS
SUSAP KIRKK3FR18	AZESUR	020DELOOK3EA0EE		010TF			26760050	+	03000			B	JS
SUSAP KIRKK3FR18	R	010DELOOK3EA0E	I	IF						18000		B	JS
SUSAP KIRKK3FR18	R	020WOGEDK3EA1E	F	051TF			17750076	+	02500			B	JS
SUSAP KIRKK3FR18	R	020WOGEDK3EA2WN			N	ALNAV						JS	
SUSAP KIRKK3FR18	R	030RW18 K3PG0GY	M	031TF			17750046		01011		-304	B	JS
SUSAP KIRKK3FR18	R	040HOROKK3EA0EYM		DF				+	03000			B	JS
SUSAP KIRKK3FR18	R	050HOROKK3EA0EE	HR020HM				35750040	+	03000			B	JS

[illegible]

QUALITY
1
CHECKED

CITY AND STATE KIRKSVILLE, MO	ELEVATION: 966 TDZE: 966 AIRPORT NAME: KIRKSVILLE RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, AMDT 2 02 JUL 2009	SUP:
				AMDT: 1
				DATED: 07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	DELOO	DELOO	010		HF	R	FB		177.5 (181T)	004.0	03000
	ITOCI	ITOCI	010	IAF	IF		FB				
	ITOCI	DELOO	020		TF		FB	1.0	087.4 (090T)	005.0	03000
	ZESUR	ZESUR	010	IAF	IF		FB				
	ZESUR	DELOO	020		TF		FB	1.0	267.6 (271T)	005.0	03000
		DELOO	010	FACF	IF		FB				03000
		WOGED	020	FAF	TF		FB	0.5	177.5 (181T)	007.6	02500
		RW18	030	MAP	TF		FO	0.3	177.5 (181T)	004.6	01011

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	HOROK	040		DF		FO				03000
	HOROK	050		HM	R	FO	2.0	357.5 (001T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	DELOO	N401815.15	W0923231.09	N4018.253	W09232.518
	HOROK	N395314.18	W0923247.65	N3953.236	W09232.794
	ITOCI	N401817.48	W0923903.21	N4018.291	W09239.054
	WOGED	N401039.79	W0923236.03	N4010.663	W09232.601
	ZESUR	N401812.45	W0922558.98	N4018.208	W09225.983
	RW18	N400602.64	W0923239.12	N4006.044	W09232.652

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW18	00966	45

QUALITY
1
CHECKED

CITY AND STATE
KIRKSVILLE, MO

ELEVATION: 966 TDZE: 966
 AIRPORT NAME:
 KIRKSVILLE RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 18, AMDT 2
 02 JUL 2009

SUP:
 AMDT: 1
 DATED: 07/05/2007