

**Federal Aviation
Administration**

Transmittal Letter 21-19

July 23, 2021

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
9/9/2021	MN	Rushford	Rushford Muni-Robert W Bunke Fld	1/7085	4/29/2021	VOR-A, Amdt 2A

AIRAC Date: 9 SEPTEMBER 2021

FDC 1/7085 55Y IAP RUSHFORD MUNI-ROBERT W BUNKE FLD, RUSHFORD, MN. VOR-A, AMDT 2A...
CIRCLING CAT B MDA 1880/HAA 669, CAT C 2080/HAA 869. VISIBILITY CAT C 2 1/2. CHANGE NOTE TO
READ: USE PRESTON ALTIMETER SETTING, WHEN NOT RECEIVED, USE WINONA ALTIMETER SETTING
AND INCREASE ALL MDAS 80 FEET AND CAT C VISIBILITY 1/4 SM. THIS IS VOR-A, AMDT 2B. 2104281832-
PERM