

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
ALKAL						ONE	ALKAL1.ALKAL	NONE		05/19/2022
TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV					
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>					

DP ROUTE DESCRIPTION:

TAKE OFF RWY 10: CLIMB ON HEADING 103.48 TO 3667, THEN DIRECT ALKAL, THENCE...

TAKE OFF RWY 28: CLIMB ON HEADING 283.47 TO 3667, THEN CLIMBING RIGHT TURN DIRECT ALKAL, THENCE...

...CROSS ALKAL AT ABOVE MEA OR MCA FOR ROUTE OF FLIGHT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES

PROCEDURAL DATA NOTES:

PBN REQUIREMENTS NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

TAKEOFF MINIMUMS:

RWY 10, 28: STANDARD

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 10: LIGHTING 9 FT FROM DER, 28 FT LEFT OF CENTERLINE, 1 FT AGL/3159 FT MSL. VEGETATION 17 FT FROM DER, 209 FT LEFT OF CENTERLINE, 3 FT AGL/3160 FT MSL. VEGETATION BEGINNING 37 FT FROM DER, 193 FT LEFT OF CENTERLINE, UP TO 5 FT AGL/3162 FT MSL. TERRAIN BEGINNING 39 FT FROM DER, 379 FT RIGHT OF CENTERLINE, UP TO 3159 FT MSL. VEHICLES ON ROAD BEGINNING 381 FT FROM DER, 487 FT RIGHT OF CENTERLINE, UP TO 3174 FT MSL. BUILDINGS BEGINNING 574 FT FROM DER, 555 FT RIGHT OF CENTERLINE, UP TO 41 FT AGL/3197 FT MSL. TRANSMISSION LINES, CATENARY BEGINNING 1106 FT FROM DER, 461 FT LEFT OF CENTERLINE, UP TO 46 FT AGL/3196 FT MSL. CATENARIES, POLE, TRANSMISSION LINES BEGINNING 1243 FT FROM DER, 65 FT LEFT OF CENTERLINE, UP TO 52 FT AGL/3198 FT MSL. TRANSMISSION LINES, POLE BEGINNING 1483 FT FROM DER, 49 FT RIGHT OF CENTERLINE, UP TO 52 FT AGL/3201 FT MSL. TOWER 3249 FT FROM DER, 889 FT RIGHT OF CENTERLINE, 126 FT AGL/3273 FT MSL.

NOTE: RWY 28: FENCE 32 FT FROM DER, 494 FT RIGHT OF CENTERLINE, 9 FT AGL/3175 FT MSL. FENCE 150 FT FROM DER, 494 FT RIGHT OF CENTERLINE, 9 FT AGL/3178 FT MSL. FENCE 274 FT FROM DER, 493 FT RIGHT OF CENTERLINE, 9 FT AGL/3180 FT MSL. FENCE 366 FT FROM DER, 494 FT RIGHT OF CENTERLINE, 9 FT AGL/3181 FT MSL. FENCE 566 FT FROM DER, 494 FT RIGHT OF CENTERLINE, 9 FT AGL/3183 FT MSL. VEHICLES ON ROAD BEGINNING 898 FT FROM DER, 268 FT RIGHT OF CENTERLINE, UP TO 3196 FT MSL.

CONTROLLING OBSTACLES:

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: 7480 FT MSL AAO 431418.00N/1152700.00.

MSA:



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
ALKAL	ONE	ALKAL1.ALKAL	NONE		05/19/2022

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: NOT CONDUCTED.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
U76	MOUNTAIN HOME	ID

COMMUNICATIONS:

FIXES AND/OR NAVAIDS:

REMARKS:

FLIGHT INSPECTED BY

PENDING

Digitally signed by

DONALD H LANIER

Jan 31, 2022

OFFICE

DATE

DEVELOPED BY

DONALD LANIER (COLE NESBITT)

Digitally signed by

DONALD H LANIER

Jan 31, 2022

OFFICE

AJV-A431

DATE

12/17/2021

APPROVED BY

LONNIE EVERHART

Digitally signed by

DONALD H LANIER

Jan 31, 2022

OFFICE

AJV-A430

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

5/19/2022

COORDINATED WITH:

A4A ☐

ALPA ☒

AOPA ☒

APA ☐

HAI ☐

NBAA ☐

OTHER: BOI FSS, MUO APP CON, ZLC ARTCC, AMGR

CHANGES - REASONS:

QUALITY
33
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
ALKAL						ONE	ALKAL1.ALKAL	NONE		05/19/2022
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW10	43084.80N/1154420.21W	N	-	-	-	-				
3667 MSL	-	-	-	VA	116.48	-	AT/ABOVE 3667			
ALKAL	430058.35N/1151941.26W	Y	FB	DF	-	-				
RW28	430742.78N/1154319.87W	N	-	-	-	-				
3667 MSL	-	-	-	VA	296.47	-	AT/ABOVE 3667			
ALKAL	430058.35N/1151941.26W	Y	FB	DF	-	-			RIGHT TURN	

