

U.S. Department  
of Transportation

800 Independence Ave., S.W.  
Washington D.C. 20591

**Federal Aviation  
Administration**

**Transmittal Letter 20-09**

**March 6, 2019**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as  
follows:

.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
4/23/2020	AL	Mobile	Mobile Downtown	0/5886	2/19/2020	VOR RWY 18, Amdt 2A

**AIRAC Date: 23 APRIL 2020**

FDC 0/5886 BFM IAP MOBILE DOWNTOWN, MOBILE, AL. VOR RWY 18, AMDT 2A... CHART CIRCLING ICON.  
CIRCLING CAT D MDA 1100/ HAA 1074, VISIBILITY CAT D 3 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING  
NOT RECEIVED; USE MOBILE RGNL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET, AND INCREASE S-18  
CAT C VISIBILITY 1/8 MILE AND CIRCLING CATS C AND D VISIBILITY 1/4 MILE. CHART NOTE: WHEN LOCAL  
ALTIMETER SETTING NOT RECEIVED; USE MOBILE RGNL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET  
AND INCREASE S-18 CAT C VISIBILITY 1/8 MILE AND CIRCLING CAT C VISIBILITY 1/4 SM. ALTERNATE MINIMUMS  
STANDARD EXCEPT CAT D 1100-3. THIS IS VOR RWY 18, AMDT 2B. 2002181909-PERM