

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KMRY	RACEWAY VISUAL RWY 28L	1	MONTEREY	CA	RACEWAY VISUAL RWY 28L	ORIG	05 Dec 19	ROUTINE 31DEC2020

VISUAL ARRIVAL ROUTE:

FROM (Visual Landmarks)	TO Visual Landmarks)	COURSE (if desired)	ALTITUDE (if needed) Show if for Class B
EAST	SALINAS MUNICIPAL AIRPORT (SNS)	REMAIN EAST OF HWY 68 UNTIL ABEAM LAQUA SECA RACEWAY (REQUESTING SNS R-212 TO OKUPE), THEN VIA HUTAD AND I-MTB	CROSS SNS AT OR ABOVE 4500 FEET CROSS HUTAD AT OR ABOVE 1500 FEET
SOUTHEAST	CHRLE (I-MTB 17.5 DME)	DIRECT HUTAD, THEN VIA I-MTB	CROSS CHRLE AT OR ABOVE 6100 FEET CROSS HUTAD AT OR ABOVE 1500 FEET

WEATHER MINIMA:

CEILING: 3000 VISIBILITY: 3

NOTES:

1. CHART: RADAR REQUIRED. 2. CHART: PROCEDURE NA AT NIGHT.

SUPPLEMENTARY NAVAID / WAYPOINT INFORMATION AND ADDITIONAL LANDMARKS:

CHART: LOCALIZER I-MTB, VORTAC SNS R-214, DME FIX CHRLE (I-MTB 17.5),
HUTAD, AND OKUPE, STATE HWY 68, LAGUNA SECA RACEWAY (36 35
03 / 121 45 13), MARINA MUNI AIRPORT (KOAR) (36 40 54 / 121 45 42), MARINA JUMP
ZONE (1 NM RAD KOAR), POINT PINOS LIGHTHOUSE (36 38 11 / 121 56 04), ROUTE 1,
ROUTE 101, AND CARMEL VALLEY ROAD. SHOW CARMEL BAY AND MONTEREY BAY.

VERTICAL GUIDANCE NAVAID AND ANGLE: RWY 28L PAPI 3.5 DEGREES

DESCRIPTION OF ROUTE:

FROM THE EAST, PROCEED TO SALINAS MUNICIPAL AIRPORT, THEN PROCEED SOUTHWEST, REMAINING EAST OF STATE HWY 68 UNTIL ABEAM LAGUNA SECA RACEWAY
FROM THE SOUTHEAST, PROCEED FROM CHRLE ON 278 COURSE TO HUTAD (1 MILE SOUTH OF LAGUNA SECA RACEWAY)

COMMUNICATION:

QUALITY
20
CHECKED


**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

AIRPORT ID	CVFP NAME	ORIG/AMDT	CITY	STATE	SUPERSEDES	AMDT NO.	DATED	EFFECTIVE DATE
KMRY	RACEWAY VISUAL RWY 28L	1	MONTEREY	CA	RACEWAY VISUAL RWY 28L	ORIG	05 Dec 19	ROUTINE 31DEC2020

GRAPHIC DEPICTION:

RACEWAY VISUAL RWY 28L



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
CHARTED VISUAL FLIGHT PROCEDURE (CVFP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>AIRPORT ID</u>	<u>CVFP NAME</u>	<u>ORIG/AMDT</u>	<u>CITY</u>	<u>STATE</u>	<u>SUPERSEDES</u>	<u>AMDT NO.</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
KMRY	RACEWAY VISUAL RWY 28L	1	MONTEREY	CA	RACEWAY VISUAL RWY 28L	ORIG	05 Dec 19	ROUTINE 31DEC2020

FLIGHT INSPECTED BY:

Processed IAW Aircraft Operations Group (AJF-10) Memo, April 29, 2020
Subject: Flight Inspection Review Not Required.

ORGANIZATION:**DATE:**

FLIGHT INSPECTION
SIGNATURE:

Digitally signed by
WARDELL HENNING
Sep 11, 2020

DEVELOPED BY:

WARDELL HENNING (LORRI DOWNEY)

AJV-A432

08/10/2020

DEVELOPED BY
SIGNATURE:

Digitally signed by
WARDELL HENNING
Sep 11, 2020

APPROVED BY:

LONNIE EVERHART

AJV-A430

APPROVED BY
SIGNATURE:

Digitally signed by
WARDELL HENNING
Sep 11, 2020

CHANGES - REASONS:

1. ADDED CHART NOTE: PROCEDURE NA AT NIGHT - INCORPORATED FDC 9/0856.
2. UPDATED CVFP PROCEDURE ON FORM 8260-20 - PER FAA ORDER 8260.61.

QUALITY
20
CHECKED