Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name LONGZ (RNAV)			Number FOUR	STAR Computer Code  LONGZ.LONGZ4	e Superseded Number THREE			nber	Dated <b>05/16/2024</b>	Effective Date 12 JUN 25		
TRANSITION ROUTE	 ES:			LUI TOLITOLIT					00, 10,2021			
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing A	ltitudes / Fixes		
BIVVY	BIVVY.LONGZ4	BIVVY	BIVVY						BETWEEN FI	_230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FI	_210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FI	BETWEEN FL190 AND FL220		
BYYKE	BYYKE.LONGZ4	BYYKE	BYYKE						AT/ABC	OVE FL250		
			BIVVY	088.62	17.29	15700	15700		BETWEEN FI	_230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FI	_210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FI	BETWEEN FL190 AND FL220		
GRAYZ	GRAYZ.LONGZ4	GRAYZ	GRAYZ		,							
			BYYKE	087.57	52.65	15700	15700		AT/ABC	OVE FL250		
			BIVVY	088.62	17.29	15700	15700		BETWEEN FI	_230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FI	_210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FI	_190 AND FL220		
KAMPR	KAMPR.LONGZ4	KAMPR	KAMPR									
			GRAYZ	086.73	62.95	15700	15700					
			BYYKE	087.57	52.65	15700	15700		AT/ABC	OVE FL250		
			BIVVY	088.62	17.29	15700	15700		BETWEEN FI	_230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FI	_210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FI	_190 AND FL220		
LBERT	LBERT.LONGZ4	LBERT	LBERT									
			TORYS	069.16	72.15	15700	15700					
			BYYKE	076.25	52.72	15700	15700		AT/ABC	OVE FL250		
			BIVVY	088.62	17.29	15700	15700		BETWEEN FI	_230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FI	_210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FI	_190 AND FL220		
TORYS	TORYS.LONGZ4	TORYS	TORYS									
			BYYKE	076.25	52.72	15700	15700		AT/ABC	OVE FL250		

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name			Number	STAR Computer Code	STAR Computer Code Superseded Number					Effective Date	
LONGZ (RNAV)			FOUR	LONGZ.LONGZ4	THREE				05/16/2024	12 JUN 25	
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA Crossing Altitudes / F		titudes / Fixes	
			BIVVY	088.62	17.29	15700	15700		BETWEEN FL230 AND FL270		
			VESTL	088.47	11.37	15700	15700		BETWEEN FL210 AND FL250		
			LONGZ	093.60	13.41	15700	15700		BETWEEN FL	.190 AND FL220	

#### ARRIVAL ROUTE DESCRIPTION:

FROM LONGZ ON TRACK 093.78/12.00 TO CROSS FLNEL BETWEEN 16000 AND FL190 AND AT 250 KIAS.

LANDING RWY 7, 8: FROM FLNEL ON TRACK 114.62/12.00 TO CROSS GILPN AT 14000, THEN ON TRACK 170.00/8.10 TO CROSS BASHE AT 13000 AND AT 210 KIAS, THEN ON TRACK 170.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 16L/R, 17L/R: FROM FLNEL ON TRACK 091.96/19.33 TO CROSS BEOND AT 13000 AND AT 210 KIAS, THEN ON TRACK 092.17/4.05 TO CROSS SWAYN AT OR ABOVE 12000, THEN ON TRACK 092.22/4.51 TO CROSS KAILE AT 11000 AND AT 210 KIAS. EXPECT ILS OR LOC RWY 16L, RWY 16R, RWY 17L, RWY 17R APPROACH.

LANDING RWY 25, 26: FROM FLNEL ON TRACK 119.63/16.68 TO CROSS DORKE BETWEEN 15000 AND 17000, THEN ON TRACK 119.75/3.00 TO HLMUT, THEN ON TRACK 106.08/11.48 TO CROSS SKEWD BETWEEN 13000 AND 15000 AND AT 250 KIAS, THEN ON TRACK 117.50/4.70 TO CROSS LEKEE AT OR ABOVE 12000, THEN ON TRACK 117.55/5.24 TO XCUTV, THEN ON TRACK 082.50/3.30 TO CROSS CAPTJ AT 11000 AND AT 210 KIAS, THEN ON TRACK 082.50. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 34L/R, 35L: FROM FLNEL ON TRACK 119.63/16.68 TO CROSS DORKE BETWEEN 15000 AND 17000, THEN ON TRACK 119.75/3.00 TO HLMUT, THEN ON TRACK 127.25/9.65 TO CROSS ARCHY AT OR ABOVE 13000, THEN ON TRACK 127.33/5.00 TO CROSS BABAA BETWEEN 12000 AND 14000 AND AT 250 KIAS, THEN ON TRACK 173.17/10.95 TO CROSS HIMOM AT 11000 AND AT 210 KIAS, THEN ON TRACK 173.17. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 35R: FROM FLNEL ON TRACK 119.63/16.68 TO CROSS DORKE BETWEEN 15000 AND 17000, THEN ON TRACK 119.75/3.00 TO HLMUT, THEN ON TRACK 106.08/11.48 TO CROSS SKEWD BETWEEN 13000 AND 15000 AND AT 250 KIAS, THEN ON TRACK 117.50/4.70 TO CROSS LEKEE AT OR ABOVE 12000, THEN ON TRACK 117.55/5.24 TO XCUTV, THEN ON TRACK 117.48/4.00 TO CROSS HDGHG BETWEEN 12000 AND 14000, THEN ON TRACK 117.82/3.13 TO FFFAT, THEN ON TRACK 172.74/6.11 TO CROSS DOGGG AT 11000 AND AT 210 KIAS, THEN ON TRACK 172.74. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

#### PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

#### **EQUIPMENT REQUIREMENT NOTES:**

RADAR REQUIRED

#### PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: BYYKE, BIVVY, GRAYZ, AND TORYS TRANSITIONS, ATC ASSIGNED ONLY.

NOTE: DENVER CENTER WILL ISSUE "DESCEND VIA" CLEARANCE AND LANDING DIRECTION.

NOTE: EXPECT RUNWAY ASSIGNMENT ON INITIAL CONTACT WITH DENVER TRACON.

NOTE: LANDING NORTH SELECT RWY 34R TRANSITION.

NOTE: LANDING SOUTH SELECT RWY 16L TRANSITION.

NOTE: LANDING EAST SELECT RWY 7 TRANSITION.

NOTE: LANDING WEST SELECT RWY 26 TRANSITION.

### **FIXES AND/OR HOLDING PATTERNS:**

CHART HOLDING AT BYYKE: HOLD W, RT, 087.57 INBOUND, 12 NM LEGS.

CHART HOLDING AT FLNEL: HOLD W, LT, 093.78 INBOUND, 10 NM LEGS.

CHART HOLDING AT GRAYZ: HOLD W, LT, 086.73 INBOUND, 12 NM LEGS.

CHART HOLDING AT TORYS: HOLD W, RT, 069.16 INBOUND, 12 NM LEGS.

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LONGZ (RNAV)	FOUR	LONGZ.LONGZ4	THREE	05/16/2024	12 JUN 25
CHART HOLDING AT VESTL: HOLD W. I	RT. 088.47 INBOUND. 12 NM LEGS.				

CHART HOLDING AT YYALE: HOLD W, LT, 092.00 INBOUND, 12 NM LEGS. CHART HOLDING AT BABAA: HOLD NW, LT, 127.33 INBOUND, 10 NM LEGS.

**COMMUNICATIONS:** 

CHART: DENVER ARTCC. CHART: DENVER TOWER.

AIRPORTS SERVED:

AIRPORT ID CITY STATE DEN **DENVER** CO

#### LOST COMMUNICATIONS PREFERENCES:

IN THE EVENT OF LOST COMMUNICATIONS PRIOR TO RUNWAY TRANSITION ASSIGNMENT, WHEN DEN IS LANDING SOUTH PROCEED ON THE ILS RWY 16L, WHEN DEN IS LANDING NORTH, PROCEED ON THE ILS RWY 34R.

## **REMARKS:**

### **ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: DEN 08E/2015

CHART AT BASHE TERMINUS: DEN LDG RWY 7, 8 CHART AT CAPTJ TERMINUS: DEN LDG RWY 25, 26 CHART AT DOGGG TERMINUS: DEN LDG RWY 35R CHART AT HIMOM TERMINUS: DEN LDG RWY 34L/R, 35L CHART AT KAILE TERMINUS: DEN LDG RWY 16L/R, 17L/R

FLIGHT INSPECTE JEREMY C LEIG	ROBERT G HAMILTON	ORGANIZATION:	<b>DATE:</b> 01/24/2025	Flight Inspected Signature:	
DEVELOPED BY:  Jenifer Nordstom	Digitally signed by ROBERT G HAMILTON Feb 06, 2025	ZDV Airspace&Procedur es	05/01/2024	Developed By Signature:	
APPROVED BY:	Digitally signed by	Δ Ι.VΔ430		Approved By Signature	

AJV-A430 Bev Bordy Approved By Signature:

Feb 06, 2025

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LONGZ (RNAV)	FOUR	LONGZ.LONGZ4	THREE	05/16/2024	12 JUN 25

#### **CHANGES:**

- 1. ADDED EN ROUTE TRANSITIONS BEGINNING AT BIVVY, GRAYZ, AND TORYS WPS WITH NOTE: ATC ASSIGNED ONLY.
- 2. ADDED HOLDING AT BABAA WP: HOLD NW, LT, 127.33 INBOUND, 10 NM LEGS.
- 3. CHANGED MAX ALTITUDE AT FLNEL FROM FL210 TO FL190.
- 4. REMOVED 280 KIAS SPEED RESTRICTION FROM BIVVY WP AND VESTL WP.
- 5. CHANGED NOTE: FROM LANDING SOUTH SELECT RWY 16R TO LANDING SOUTH SELECT RWY 16L.
- 6. CHANGED LOST COMMUNICATIONS FROM EXECUTE ILS RWY 16R TO EXECUTE ILS RWY 16L.
- 7. REVISED MEAs.
- 8. REMOVED AIRPORT NAME FROM AIRPORTS SERVED AND ADDED AIRPORT ID; REMOVED K IDENT FROM 17.1 FORM.
- 9. REMOVED DEN APP CON FROM COMMUNICATIONS.
- 10. ADDED DEN ARTCC TO COMMUNICATIONS.
- 11. CHANGED HOLDING AT YYALE FROM 088.47 TO 092.00 INBOUND.


### **REASONS:**

- 1. ATC REQUEST TO MITIGATE REROUTING AND RE-CLEARING AIRCRAFT DURING BUSY OR INCLEMENT WEATHER.
- 2-3. ATC REQUEST.
- 4. INDUSTRY REQUEST TO REDUCE CHART CLUTTER AND CONFUSION.
- 5. ATC REQUEST OPERATIONAL NEED.
- 6. ATC REQUEST TO MATCH NOTE CHANGE.
- 7. NEW OBSTACLE/TERRAIN EVALUATION AND DME/DME ASSESSMENT.
- 8. CURRENT DOCUMENTATION STANDARDS.
- 9. APPROACH CONTROL AUTOMATICALLY CHARTED AND DOES NOT NEED TO BE DOCUMENTED IN THIS SECTION IAW 8260.19J PARA 4-5-12(F).
- 10-11. ATC REQUEST.

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
LONGZ (RNAV)	FOUR	LONGZ.LONGZ4	THREE	05/16/2024	12 JUN 25

**Graphic Depiction 1** 



Arrival Name LONGZ (RNAV)			Number FOUR		TAR Compo		Superseded THRI		Dated 05/16/2024	Effective Date 12 JUN 25
FIX/NAVAID	LAT/LONG	. <u>c</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
En Route Transition										
BIVVY	402712.13N / 1060920.44W	Υ		IF			FL230BFL270		BIVVY.LONGZ4	
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
En Route Transition										
BYYKE	402914.01N / 1063150.34W	Υ		IF			AT/ABOVE FL250	AT 280K	BYYKE.LONGZ4	
BIVVY	402712.13N / 1060920.44W	Υ	FB	TF	096.62	17.29	FL230BFL270			
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
En Route Transition										
GRAYZ	403441.06N / 1074031.43W	Υ		IF					GRAYZ.LONGZ4	
BYYKE	402914.01N / 1063150.34W	Υ	FB	TF	095.57	52.65	AT/ABOVE FL250	AT 280K		
BIVVY	402712.13N / 1060920.44W	Υ	FB	TF	096.62	17.29	FL230BFL270			
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
En Route Transition										
KAMPR	404022.29N / 1090251.90W	Υ		IF					KAMPR.LONGZ4	
GRAYZ	403441.06N / 1074031.43W	Υ	FB	TF	094.73	62.95				
BYYKE	402914.01N / 1063150.34W	Υ	FB	TF	095.57	52.65	AT/ABOVE FL250	AT 280K		
BIVVY	402712.13N / 1060920.44W	Υ	FB	TF	096.62	17.29	FL230BFL270			
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
En Route Transition										
LBERT	400850.90N / 1091240.34W	Υ		IF					LBERT.LONGZ4	
TORYS	402417.08N / 1074035.34W	Υ	FB	TF	077.16	72.15				
BYYKE	402914.01N / 1063150.34W	Υ	FB	TF	084.25	52.72	AT/ABOVE FL250	AT 280K		QUALITY.
										<del>U</del> ,

Arrival Name LONGZ (RNAV)		Number FOUR		(	STAR Compo		Superseded THRE		Dated 05/16/2024	Effective Date 12 JUN 25
FIX/NAVAID	LAT/LONG	. <u>C</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
BIVVY	402712.13N / 1060920.44W	Υ	FB	TF	096.62	17.29	FL230BFL270			
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
En Route Transition										
TORYS	402417.08N / 1074035.34W	Υ		IF					TORYS.LONGZ4	
BYYKE	402914.01N / 1063150.34W	Υ	FB	TF	084.25	52.72	AT/ABOVE FL250	AT 280K		
BIVVY	402712.13N / 1060920.44W	Υ	FB	TF	096.62	17.29	FL230BFL270			
VESTL	402554.30N / 1055432.60W	Υ	FB	TF	096.47	11.37	FL210BFL250			
LONGZ	402311.18N / 1053721.13W	Υ	FB	TF	101.60	13.41	FL190BFL220	AT 270K		
Common Route										
LONGZ	402311.18N / 1053721.13W	Υ		IF			FL190BFL220	AT 270K	LONGZ.LONGZ4	
FLNEL	402043.05N / 1052159.30W	Υ	FB	TF	101.78	12.00	16000BFL190	AT 250K		
Runway Transition										
FLNEL	402043.05N / 1052159.30W	Υ		IF			16000BFL190	AT 250K		
GILPN	401413.89N / 1050847.43W	Υ	FB	TF	122.62	12.00	AT 14000			
BASHE	400607.83N / 1050825.32W	Υ	FO	TF	178.00	08.10	AT 13000	AT 210K		
KDEN:RWY 7,RWY 8				FM	178.00					
Runway Transition										
FLNEL	402043.05N / 1052159.30W	Υ		IF			16000BFL190	AT 250K		
BEOND	401719.61N / 1045706.64W	Υ	FB	TF	099.96	19.33	AT 13000	AT 210K		
SWAYN	401636.54N / 1045154.09W	Υ	FB	TF	100.17	04.05	AT/ABOVE 12000			
KAILE	401548.35N / 1044606.37W	Υ	FB	TF	100.22	04.51	AT 11000	AT 210K		
KDEN:RWY 16L,RWY 16R,RWY 17L,RWY 17R										

Arrival Name LONGZ (RNAV)			Number FOUR		STAR Comp LONGZ.LO		Superseded THRE		Dated 05/16/2024	Effective Date 12 JUN 25
FIX/NAVAID	LAT/LONG	. <u>c</u>	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
Runway Transition										
FLNEL	402043.05N / 1052159.30W	Υ		IF			16000BFL190	AT 250K		
DORKE	401030.20N / 1050445.29W	Υ	FB	TF	127.63	16.68	15000B17000			
HLMUT	400839.89N / 1050139.69W	Υ	FB	TF	127.75	03.00				
SKEWD	400357.73N / 1044800.42W	Υ	FB	TF	114.08	11.48	13000B15000	AT 250K		
LEKEE	400113.76N / 1044301.57W	Υ	FB	TF	125.50	04.70	AT/ABOVE 12000			
XCUTV	395810.74N / 1043728.95W	Υ	FB	TF	125.55	05.24				
CAPTJ	395808.94N / 1043311.12W	Υ	FO	TF	090.50	03.30	AT 11000	AT 210K		
KDEN:RWY 25,RWY 26				FM	090.50					
Runway Transition										
FLNEL	402043.05N / 1052159.30W	Υ		IF			16000BFL190	AT 250K		
DORKE	401030.20N / 1050445.29W	Υ	FB	TF	127.63	16.68	15000B17000			
HLMUT	400839.89N / 1050139.69W	Υ	FB	TF	127.75	03.00				
ARCHY	400148.15N / 1045249.16W	Υ	FB	TF	135.25	09.65	AT/ABOVE 13000			
BABAA	395814.55N / 1044814.83W	Υ	FB	TF	135.33	05.00	12000B14000	AT 250K		
HIMOM	394717.19N / 1044832.22W	Υ	FO	TF	181.17	10.95	AT 11000	AT 210K		
KDEN:RWY 34L,RWY 34R,RWY 35L				FM	181.17					
Runway Transition										
FLNEL	402043.05N / 1052159.30W	Υ		IF			16000BFL190	AT 250K		
DORKE	401030.20N / 1050445.29W	Υ	FB	TF	127.63	16.68	15000B17000			
HLMUT	400839.89N / 1050139.69W	Υ	FB	TF	127.75	03.00				
SKEWD	400357.73N / 1044800.42W	Υ	FB	TF	114.08	11.48	13000B15000	AT 250K		
LEKEE	400113.76N / 1044301.57W	Υ	FB	TF	125.50	04.70	AT/ABOVE 12000			
XCUTV	395810.74N / 1043728.95W	Υ	FB	TF	125.55	05.24				
HDGHG	395551.26N / 1043314.89W	Υ	FB	TF	125.48	04.00	12000B14000			

Arrival Name LONGZ (RNAV)			imber OUR	STAR Computer Code LONGZ.LONGZ4			Supersede THF		Dated 05/16/2024	Effective Date 12 JUN 25
FIX/NAVAID	LAT/LONG	· <u>c</u>	FO/FB	LEG TYPE	<u>TC</u>	DIST (NM)	ALTITUDE	SPEED	REMARKS	
FFFAT	395401.30N / 1042957.17W	Υ	FB	TF	125.82	03.13				
DOGGG	394754.32N / 1043003.31W	Υ	FO	TF	180.74	06.11	AT 11000	AT 210K		
KDEN:RWY 35R				FM	180.74					