

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

VOR

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ORW VOR/DME	RAKET INT/ORW 9.00 DME	338.00/9.00	1700	MAP: 4.70 MILES AFTER PASSING RAKET INT/ORW 9.00 DME OR AT ORW 13.70 DME.
				CLIMBING LEFT TURN TO 2600 DIRECT ORW VOR/DME AND HOLD.
				ADDITIONAL FLIGHT DATA: FAS OBST: 638 TREES 414430/720836
NOPT FOR ARRIVAL ON ORW	VOR/DME AIRWAY RADIALS	057 CW 259		

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD S ORW VOR/DME, RT, 338.00 INBOUND, 2600 FT IN LIEU OF PT (IAF).
3. FAC 338.00 FAF RAKET DIST FAF TO MAP 4.70 THLD
4. MIN. ALT ORW VOR/DME 2600, RAKET 1700
8. MSA FROM: ORW VOR/DME 2600.

MAG VAR: 14

EPOCH YEAR: 80

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A			STANDARD #					
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	1020	1	773	1020	1 1/4	773	1020	2 1/4	773		NA				

NOTES: # CAT C 800-2 1/4

CITY AND STATE	ELEVATION: 247 TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP	VOR OR GPS-A
WILLIMANTIC, CT	AIRPORT NAME: WINDHAM	ORW	OCT 30 2003	AMDT	8
			VOR-A, AMDT 9	DATE	14 SEP 95