

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
BYTER	ONE	BYTER1.BYTER	NONE		15 JUNE 2023

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 21: CLIMB ON HEADING 212.77 TO 5331, THEN CLIMB DIRECT JEXXI, THEN CLIMBING LEFT TURN ON TRACK 160.34 TO GATTS, THEN ON TRACK 097.00 TO PIPOE, THEN ON TRACK 018.52 TO SIDTY, THEN ON TRACK 332.46 TO CROSS BYTER AT OR ABOVE MEA FOR ROUTE OF FLIGHT.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

PBN REQUIREMENTS NOTES:

RNAV 1 - GPS.

EQUIPMENT REQUIREMENT NOTES:

TAKEOFF MINIMUMS:

RWY 3: NA - OBSTACLES.

RWY 21: STANDARD.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 21: TREES, TERRAIN, LIGHT POLES, VEGETATION, FENCE BEGINNING FROM DER, 94 FT LEFT OF CENTERLINE, UP TO 12 FT AGL/4758 FT MSL.

LIGHT POLES 9 FT FROM DER, 93 FT RIGHT OF CENTERLINE, 4 FT AGL/4737 FT MSL.

VEGETATION 16 FT FROM DER, 173 FT RIGHT OF CENTERLINE, 4738 FT MSL.

VEGETATION, TREES, FENCE BEGINNING 19 FT FROM DER, 144 FT LEFT OF CENTERLINE, UP TO 4760 FT MSL.

POLE AND VEGETATION BEGINNING 31 FT FROM DER, 130 FT RIGHT OF CENTERLINE, UP TO 21 FT AGL/4743 FT MSL.

CONTROLLING OBSTACLES:

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 21: 7071 FT MSL AAO 345139.00N/1114248.00W.

MSA:

MSA FROM KSEZ 13000.

LOST COMMUNICATIONS PROCEDURES:



ADDITIONAL FLIGHT DATA:
DME/DME ASSESSMENT: NOT CONDUCTED.
AIRPORT MV: SEZ 13E/1985.

AIRPORTS SERVED:			
AIRPORT ID	CITY		STATE
KSEZ	SEDONA		AZ

COMMUNICATIONS:
CHART: AWOS, ZAB, PHOENIX APP CON, PRC FSS.

FIXES AND/OR NAVAIDS:

REMARKS:
100 FT VEGETATION HEIGHT APPLIED PER FPT.
ODP DESIGNED FOR CATS A, B AND C AIRCRAFT.

FLIGHT INSPECTED BY	Digitally signed by	OFFICE	DATE
STANLEY PHILLIPS	DAVID TEFFETELLER Mar 10, 2023	FPO	03/08/2023

DEVELOPED BY	Digitally signed by	OFFICE	DATE
FRANK JACKSON	FRANK JACKSON Dec 21, 2022	AJV-A431	11/29/2022

APPROVED BY	Digitally signed by	OFFICE	DATE	TITLE
JOHNNIE BAKER	ERIC N SUSKI Jan 04, 2023	AJV-A430		MANAGER

REQUIRED EFFECTIVE DATE

COORDINATED WITH:

A4A☒ ALPA☐ AOPA☒ APA☒ HAI☐ NBAA☒ OTHER:AMGR, ZAB.

CHANGES - REASONS:
ORIGINAL.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
BYTER						ONE	BYTER1.BYTER	NONE		15 JUNE 2023
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW21 (AER)	345112.62N/1114656.36W	N	-	-	-	-				
5331 MSL	-	-	-	VA	225.77	-	AT/ABOVE 5331			
JEXXI	344634.89N/1115234.03W	Y	FB	DF	-	-				
GATTS	344136.91N/1115151.93W	Y	FB	TF	173.34	4.99			LEFT TURN	
PIPOE	343907.60N/1114336.45W	Y	FB	TF	110.00	7.25				
SIDTY	344717.66N/1113732.11W	Y	FB	TF	031.52	9.57				
BYTER	345257.41N/1113919.01W	Y	FB	TF	345.46	5.84				

