

FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name TEEKY (RNAV)	Number THREE	STAR Computer Code TEEKY.TEEKY3	Superseded Number TWO	Dated 05/19/2022	Effective Date 3 Nov 2022
-------------------------------------	------------------------	---	---------------------------------	----------------------------	-------------------------------------

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ACORI	ACORI.TEEKY3	ACORI	ACORI						
			BULZI	137.92	124.30	FL180	1700		
			SNAPY	156.02	38.62	FL180	1700		
			NICKI	156.21	38.49	FL180	1700		
			CLEOO	156.00	86.64	FL180	1700		
			FEDRR	168.48	39.00	FL180	1700		
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
CLEOO	CLEOO.TEEKY3	CLEOO	CLEOO						
			FEDRR	168.48	39.00	FL180	1700		
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
DEFUN	DEFUN.TEEKY3	DEFUN	DEFUN						
			CABLO	097.70	66.78	FL180	1700		
			BULZI	127.06	46.28	FL180	1700		
			SNAPY	156.02	38.62	FL180	1700		
			NICKI	156.21	38.49	FL180	1700		
			CLEOO	156.00	86.64	FL180	1700		
			FEDRR	168.48	39.00	FL180	1700		
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number		STAR Computer Code	Superseded Number			Dated	Effective Date	
TEEKY (RNAV)	THREE		TEEKY.TEEKY3	TWO			05/19/2022	3 Nov 2022	
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
ENEME	ENEME.TEEKY3	ENEME	ENEME						
			FETAL	192.77	31.28	FL180	1700		
			DOFFY	187.10	55.56	FL180	1700		
			CLEOO	185.97	75.23	FL180	1700		
			FEDRR	168.48	39.00	FL180	1700		
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
FEDRR	FEDRR.TEEKY3	FEDRR	FEDRR						
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
MARCI	MARCI.TEEKY3	MARCI	MARCI						
			TEEKY	060.36	41.00	12000	1700		AT/ABOVE 12000
PCOCK	PCOCK.TEEKY3	PCOCK	PCOCK						
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
SABEE	SABEE.TEEKY3	SABEE	SABEE						AT/BELOW FL250
			EXACT	176.14	20.01	12000	1700		
			INKES	114.33	28.92	12000	1700		
			PCOCK	132.78	19.22	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number			STAR Computer Code	Superseded Number			Dated	Effective Date
TEEKY (RNAV)	THREE			TEEKY.TEEKY3	TWO			05/19/2022	3 Nov 2022
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
VNECK	VNECK.TEEKY3	VNECK	VNECK						
			BBALE	112.54	19.61	FL180	1700		AT/BELOW FL330
			FIGNA	122.21	44.19	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000
ZPLEN	ZPLEN.TEEKY3	ZPLEN	ZPLEN						
			IISLY	167.79	61.77	FL180	1700		
			DOFFY	161.00	95.89	FL180	1700		
			CLEOO	185.97	75.23	FL180	1700		
			FEDRR	168.48	39.00	FL180	1700		
			FIGNA	156.40	28.60	FL180	1700		AT/BELOW FL310
			JASBO	139.30	16.58	FL180	1700		AT/ABOVE FL260
			DANNA	139.72	12.14	FL180	1700		BETWEEN FL230 AND FL260
			PCOCK	132.76	21.80	12000	1700		
			TEEKY	135.66	11.57	12000	1700		AT/ABOVE 12000

ARRIVAL ROUTE DESCRIPTION:

KFLL: FROM TEEKY ON TRACK 136.09/13.18 TO CROSS BANTY BETWEEN 10000 AND 11000 AND AT 250 KIAS, THEN ON TRACK 106.38/10.16 TO CROSS HEEZE AT 7000.
 LANDING KFLL RWY 10L: FROM HEEZE ON TRACK 104.69/14.86 TO CROSS HOLID AT 5000. EXPECT ILS OR LOC RWY 10L APPROACH.
 LANDING KFLL RWY 10R: FROM HEEZE ON TRACK 106.51/15.93 TO CROSS BUNKR AT 5000. EXPECT ILS OR LOC RWY 10R APPROACH.
 LANDING KFLL RWY 28L/R: FROM HEEZE ON TRACK 095.78/18.51 TO CROSS GOYLE AT 7000, THEN ON TRACK 088.95/16.22 TO CROSS BEPAC AT 6000, THEN ON TRACK 092.48/3.00 TO CROSS FAMBA AT 6000, THEN ON TRACK 096.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.
 LANDING KFXE/KPMP: FROM TEEKY ON TRACK 135.82/13.15 TO CROSS BACIN AT 8000, THEN ON TRACK 104.23/9.78 TO CROSS CANUR AT 7000, THEN ON HEADING 060.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TEEKY (RNAV)	THREE	TEEKY.TEEKY3	TWO	05/19/2022	3 Nov 2022

PROCEDURAL DATA NOTES:

NOTE: Expect "descend via" clearance and landing direction (east or west) by ARTCC. For vertical navigation planning, landing east, select Rwy 10R, landing west, select Rwy 28R.

NOTE: JET AIRCRAFT ONLY.

NOTE: DO NOT FILE PCOCK, FEDRR, or CLEOO Transitions - TO BE ASSIGNED BY ATC.

NOTE: SABEE Transition for TPA area airports only.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BACIN: HOLD NW, RT, 135.82 INBOUND, 10 NM LEGS.

CHART HOLDING AT BANTY: HOLD NW, RT, 136.09 INBOUND, 10 NM LEGS.

CHART HOLDING AT CLEOO: HOLD N, RT, 168.48 INBOUND, 10 NM LEGS.

CHART HOLDING AT FIRGO: HOLD W, RT, 106.61 INBOUND, 10 NM LEGS.

CHART HOLDING AT JASBO: HOLD NW, RT, 139.30 INBOUND, 10 NM LEGS.

CHART HOLDING AT MARCI: HOLD W, LT, 100.00 INBOUND, 10 NM LEGS.

CHART HOLDING AT PCOCK: HOLD NW, RT, 132.78 INBOUND, 10 NM LEGS.

CHART HOLDING AT WATES: HOLD W, RT, 106.61 INBOUND, 10 NM LEGS.

CHART: QDAWG, FUZY.

COMMUNICATIONS:

CHART: MIAMI APP CON

AIRPORTS SERVED:

AIRPORT ID	CITY	STATE
KFLL	FORT LAUDERDALE	FL
KFXE	FORT LAUDERDALE	FL
KPMP	POMPANO BEACH	FL

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED. ABBREVIATED AMENDMENT.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

REFERENCE MAGNETIC VARIATION = KFLL 06W/2015

CHART AT HOLID TERMINUS: LDG KFLL RWY 10L

CHART AT BUNKR TERMINUS: LDG KFLL RWY 10R

CHART AT FAMBA TERMINUS: LDG KFLL RWY 28L/R

CHART AT CANUR TERMINUS: LDG KFXE/KPMP



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
TEEKY (RNAV)	THREE	TEEKY.TEEKY3	TWO	05/19/2022	3 Nov 2022

FLIGHT INSPECTED BY:

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

ORGANIZATION: DATE:

DESIGN 01/17/2022
 IMPLEMENTATION
 MANAGER AJV-22

Flight Inspected Signature:

Digitally signed by

ALLAN WILL

Aug 02, 2022

DEVELOPED BY:

VICKI TURNER

Developed By Signature:

Digitally signed by

ALLAN WILL

Aug 02, 2022

APPROVED BY:

MARLON ROBINSON

AJV-A420

Approved By Signature:

Digitally signed by

ALLAN WILL

Aug 02, 2022

CHANGES:

1. REMOVED NOTE: Descend via MACH number until intercepting 280K. Maintain 280K until slowed by the STAR or assigned by ATC.
2. REMOVED NOTE: PCOCK, FEDRR, CLEOO Transitions, ATC assigned only.
3. ADDED NOTE: DO NOT FILE PCOCK, FEDRR, or CLEOO Transitions - TO BE ASSIGNED BY ATC.
4. REMOVED REMARK: MEAs AT or ABOVE FL180 for COMM and DME/DME/IRU SOLUTION.
5. ADDED CHART: QDAWG, FUZYU.
6. DELETED "OR AS ASSIGNED BY ATC" FROM KFXE/KPMP ARRIVAL ROUTE DESCRIPTION.

REASONS:

1. NO LONGER REQUESTED FROM ATC.
- 2-3: IAW 8260.19I NOTE STANDARDIZATION.
4. NOT REQUIRED
5. ATC REQUEST.
6. ONLY ONE HEADING ALLOWED..



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name TEEKY (RNAV)	Number THREE	STAR Computer Code TEEKY.TEEKY3	Superseded Number TWO	Dated 05/19/2022	Effective Date 3 Nov 2022
-------------------------------------	------------------------	---	---------------------------------	----------------------------	-------------------------------------

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
ACORI	314623.36N / 0855129.51W	Y		IF					ACORI.TEEKY3
BULZI	302224.93N / 0840434.47W	Y	FB	TF	131.92	124.30			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
CLEOO	275957.33N / 0823135.78W	Y	FB	TF	150.00	86.64			
FEDRR	272239.11N / 0821824.42W	Y	FB	TF	162.48	39.00			
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition									
CLEOO	275957.33N / 0823135.78W	Y		IF					CLEOO.TEEKY3
FEDRR	272239.11N / 0821824.42W	Y	FB	TF	162.48	39.00			
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition									
DEFUN	304851.27N / 0860753.09W	Y		IF					DEFUN.TEEKY3
CABLO	304629.00N / 0845024.00W	Y	FB	TF	091.70	66.78			
BULZI	302224.93N / 0840434.47W	Y	FB	TF	121.06	46.28			
SNAPY	294851.17N / 0834223.61W	Y	FB	TF	150.02	38.62			
NICKI	291520.19N / 0832031.80W	Y	FB	TF	150.21	38.49			
CLEOO	275957.33N / 0823135.78W	Y	FB	TF	150.00	86.64			
FEDRR	272239.11N / 0821824.42W	Y	FB	TF	162.48	39.00			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name TEEKY (RNAV)	Number THREE	STAR Computer Code TEEKY.TEEKY3	Superseded Number TWO	Dated 05/19/2022	Effective Date 3 Nov 2022
------------------------------	-----------------	------------------------------------	--------------------------	---------------------	------------------------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition

ENEME	304212.09N / 0822609.31W	Y		IF					ENEME.TEEKY3
FETAL	301103.69N / 0823024.76W	Y	FB	TF	186.77	31.28			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	181.10	55.56			
CLEOO	275957.33N / 0823135.78W	Y	FB	TF	179.97	75.23			
FEDRR	272239.11N / 0821824.42W	Y	FB	TF	162.48	39.00			
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition

FEDRR	272239.11N / 0821824.42W	Y		IF					FEDRR.TEEKY3
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition

MARCI	255327.84N / 0814702.37W	Y		IF					MARCI.TEEKY3
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	054.36	41.00	AT/ABOVE 12000		



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name TEEKY (RNAV)	Number THREE	STAR Computer Code TEEKY.TEEKY3	Superseded Number TWO	Dated 05/19/2022	Effective Date 3 Nov 2022
-------------------------------------	------------------------	---	---------------------------------	----------------------------	-------------------------------------

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
-------------------	-----------------	----------	--------------	-----------------	-----------	------------------	-----------------	--------------	----------------

En Route Transition									
PCOCK	262445.58N / 0811952.78W	Y		IF					YANCI.TEEKY3
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition									
SABEE	270516.20N / 0821129.33W	Y		IF			AT/BELOW FL250	AT 280K	SABEE.TEEKY3
EXACT	264529.90N / 0820739.62W	Y	FB	TF	170.14	20.01			
INKES	263619.29N / 0813701.79W	Y	FB	TF	108.33	28.92			
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.78	19.22			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition									
VNECK	272300.78N / 0830804.20W	Y		IF					VNECK.TEEKY3
BBALE	271723.32N / 0824658.08W	Y	FB	TF	106.54	19.61	AT/BELOW FL330		
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	116.21	44.19	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		

En Route Transition									
ZPLEN	314128.42N / 0834021.06W	Y		IF					ZPLEN.TEEKY3
IISLY	304237.70N / 0831757.72W	Y	FB	TF	161.79	61.77			
DOFFY	291522.73N / 0823138.10W	Y	FB	TF	155.00	95.89			
CLEOO	275957.33N / 0823135.78W	Y	FB	TF	179.97	75.23			
FEDRR	272239.11N / 0821824.42W	Y	FB	TF	162.48	39.00			
FIGNA	265741.94N / 0820236.00W	Y	FB	TF	150.40	28.60	AT/BELOW FL310		
JASBO	264617.15N / 0814907.20W	Y	FB	TF	133.30	16.58	AT/ABOVE FL260	AT 280K	
DANNA	263752.07N / 0813919.90W	Y	FB	TF	133.72	12.14	FL230BFL260		



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code		Superseded Number		Dated	Effective Date		
TEEKY (RNAV)	THREE	TEEKY.TEEKY3		TWO		05/19/2022	3 Nov 2022		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
PCOCK	262445.58N / 0811952.78W	Y	FB	TF	126.76	21.80			
TEEKY	261720.81N / 0810958.05W	Y	FB	TF	129.66	11.57	AT/ABOVE 12000		
Common Route									
TEEKY	261720.81N / 0810958.05W	Y		IF			AT/ABOVE 12000		TEEKY.TEEKY3
BACIN	260853.55N / 0805844.60W	Y	FB	TF	129.82	13.15	AT 8000		
CANUR	260728.91N / 0804759.24W	Y	FO	TF	098.23	09.78	AT 7000		
KFXE, KPMP				VM	054.00				
Common Route									
TEEKY	261720.81N / 0810958.05W	Y		IF			AT/ABOVE 12000		TEEKY.TEEKY3
BANTY	260849.48N / 0805845.57W	Y	FB	TF	130.09	13.18	10000B11000	AT 250K	
HEEZE	260658.91N / 0804739.37W	Y	FB	TF	100.38	10.16	AT 7000		
Runway Transition									
HEEZE	260658.91N / 0804739.37W	Y		IF			AT 7000		
HOLID	260442.92N / 0803120.57W	Y	FB	TF	098.69	14.86	AT 5000		
KFLL:RWY 10L									
Runway Transition									
HEEZE	260658.91N / 0804739.37W	Y		IF			AT 7000		
BUNKR	260402.97N / 0803016.05W	Y	FB	TF	100.51	15.93	AT 5000		
KFLL:RWY 10R									
Runway Transition									
HEEZE	260658.91N / 0804739.37W	Y		IF			AT 7000		
GOYLE	260701.80N / 0802705.34W	Y	FB	TF	089.78	18.51	AT 7000		



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code		Superseded Number	Dated	Effective Date			
TEEKY (RNAV)	THREE	TEEKY.TEEKY3		TWO	05/19/2022	3 Nov 2022			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
BEPAC	260900.59N / 0800911.72W	Y	FB	TF	082.95	16.22	AT 6000		
FAMBA	260911.63N / 0800552.06W	Y	FO	TF	086.48	03.00	AT 6000		
KFLL:RWY 28L,RWY 28R				FM	090.00				

