

RNAV - STANDARD US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES																	MISSED APPROACH									
FROM				TO				COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW13 CLIMB TO 2400 DIRECT CASIP AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SE, RT, 308.65 INBOUND. CHART FAS OBST: 868 TOWER 404219N/0894451W DISTANCE TO THLD FROM 389 HAT: 1.04 NM. CHART VDP AT 1.37 MILES TO RW13* *LNAV ONLY. WAAS CHANNEL # 60922 REFERENCE PATH ID: W13A CHART CIRCLING ICON. LTP HAE: 159.6 M												
DULAP				HALBU (FB)				244.44 / 8.29				2500														
LOGOS				GOGME (FB)				082.22 / 8.88				2500														
HALBU (IAF)				FAPSA (NOPT) (FB)				218.42 / 5.00				2500														
GOGME (IAF)				FAPSA (NOPT) (FB)				038.34 / 5.00				2500														
FAPSA (IF/IAF)				EPEPE (FB)				128.38 / 6.04				2500														
EPEPE (FAF)				RW13 (MAP) (FO)				128.44 / 5.59						MAG VAR: 2W EPOCH YEAR: 2015												
RW13 (MAP)				1025 MSL				128.44				2400														
1025 MSL				CASIP (FO)																						
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD NW FAPSA, RT, 128.38 INBOUND, 2500 FT. IN LIEU OF PT (IAF) 3. FAC: 128.44 FAF: EPEPE DIST FAF TO MAP: 5.59 THLD: 5.59 4. MIN. ALT: FAPSA 2500, EPEPE 2500 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2500 GS ALT AT: EPEPE 2500 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 58.9 34:1 IS CLEAR 8. MSA FROM: RW13 2800																										
MINIMUMS																										
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A			STANDARD @																
CATEGORY =====>		A			B			C			D			E												
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA											
LPV DA	1025	3/4	389	1025	3/4	389	1025	3/4	389	1025	3/4	389														
LNAV/VNAV DA	1083	1	447	1083	1	447	1083	1	447	1083	1	447														
LNAV MDA	1120	1/2	484	1120	1/2	484	1120	1	484	1120	1	484														
CIRCLING																										
	1160	1	499	1160	1	499	1180	1 1/2	519	1400	2 1/4	739														
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -18C (0F) OR ABOVE 54C (130F). CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT LOGOS ON V48 WESTBOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT DULAP ON V262 NORTHBOUND. (SEE FORM 8260-10)																										
CITY AND STATE				ELEVATION: 661 TDZE: 636				FACILITY IDENTIFIER: RNAV			PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:											
PEORIA, IL				AIRPORT NAME:							RNAV (GPS) RWY 13, AMDT 1A				AMDT: 4											
				GENERAL DOWNING - PEORIA INTL							30 APRIL 2015				DATED 10/27/2005											

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION			Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.		
RNAV - STANDARD					
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33					
NOTES, (CONT.): CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LOGAN COUNTY ALTIMETER SETTING AND INCREASE ALL DA 89 FT AND ALL MDA 100 FT, INCREASE LPV DA ALL CATS VISIBILITY TO 1 1/8 MILE, LNAV/VNAV DA ALL CATS VISIBILITY TO 1 3/8 MILE, LNAV MDA CAT C AND D VISIBILITY TO 1 1/4 MILE, AND CIRCLING CAT C 1/4 MILE AND CAT D 1/2 MILE. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING LOGAN COUNTY ALTIMETER SETTING.					
CITY AND STATE PEORIA, IL	ELEVATION: 661	TDZE: 636	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1A 30 APRIL 2015	SUP: QUALITY 4
	AIRPORT NAME:				AMDT: CHECKED
	GENERAL DOWNING - PEORIA INTL				DATED: 10/27/2005

**STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPIA
RUNWAY	RW13
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W13A
LTP/FTP LATITUDE	404022.4050N
LTP/FTP LONGITUDE	0894244.7095W
LTP/FTP ELLIPSOIDAL HEIGHT	+01596
FPAP LATITUDE	403925.9430N
FPAP LONGITUDE	0894104.5515W
THRESHOLD CROSSING HEIGHT (TCH)	00058.9
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

<u>CRC REMAINDER</u>	432D1F6F
----------------------	----------

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+01926
FPAP ORTHOMETRIC HEIGHT	+01926

CITY AND STATE

PEORIA, IL

ELEVATION: 661

TDZE: 636

AIRPORT NAME:

GENERAL DOWNING - PEORIA INTL

 FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 13, AMDT 1A

30 APRIL 2015

SUP:

AMDT:

DATED:

 QUALITY
4

CHECKED

10/27/2005

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																																			
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE																																																																																																																																																																																																																																																									
FLIGHT STANDARDS SERVICES - FAR PART 97.33																																																																																																																																																																																																																																																									
ARINC PACKET - 424-18 - RNAV (GPS)																																																																																																																																																																																																																																																									
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;"></td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td><td style="width:10%; text-align: center;">4</td><td style="width:10%; text-align: center;">5</td><td style="width:10%; text-align: center;">6</td><td style="width:10%; text-align: center;">7</td><td style="width:10%; text-align: center;">8</td><td style="width:10%; text-align: center;">9</td><td style="width:10%; text-align: center;">0</td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td></tr> <tr> <td>WP</td><td>12345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td></tr> <tr> <td colspan="14">-----</td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>CASIP K50</td><td>W</td><td>N40324158W089290981</td><td></td><td></td><td></td><td>W0021</td><td>NAR</td><td>CASIP</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>DULAP K50</td><td>C L</td><td>N40550950W089412756</td><td></td><td></td><td></td><td>W0020</td><td>NAR</td><td>DULAP</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>EPEPE K50</td><td>W</td><td>N40434187W089483919</td><td></td><td></td><td></td><td>W0019</td><td>NAR</td><td>EPEPE</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>FAPSA K50</td><td>W</td><td>N40471719W089550309</td><td></td><td></td><td></td><td>W0018</td><td>NAR</td><td>FAPSA</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>GOGME K50</td><td>W</td><td>N40431544W089585712</td><td></td><td></td><td></td><td>W0017</td><td>NAR</td><td>GOGME</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>HALBU K50</td><td>W</td><td>N40511881W089510859</td><td></td><td></td><td></td><td>W0018</td><td>NAR</td><td>HALBU</td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAEAENRT</td><td>LOGOS K50</td><td>C L</td><td>N40414538W090102800</td><td></td><td></td><td></td><td>W0016</td><td>NAR</td><td>LOGOS</td><td></td><td></td><td></td></tr> </table>													1	2	3	4	5	6	7	8	9	0	1	2	3	WP	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	-----															SUSAEAENRT	CASIP K50	W	N40324158W089290981				W0021	NAR	CASIP					SUSAEAENRT	DULAP K50	C L	N40550950W089412756				W0020	NAR	DULAP					SUSAEAENRT	EPEPE K50	W	N40434187W089483919				W0019	NAR	EPEPE					SUSAEAENRT	FAPSA K50	W	N40471719W089550309				W0018	NAR	FAPSA					SUSAEAENRT	GOGME K50	W	N40431544W089585712				W0017	NAR	GOGME					SUSAEAENRT	HALBU K50	W	N40511881W089510859				W0018	NAR	HALBU					SUSAEAENRT	LOGOS K50	C L	N40414538W090102800				W0016	NAR	LOGOS																																																																																																					
	1	2	3	4	5	6	7	8	9	0	1	2	3																																																																																																																																																																																																																																												
WP	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901																																																																																																																																																																																																																																												

	SUSAEAENRT	CASIP K50	W	N40324158W089290981				W0021	NAR	CASIP																																																																																																																																																																																																																																															
	SUSAEAENRT	DULAP K50	C L	N40550950W089412756				W0020	NAR	DULAP																																																																																																																																																																																																																																															
	SUSAEAENRT	EPEPE K50	W	N40434187W089483919				W0019	NAR	EPEPE																																																																																																																																																																																																																																															
	SUSAEAENRT	FAPSA K50	W	N40471719W089550309				W0018	NAR	FAPSA																																																																																																																																																																																																																																															
	SUSAEAENRT	GOGME K50	W	N40431544W089585712				W0017	NAR	GOGME																																																																																																																																																																																																																																															
	SUSAEAENRT	HALBU K50	W	N40511881W089510859				W0018	NAR	HALBU																																																																																																																																																																																																																																															
	SUSAEAENRT	LOGOS K50	C L	N40414538W090102800				W0016	NAR	LOGOS																																																																																																																																																																																																																																															
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;"></td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td><td style="width:10%; text-align: center;">4</td><td style="width:10%; text-align: center;">5</td><td style="width:10%; text-align: center;">6</td><td style="width:10%; text-align: center;">7</td><td style="width:10%; text-align: center;">8</td><td style="width:10%; text-align: center;">9</td><td style="width:10%; text-align: center;">0</td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td></tr> <tr> <td>AIRPORT</td><td>12345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td></tr> <tr> <td colspan="14">-----</td></tr> <tr> <td></td><td>SUSAP KPIAK5APIA</td><td>0</td><td>101YHN40395110W089413570W002000661</td><td></td><td></td><td></td><td></td><td>1800018000C</td><td>MNAR</td><td>GENERAL DOWNING - PEORIA INTL</td><td></td><td></td><td></td></tr> </table>													1	2	3	4	5	6	7	8	9	0	1	2	3	AIRPORT	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	-----															SUSAP KPIAK5APIA	0	101YHN40395110W089413570W002000661					1800018000C	MNAR	GENERAL DOWNING - PEORIA INTL																																																																																																																																																																																									
	1	2	3	4	5	6	7	8	9	0	1	2	3																																																																																																																																																																																																																																												
AIRPORT	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901																																																																																																																																																																																																																																												

	SUSAP KPIAK5APIA	0	101YHN40395110W089413570W002000661					1800018000C	MNAR	GENERAL DOWNING - PEORIA INTL																																																																																																																																																																																																																																															
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;"></td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td><td style="width:10%; text-align: center;">4</td><td style="width:10%; text-align: center;">5</td><td style="width:10%; text-align: center;">6</td><td style="width:10%; text-align: center;">7</td><td style="width:10%; text-align: center;">8</td><td style="width:10%; text-align: center;">9</td><td style="width:10%; text-align: center;">0</td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td></tr> <tr> <td>SEGMENT</td><td>12345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td></tr> <tr> <td colspan="14">-----</td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ADULAP 010DULAPK5EA0E</td><td>IF</td><td></td><td></td><td></td><td></td><td></td><td></td><td>18000</td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ADULAP 020HALBUK5EA0E</td><td>A 020TF</td><td></td><td></td><td></td><td>24440083</td><td>+ 02500</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ADULAP 030FAPSAK5EA0EE</td><td>B 010TF</td><td></td><td></td><td></td><td>21840050</td><td>+ 02500</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>AFAPSA 010FAPSAK5EA0EE</td><td>AR HF</td><td></td><td></td><td></td><td>12840040</td><td>+ 02500</td><td></td><td>18000</td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ALOGOS 010LOGOSK5EA0E</td><td>IF</td><td></td><td></td><td></td><td></td><td></td><td></td><td>18000</td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ALOGOS 020GOGMEK5EA0E</td><td>A 020TF</td><td></td><td></td><td></td><td>08220089</td><td>+ 02500</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>ALOGOS 030FAPSAK5EA0EE</td><td>B 010TF</td><td></td><td></td><td></td><td>03830050</td><td>+ 02500</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 010FAPSAK5EA0E</td><td>I IF</td><td></td><td></td><td></td><td></td><td>+ 02500</td><td></td><td>18000</td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 020EPEPEK5EA1E</td><td>F 051TF</td><td></td><td></td><td></td><td>12840060</td><td>+ 02500</td><td></td><td></td><td>RW13 K5PGA</td><td>JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 020EPEPEK5EA2WALPV</td><td>ALNAV/VNAV ALNAV</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 030RW13 K5PGOGY</td><td>M 031TF</td><td></td><td></td><td></td><td>12840056</td><td>00691</td><td></td><td>-300</td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 040 0 M</td><td>CA</td><td></td><td></td><td></td><td>1284</td><td>+ 01025</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 050CASIPK5EA0EY</td><td>DF</td><td></td><td></td><td></td><td></td><td>+ 02400</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5FR13</td><td>R 060CASIPK5EA0EE</td><td>R HM</td><td></td><td></td><td></td><td>30870040</td><td>+ 02400</td><td></td><td></td><td></td><td>A JS</td><td></td></tr> </table>													1	2	3	4	5	6	7	8	9	0	1	2	3	SEGMENT	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	-----															SUSAP KPIAK5FR13	ADULAP 010DULAPK5EA0E	IF							18000		A JS			SUSAP KPIAK5FR13	ADULAP 020HALBUK5EA0E	A 020TF				24440083	+ 02500				A JS			SUSAP KPIAK5FR13	ADULAP 030FAPSAK5EA0EE	B 010TF				21840050	+ 02500				A JS			SUSAP KPIAK5FR13	AFAPSA 010FAPSAK5EA0EE	AR HF				12840040	+ 02500		18000		A JS			SUSAP KPIAK5FR13	ALOGOS 010LOGOSK5EA0E	IF							18000		A JS			SUSAP KPIAK5FR13	ALOGOS 020GOGMEK5EA0E	A 020TF				08220089	+ 02500				A JS			SUSAP KPIAK5FR13	ALOGOS 030FAPSAK5EA0EE	B 010TF				03830050	+ 02500				A JS			SUSAP KPIAK5FR13	R 010FAPSAK5EA0E	I IF					+ 02500		18000		A JS			SUSAP KPIAK5FR13	R 020EPEPEK5EA1E	F 051TF				12840060	+ 02500			RW13 K5PGA	JS			SUSAP KPIAK5FR13	R 020EPEPEK5EA2WALPV	ALNAV/VNAV ALNAV									JS			SUSAP KPIAK5FR13	R 030RW13 K5PGOGY	M 031TF				12840056	00691		-300		A JS			SUSAP KPIAK5FR13	R 040 0 M	CA				1284	+ 01025				A JS			SUSAP KPIAK5FR13	R 050CASIPK5EA0EY	DF					+ 02400				A JS			SUSAP KPIAK5FR13	R 060CASIPK5EA0EE	R HM				30870040	+ 02400				A JS	
	1	2	3	4	5	6	7	8	9	0	1	2	3																																																																																																																																																																																																																																												
SEGMENT	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901																																																																																																																																																																																																																																												

	SUSAP KPIAK5FR13	ADULAP 010DULAPK5EA0E	IF							18000		A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	ADULAP 020HALBUK5EA0E	A 020TF				24440083	+ 02500				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	ADULAP 030FAPSAK5EA0EE	B 010TF				21840050	+ 02500				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	AFAPSA 010FAPSAK5EA0EE	AR HF				12840040	+ 02500		18000		A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	ALOGOS 010LOGOSK5EA0E	IF							18000		A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	ALOGOS 020GOGMEK5EA0E	A 020TF				08220089	+ 02500				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	ALOGOS 030FAPSAK5EA0EE	B 010TF				03830050	+ 02500				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 010FAPSAK5EA0E	I IF					+ 02500		18000		A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 020EPEPEK5EA1E	F 051TF				12840060	+ 02500			RW13 K5PGA	JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 020EPEPEK5EA2WALPV	ALNAV/VNAV ALNAV									JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 030RW13 K5PGOGY	M 031TF				12840056	00691		-300		A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 040 0 M	CA				1284	+ 01025				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 050CASIPK5EA0EY	DF					+ 02400				A JS																																																																																																																																																																																																																																													
	SUSAP KPIAK5FR13	R 060CASIPK5EA0EE	R HM				30870040	+ 02400				A JS																																																																																																																																																																																																																																													
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;"></td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td><td style="width:10%; text-align: center;">4</td><td style="width:10%; text-align: center;">5</td><td style="width:10%; text-align: center;">6</td><td style="width:10%; text-align: center;">7</td><td style="width:10%; text-align: center;">8</td><td style="width:10%; text-align: center;">9</td><td style="width:10%; text-align: center;">0</td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td></tr> <tr> <td>RUNWAY</td><td>12345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td></tr> <tr> <td colspan="14">-----</td></tr> <tr> <td></td><td>SUSAP KPIAK5GRW13</td><td>0101041285</td><td>N40402241W089424471+0108</td><td></td><td></td><td></td><td></td><td>+0159600632050059150IIGZX1</td><td></td><td></td><td></td><td></td><td></td></tr> </table>													1	2	3	4	5	6	7	8	9	0	1	2	3	RUNWAY	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	-----															SUSAP KPIAK5GRW13	0101041285	N40402241W089424471+0108					+0159600632050059150IIGZX1																																																																																																																																																																																											
	1	2	3	4	5	6	7	8	9	0	1	2	3																																																																																																																																																																																																																																												
RUNWAY	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901																																																																																																																																																																																																																																												

	SUSAP KPIAK5GRW13	0101041285	N40402241W089424471+0108					+0159600632050059150IIGZX1																																																																																																																																																																																																																																																	
<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:5%;"></td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td><td style="width:10%; text-align: center;">4</td><td style="width:10%; text-align: center;">5</td><td style="width:10%; text-align: center;">6</td><td style="width:10%; text-align: center;">7</td><td style="width:10%; text-align: center;">8</td><td style="width:10%; text-align: center;">9</td><td style="width:10%; text-align: center;">0</td><td style="width:10%; text-align: center;">1</td><td style="width:10%; text-align: center;">2</td><td style="width:10%; text-align: center;">3</td></tr> <tr> <td>PP</td><td>12345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td><td>2345678901</td></tr> <tr> <td colspan="14">-----</td></tr> <tr> <td></td><td>SUSAP KPIAK5PR13</td><td>RW13 001 0000W13A0N4040224050W08942447095+015960300N4039259430W08941045515106750000000589F400500432D1F6F</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td></td><td>SUSAP KPIAK5PR13</td><td>RW13 002E</td><td>+01926+01926LPV</td><td></td><td></td><td>60922</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>													1	2	3	4	5	6	7	8	9	0	1	2	3	PP	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	-----															SUSAP KPIAK5PR13	RW13 001 0000W13A0N4040224050W08942447095+015960300N4039259430W08941045515106750000000589F400500432D1F6F													SUSAP KPIAK5PR13	RW13 002E	+01926+01926LPV			60922																																																																																																																																																																															
	1	2	3	4	5	6	7	8	9	0	1	2	3																																																																																																																																																																																																																																												
PP	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901																																																																																																																																																																																																																																												

	SUSAP KPIAK5PR13	RW13 001 0000W13A0N4040224050W08942447095+015960300N4039259430W08941045515106750000000589F400500432D1F6F																																																																																																																																																																																																																																																							
	SUSAP KPIAK5PR13	RW13 002E	+01926+01926LPV			60922																																																																																																																																																																																																																																																			
CITY AND STATE PEORIA, IL		ELEVATION: 661 TDZE: 636 AIRPORT NAME: GENERAL DOWNING - PEORIA INTL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 13, AMDT 1A 30 APRIL 2015			SUP: AMDT: 1 DATED: 10/27/2005																																																																																																																																																																																																																																																

QUALITY
4
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	1	2	3	4	5	6	7	8	9	0	1	2	3

SUSAP KPIAK5SRW13 K5PG					0	18018002825						M	

CITY AND STATE
PEORIA, IL

ELEVATION: 661
AIRPORT NAME:
GENERAL DOWNING - PEORIA INTL

TDZE: 636

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 13, AMDT 1A
30 APRIL 2015

SUP: **QUALITY
4
CHECKED**
AMDT: 1
DATED: 10/27/2005

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	DULAP	DULAP	010		IF		FB					
	DULAP	HALBU	020	IAF	TF		FB	2.0	244.4 (242.4T)	008.3	AA 02500	
	DULAP	FAPSA	030		TF		FB	1.0	218.4 (216.4T)	005.0	AA 02500	
	FAPSA	FAPSA	010	IAF	HF	R	FO		128.4 (126.4T)	004.0	AA 02500	
	LOGOS	LOGOS	010		IF		FB					
	LOGOS	GOGME	020	IAF	TF		FB	2.0	082.2 (080.2T)	008.9	AA 02500	
	LOGOS	FAPSA	030		TF		FB	1.0	038.3 (036.3T)	005.0	AA 02500	
		FAPSA	010	FACF	IF		FB				AA 02500	
		EPEPE	020	FAF	TF		FB	0.5	128.4 (126.4T)	006.0	AA 02500	
		RW13	030	MAP	TF		FO	0.3	128.4 (126.4T)	005.6	AT 00691	
MISSED APPROACH												
			040		CA		FB		128.4 (126.4T)		AA 01025	
		CASIP	050		DF		FO				AA 02400	
		CASIP	060		HM	R	FO		308.7 (306.7T)	004.0	AA 02400	
POINT DATA												
		WAYPOINT			LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS	
		CASIP			N403241.58		W0892909.81		N4032.693		W08929.164	
		DULAP			N405509.50		W0894127.56		N4055.158		W08941.459	
		EPEPE			N404341.87		W0894839.19		N4043.698		W08948.653	
		FAPSA			N404717.19		W0895503.09		N4047.287		W08955.052	
		GOGME			N404315.44		W0895857.12		N4043.257		W08958.952	
		HALBU			N405118.81		W0895108.59		N4051.314		W08951.143	
		LOGOS			N404145.38		W0901028.00		N4041.756		W09010.467	
		RW13			N404022.41		W0894244.71		N4040.374		W08942.745	
RUNWAY DATA												
				THRESHOLD								
		RWY		ELEVATION		TCH						
		RW13		00632		59						



CITY AND STATE PEORIA, IL	ELEVATION: 661	TDZE: 636	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: GENERAL DOWNING - PEORIA INTL		RNAV	RNAV (GPS) RWY 13, AMDT 1A	AMDT: 1
				30 APRIL 2015	DATED: 10/27/2005