

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> 80F	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 18	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> ANTLERS	<u>STATE</u> OK
<u>AIRPORT ELEVATION</u> 577	<u>TDZE</u> 577	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>EPOCH YEAR</u> 2025
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 7 AUGUST 2025	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>MAG VAR</u> 2E <u>CANCEL/SUSPEND</u>

TAA

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>ALTITUDE</u>
1. 088/30 CW 268/30	NOPT	088/12 CW 268/12		3500
2. 088/12 CW 268/12		GEGEE	IF/IAF	3000
3. 268/30 CW 358/30		HAUNN	IAF	3000
4. 358/30 CW 088/30		TRYVB	IAF	3000

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
HAUNN	IAF	GEGEE	NOPT	TF	FB	1.00	267.87	5.00	3000
TRYVB	IAF	GEGEE	NOPT	TF	FB	1.00	087.76	5.00	3000
GEGEE	IF/IAF	RUFYU		TF	FB	1.00	177.81	5.21	2700
RUFYU	FAF	SANCO/2.34 NM TO RW18		TF	FB	0.30	177.81	4.21	
SANCO/2.34 NM TO RW18		RW18	MAP	TF	FO	0.30	177.81	2.34	
RW18	MAP	977 MSL		CA			177.81		
977 MSL		TIDSE		DF	FO	1.00			3000

MISSED APPROACH

MAP:

LP: RW18
LNAV: RW18

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3000 DIRECT TIDSE AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1.	PT	SIDE OF COURSE	OUTBOUND	FT WITHIN	MILES OF	(IAF)										
2.	HOLD N GEGEE, RT, 177.81 INBOUND, 3000 IN LIEU OF PT (IAF), MAX 6000.															
3.	FAC:	177.81	FAF:	RUFYU	DIST FAF TO MAP:	6.55	DIST FAF TO THLD:	6.55								
4.	MIN ALT: GEGEE 3000, RUFYU 2700, SANCO/2.34 NM TO RW18 1360															
5.	DIST TO THLD FROM OM:		MM:		IM:		150 HAT:		GS ANT:							
6.	MIN GP INCPT:		GP ALT AT FAF:						OM:			MM:			IM:	
7.	GP ANGLE:		34:1:	IS NOT CLEAR	20:1:	IS NOT CLEAR	TCH:									
8.	MSA FROM:															

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: USE PRX ALTIMETER SETTING; WHEN NOT RECEIVED, USE DUA ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET.
CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART NOTE: STRAIGHT-IN AND CIRCLING RWY 18 NA AT NIGHT.

ADDITIONAL FLIGHT DATA:

CHART PRX AWOS-3PT.
HOLD S, RT, 357.81 INBOUND.
CHART FAS OBST: 755 WATER_TOWER (40-086272) 341216N/0953814W, 654 TREE (40-032804) 341202N/0953851W.
WAAS CHANNEL # 78247
REFERENCE PATH ID: W18A
CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
LTP HAE: 145.5 M

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LP MDA	1000	1	423	1000	1	423		NA			NA				
LNAV MDA	1060	1	483	1060	1	483		NA			NA				
CIRCLING	1140	1	563	1140	1	563		NA			NA				

CHANGES - REASONS

- 5/6/25. THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 3/25/25.
- ADDITIONAL FLIGHT DATA: DELETED "RUFYU TO RW18: 3.00/40."
 - ADDITIONAL FLIGHT DATA: ADDED "CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES."



COORDINATED WITH:

A4A

☐

ALPA

☒

AOPA

☒

APA

☐

HAI

☐

NBAA

☒

OTHER:

ZFW ARTCC, OKLAHOMA AERONAUTICS COMMISSION, AMGR

FLIGHT CHECKED BY
BRIAN DAVID HARRELSON

Digitally signed by

RAKE MCGRAW

May 08, 2025

OFFICE

FIOG

DATE

05/05/2025

DEVELOPED BY
RICHARD BRUCE

Digitally signed by

RICHARD A BRUCE

May 07, 2025

OFFICE

AJV-A422

DATE

03/25/2025

APPROVED BY
BEV L BORDY

Digitally signed by

RAKE MCGRAW

May 08, 2025

OFFICE

AJV-A420

DATE

TITLE

MANAGER

FAS DATA BLOCK INFORMATION

DATA FIELD	DATA
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	80F
RUNWAY	RW18
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W18A
LTP/FTP LATITUDE	341156.6330N
LTP/FTP LONGITUDE	0953859.5855W
LTP/FTP ELLIPSOIDAL HEIGHT	+01455
FPAP LATITUDE	341027.3775N
FPAP LONGITUDE	0953859.2375W
THRESHOLD CROSSING HEIGHT (TCH)	00000.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	00.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	00.0
CRC REMAINDER	67BCF008

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+01754
FPAP ORTHOMETRIC HEIGHT	+01754

