

**Federal Aviation
Administration**

Transmittal Letter 20-07

February 7, 2020

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3/26/2020	MA	Worcester	Worcester Rgnl	0/5468	1/22/2020	RNAV (GPS) RWY 33, Orig-B

AIRAC Date: 26 MARCH 2020

FDC 0/5468 ORH IAP WORCESTER RGNL, WORCESTER, MA. RNAV (GPS) RWY 33, ORIG-B... CHART CIRCLING ICON. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BEDFORD ALTIMETER SETTING AND INCREASE ALL MDAS 200 FEET AND VISIBILITY LNAV CAT C/D 5/8 SM AND VISIBILITY CIRCLING CAT B 1/4 SM AND CAT C 3/4 SM. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BEDFORD ALTIMETER SETTING AND INCREASE ALL MDAS 200 FEET AND VISIBILITY LNAV CAT C/D 5/8 SM AND VISIBILITY CIRCLING CAT B 1/4 SM. CIRCLING CAT B MDA 1720/HAA 711, CIRCLING CAT C MDA 2000/HAA 991, VIS CAT C 3. ALTERNATE MINIMUMS LNAV: STANDARD - CAT C, D 1000-3, NA WHEN LOCAL WEATHER NOT AVAILABLE. THIS IS RNAV (GPS) RWY 33, ORIG-C. 2001211712-PERM