

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HEMRO	ONE	HEMRO1.HEMRO	NONE		2 OCTOBER 2025

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 3: CLIMB ON HEADING 030.96 TO INTERCEPT COURSE 101.41 TO KUYVE, THENCE ...

TAKEOFF RWY 21: CLIMB ON HEADING 210.98 TO 1182, THEN LEFT TURN DIRECT KUYVE, THENCE ...

...ON TRACK 045.15 TO HEMRO, THEN AS ASSIGNED BY AIR TRAFFIC CONTROL.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 21: STANDARD.

RWY 3: STANDARD WITH MINIMUM CLIMB OF 260 FT/NM TO 2300.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 3: LIGHT POLES 10 FT FROM DER, 30 FT RIGHT OF CENTERLINE, 2 FT AGL/681 FT MSL.

TREE, VEGETATION BEGINNING 27 FT FROM DER, 99 FT LEFT OF CENTERLINE, UP TO 689 FT MSL.

TREES BEGINNING 36 FT FROM DER, 184 FT RIGHT OF CENTERLINE, UP TO 686 FT MSL.

TREES 122 FT FROM DER, 339 FT LEFT OF CENTERLINE, 736 FT MSL.

TREES, TERRAIN BEGINNING 144 FT FROM DER, 209 FT LEFT OF CENTERLINE, UP TO 764 FT MSL.

NOTE: RWY 21: TREES, LIGHT POLES, POLE BEGINNING 2 FT FROM DER, 30 FT LEFT OF CENTERLINE, UP TO 713 FT MSL.

TREES BEGINNING 13 FT FROM DER, 209 FT RIGHT OF CENTERLINE, UP TO 716 FT MSL.

TREES BEGINNING 341 FT FROM DER, 440 FT RIGHT OF CENTERLINE, UP TO 719 FT MSL.

TREES BEGINNING 399 FT FROM DER, 301 FT RIGHT OF CENTERLINE, UP TO 742 FT MSL.

CONTROLLING OBSTACLES:

RWY 3: 1893 FT MSL AAO 635706.00N/1520606.00W.

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 3: 1167 FT MSL TREE 635434.23N/1521801.13W, RWY 21: 1140 FT MSL TREE 635343.77N/1521952.63W.

MSA:

MSA FROM PAMH 4800.



<u>DP NAME</u> HEMRO	<u>NUMBER</u> ONE	<u>DP COMPUTER CODE</u> HEMRO1.HEMRO	<u>SUPERSEDED NUMBER</u> NONE	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u> 2 OCTOBER 2025
-------------------------	----------------------	---	----------------------------------	--------------	--

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:
DME/DME ASSESSMENT: NOT CONDUCTED.
AIRPORT MV: PAMH 14E/2025.

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
PAMH	MINCHUMINA	AK

COMMUNICATIONS:

CHART ZAN, AWOS, FAI FSS, CTAF.

FIXES AND/OR NAVAIDS:

REMARKS:

45 FT VEGETATION USED PER FPT.

FLIGHT INSPECTED BY

ANTHONY D VALLERA

SIGNATURE

Digitally signed by

RAKE MCGRAW

OFFICE

AJF

DATE

12/10/2024

DEVELOPED BY

DANIEL WESTON

SIGNATURE

Digitally signed by
DANIEL L WESTON
Aug 28, 2024

OFFICE

AJV-A422

DATE

07/18/2024

APPROVED BY

RAKE MCGRAW

SIGNATURE

Digitally signed by
RAKE MCGRAW
Dec 12, 2024

OFFICE

AJV-A422

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA** **OTHER:**ZAN, AMGR, FAI FSS

CHANGES - REASONS:

ORIGINAL GRAPHIC ODP REPLACING TEXTUAL DEPARTURE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
HEMRO	ONE	HEMRO1.HEMRO	NONE		2 OCTOBER 2025

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW03 (AER)	635254.97N/1521839.65W	N	-	-	-	-			
	635551.87N/1521157.79W	-	-	VI	044.96	4.18			CG 260 FT/NM TO 2300
KUYVE	635344.05N/1520144.55W	Y	FB	CF	115.41	4.99			
RW21 (AER)	635324.10N/1521733.62W	N	-	-	-	-			
1182 MSL	-	-	-	VA	224.98	-	AT/ABOVE 1182		
KUYVE	635344.05N/1520144.55W	Y	FB	DF	-	-			LEFT TURN
KUYVE	635344.05N/1520144.55W	Y	-	IF	-	-			
HEMRO	640622.18N/1511250.69W	Y	FB	TF	059.15	24.99			

