

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT ID</u> KMKC	<u>PROCEDURE NAME</u> RNAV (GPS) Y RWY 19	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> KANSAS CITY	<u>STATE</u> MO		
<u>AIRPORT ELEVATION</u> 757	<u>TDZE</u> 754	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 1E	<u>EPOCH YEAR</u> 2020
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 5 OCTOBER 2023	<u>REQUIRED EFFECTIVE DATE</u> 10/5/2023	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
BQS VOR/DME		DONNS		TF	FB	1.00	236.00	10.00	3000
DONNS	IAF	COVRI	NOPT	TF	FB	1.00	240.62	25.09	3000
COVRI	IF/IAF	ZODGA		TF	FB	1.00	191.73	7.10	2600
ZODGA	FAF	ZEGAP/2.00 NM TO WALOR		TF	FB	0.30	191.71	2.78	
ZEGAP/2.00 NM TO WALOR		WALOR	MAP	TF	FO	0.30	191.71	2.00	
WALOR	MAP	1300 MSL		CA			191.71		1300
1300 MSL		MIFEV		DF	FB	1.00			
MIFEV		YETUK		TF	FO	1.00	236.00	9.65	4000

MISSED APPROACH

MAP:

LNAV: WALOR

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 1300 THEN CLIMBING RIGHT TURN TO 4000 DIRECT MIFEV AND ON TRACK 236.00 TO YETUK AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF

(IAF)

2. HOLD N COVRI, RT, 191.73 INBOUND, 3000 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAF: 191.71FAF: ZODGADIST FAF TO MAP: 4.78DIST FAF TO THLD: 5.65

4. MIN ALT: COVRI 3000, ZODGA 2600, ZEGAP/2.00 NM TO WALOR 1700

5. DIST TO THLD FROM OM:MM:IM:150 HAT:GS ANT:

6. MIN GP INCPT:GP ALT AT FAF :OM:MM:IM:

7. GP ANGLE:34:1: IS NOT CLEAR20:1: IS CLEARTCH:

8. MSA FROM: WALOR 3100

PBN REQUIREMENTS NOTE:

RNP APCH - GPS.

NOTES:

CHART NOTE: CIRCLING NA E OF RWY 1-19.
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BQS VOR/DME ON V502 NORTHEAST BOUND.
CHART NOTE: CIRCLING NA FOR CAT D TO RWY 4
CHART NOTE: FOR INOPERATIVE ALS, INCREASE LNAV CATS A/B VISIBILITY TO RVR 6000 AND CATS C/D TO 1 3/4 SM
CHART NOTE: CIRCLING NA TO RWY 22

ADDITIONAL FLIGHT DATA:

ZODGA TO RW19 3.00/46
HOLD SE, RT, 296.19 INBOUND.
CHART FAS OBST: 1055 TREE (29-025949) 391001N/0943520W.
CHART VDP AT 0.82 NM TO WALOR.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - CAT D 800-2 1/2

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1340	4000	586	1340	4000	586	1340	1 3/8	586	1340	1 3/8	586			
CIRCLING	1380	1 1/8	623	1400	1 1/8	643	1460	2	703	1540	2 1/2	783			

CHANGES - REASONS

ORIG



AIRPORT ID
KMKC

PROCEDURE NAME
RNAV (GPS) Y RWY 19

ORIGINAL/AMENDMENT
ORIG

CITY
KANSAS CITY

STATE
MO

COORDINATED WITH:

A4A ☒ **ALPA** ☒ **AOPA** ☒ **APA** ☒ **HAI** ☐ **NBAA** ☒ **OTHER:** ZKC, MCI APP CON, MKC ATCT, AMGR

FLIGHT CHECKED BY

GREGORY MILLS

Digitally signed by
DAVID TEFFETELLER
May 17, 2023

OFFICE

FPO

DATE

06/28/2023

DEVELOPED BY

GUY COPELAND

Digitally signed by
DAVID TEFFETELLER
May 17, 2023

OFFICE

AJV-A433

DATE

04/10/2023

APPROVED BY

JOHNNIE BAKER

Digitally signed by
DAVID TEFFETELLER
May 17, 2023

OFFICE

AJV-A430

DATE

TITLE
MANAGER

QUALITY
16
CHECKED