

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LINDZ	ONE	LINDZ1.LINDZ	NINE	07/19/2018	5/16/2024

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	☐	☐	☒	☐	☐

DP ROUTE DESCRIPTION:

TAKEOFF RWY 33: CLIMB HEADING 343.00 TO 9100, THEN CLIMBING LEFT TURN TO 16000 ON HEADING 273.00 TO INTERCEPT I-PKN NW COURSE OUTBOUND TO LINDZ INT/DBL VOR/DME 12.61 DME. THEN ON ASSIGNED TRANSITION, MAINTAIN 16000, EXPECT CLEARANCE TO FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
GRAND JUNCTION	LINDZ1.JNC	LINDZ	SLOLM	244.17 (DBL R-244)	22.55	14000	13200	
		SLOLM	PACES	239.97 (JNC R-060)	31.35	13000	12600	
		PACES	JNC VOR/DME	239.97 (JNC R-060)	24.83	11500	10400	
KREMMLING	LINDZ1.RLG	LINDZ	SXW VOR/DME	016.28 (SXW R-196)	16.38	14000	13400	
		SXW VOR/DME	JESIE	000.72 (SXW R-001)	24.22	14500	12800	
		JESIE	RLG VOR/DME	079.73 (RLG R-260)	20.00	14500	12800	
MEEKER	LINDZ1.EKR	LINDZ	SLOLM	244.17 (DBL R-244)	22.55	14000	13200	
		SLOLM	RIL VOR/DME	332.86 (RIL R-153)	14.52	12400	12000	
		RIL VOR/DME	EKR VOR/DME	333.69 & 334.56 (RIL R-334 & EKR R-155)	33.69	12400	12100	
RED TABLE	LINDZ1.DBL	LINDZ	DBL VOR/DME	064.17 (DBL R-244)	12.61	14000	14000	
RIFLE	LINDZ1.RIL	LINDZ	SLOLM	244.17 (DBL R-244)	22.55	14000	13200	
		SLOLM	RIL VOR/DME	332.86 (RIL R-153)	14.52	12400	12000	



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LINDZ	ONE	LINDZ1.LINDZ	NINE	07/19/2018	5/16/2024

PBN REQUIREMENT NOTES:**EQUIPMENT REQUIREMENT NOTES:****PROCEDURAL DATA NOTES:**

NOTE: I-PKN BACK COURSE OUTBOUND IS NORMAL SENSING.

TAKEOFF MINIMUMS:

RWY 15. NA - TERRAIN.

RWY 33, 400-1 WITH MINIMUM CLIMB OF 465FT PER NM TO 10600.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 33: 8079 FT MSL VEGETATION 391422.14N/1065254.76W (CIELING), 7944 FT MSL TREE 391433.04N/1065259.29W (VISIBILITY), 9887 FT MSL TREE 392023.23N/1065405.11W (CLIMB GRADIENT, CLIMB-TO ALTITUDE).

MSA:

MSA FROM DBL VOR/DME 020-240 15700, 240-020 13100.

LOST COMMUNICATIONS PROCEDURES:

IF NO TRANSMISSIONS ARE RECEIVED FOR ONE MINUTE AFTER DEPARTURE OR BY DBL VOR/DME 9.4 DME, TURN LEFT ON HEADING 273 TO INTERCEPT AND PROCEED VIA THE I-PKN NW COURSE (OUTBOUND) TO LINDZ INT/DBL VOR/DME 13 DME, THEN VIA ASSIGNED ROUTE/TRANSITION.

ADDITIONAL FLIGHT DATA:

CHART FACILITY CHANGE OVER POINT AT SLOLM ENROUTE TO JNC VORTAC, CHART V134-220-591 , V220, V591, V200-591 AND MEA'S CHART JNC R-060 ON V134-220-591, EKR R-149 ON V220 AND R-182 AT PACES, RIL R-153 AND R-334 ON V220, DBL R-244 ON V134, SXW R-001 AND R-196 ON V591, RLG R-260 ON V220-591.

CHART: TOP ALTITUDE:16000

AIRPORT MV: 9E/2015

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KASE	ASPEN	CO

COMMUNICATIONS:

CHART: ATIS, CLNC DEL, GND CON, ASPEN TOWER, CTAF, ZDV, UNICOM

FIXES AND/OR NAVAIDS:**REMARKS:**

ABBREVIATED AMENDMENT TO UPDATE MEEKER TRANSITION EKR VOR/DME MAGVAR AND ADD MOCAS.

DO NOT CHART MOCA: FROM SLOLM TO PACES, SLOLM TO RIL VOR/DME, RIL VOR/DME TO EKR VOR/DME, LINDZ TO DBL VOR/DME.

50 FT VEGETATION HEIGHT USED PER FPT.



NFDD NO. 048

03/11/2024

29

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
LINDZ		ONE	LINDZ1.LINDZ	NINE	07/19/2018	5/16/2024

FLIGHT INSPECTED BY

PENDING

Digitally signed by
ERIC N SUSKI
Feb 26, 2024

SIGNATURE

OFFICE

DATE

DEVELOPED BY

RICHARD E. CHRISTENSEN

Digitally signed by
RICHARD E. CHRISTENSEN
Feb 16, 2024

SIGNATURE

OFFICE

DATE

APPROVED BY

ERIC SUSKI

Digitally signed by
ERIC N SUSKI
Feb 26, 2024

SIGNATURE

OFFICE

DATE

TITLE

MANAGER

REQUIRED EFFECTIVE DATE

5/16/2024

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZDV, ASE ATCT

CHANGES - REASONS:

1. DP ROUTE DESCRIPTION: THE WORD "VIA" CHANGED TO "ON", FROM "THEN VIA ASSIGNED TRANSITION..." TO "THEN ON ASSIGNED TRANSITION..." - IAW 8260.46J APPENDIX E, SECTION 1, PARA 2C.

2. TRANSITION ROUTE DESCRIPTION: MEEKER TRANSITION FROM RIL VOR/DME TO EKR VOR/DME COURSE CHANGED FROM "333.69 & 328.56 (RIL R-334 & EKR R-149)" TO "333.69 & 334.56 (RIL R-334 & EKR R-155)" - EKR MAGVAR UPDATED FROM 15E TO 9E, UPDATED COURSE TO REFLECT CHANGE, NO CHANGE IN GROUND TRACK.

3. TRANSITION ROUTES: ADDED MOCA'S - IAW 8260.46J APPENDIX E, SECTION 1, PARA 2D(8).

4. TAKEOFF MINIMUMS: CHANGED CLIMB-TO ALTITUDE FROM 10000 TO 10600 - UPDATED OBSTACLE EVALUATION RESULTS.

5. CONTROLLING OBSTACLES: CHANGED FROM "8179 FT MSL TREE 391423.00N/1065255.00W (CIELING), (VISIBILITY). 8539 FT MSL TREE 391613.40N/1065415.25W (CLIMB GRADIENT) . 9439 FT MSL AAO 391836.86N/1065437.90W (CLIMB-TO ALTITUDE)" TO "RWY 33: 8079 FT MSL VEGETATION 391422.14N/1065254.76W (CIELING), 7944 FT MSL TREE 391433.04N/1065259.29W (VISIBILITY), 9887 FT MSL TREE 392023.23N/1065405.11W (CLIMB GRADIENT, CLIMB-TO ALTITUDE)" - NEW OBSTACLE EVALUATION RESULTS.

6. ADDED MSA ALTITUDE AND DOCUMENTATION - MSA BASED ON LOC/DME-E, AMDT 1C AT KASE ON DBL VOR/DME IAW 8260.46J APPENDIX D, SECTION 1, PARA 2(K)(C).

7. REMARKS: ADDED "DO NOT CHART MOCA: FROM SLOLM TO PACES, SLOLM TO RIL VOR/DME, RIL VOR/DME TO EKR VOR/DME, LINDZ TO DBL VOR/DME" - IAW 8260.46J APPENDIX E, SECTION 1, PARA 2D(8) AND 2Q, AND AFS DP MOCA MEMO DATED 01/07/2021.

8. REMARKS: ADDED 50 FT VEGETATION HEIGHT USED PER FPT - FOR FUTURE SPECIALIST INFORMATION.

