# FEDERAL AVIATION ADMINISTRATION FLIGHT STANDARDS SERVICE TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP) **TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL Altitudes are minimum altitudes unless otherwise indicated Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

AIRPORT	AIRPORT ID	CITY	<u>STATE</u>	AMDT NO	ACTUAL EFFECTIVE DATE
BILL AND HILLARY CLINTON NTL/ ADAMS FLD	KLIT	LITTLE ROCK	AR	10	24 MARCH 2022

## **TAKEOFF MINIMUMS:**

RWY 4L, 4R, 36: STANDARD.

RWY 18: 300-1 5/8 OR STANDARD WITH MINIMUM CLIMB OF 420 FT PER NM TO 500. RWY 22L: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 240 FT PER NM TO 500. RWY 22R: 300-2 OR STANDARD WITH MINIMUM CLIMB OF 395 FT PER NM TO 500.

## **TEXTUAL DEPARTURE PROCEDURES:**

RWY 22R, CLIMB ON HEADING 226.52 TO 1100 BEFORE TURNING RIGHT. RWY 36, CLIMB ON HEADING 001.51 TO 800 BEFORE TURNING LEFT.

## VISUAL CLIMB OVER AIRPORT:

#### TAKEOFF OBSTACLE NOTES:

NOTE: RWY 4L: LIGHTING 10 FT FROM DER, ON CENTERLINE, 1 FT AGL/263 FT MSL. TREES BEGINNING 1155 FT FROM DER, 729 FT RIGHT OF CENTERLINE, UP TO 312 FT MSL. TREES BEGINNING 1729 FT FROM DER, 737 FT RIGHT OF CENTERLINE, UP TO 322 FT MSL. TREES BEGINNING 1971 FT FROM DER, 948 FT RIGHT OF CENTERLINE, UP TO 324 FT MSL.

NOTE: RWY 4R: LIGHTING 8 FT FROM DER, ON CENTERLINE, 260 FT MSL. TREE 663 FT FROM DER, 645 FT RIGHT OF CENTERLINE, 294 FT MSL. TREES BEGINNING 815 FT FROM DER, 494 FT RIGHT OF CENTERLINE, UP TO 295 FT MSL. TREE 3170 FT FROM DER, 646 FT LEFT OF CENTERLINE, 342 FT MSL. TREE 3295 FT FROM DER, 714 FT LEFT OF CENTERLINE, 345 FT MSL. TREE 3481 FT FROM DER, 744 FT LEFT OF CENTERLINE, 351 FT MSL. TREE 3499 FT FROM DER, 1347 FT LEFT OF CENTERLINE, 359 FT MSL.

NOTE: RWY 18: VEHICLES ON ROAD 59 FT FROM DER. 431 FT RIGHT OF CENTERLINE. 267 FT MSL, VEHICLES ON ROAD, FENCE, LIGHTING BEGINNING 97 FT FROM DER, 23 FT RIGHT OF CENTERLINE, UP TO 269 FT MSL. LIGHTING 124 FT FROM DER, 124 FT LEFT OF CENTERLINE, 5 FT AGL/258 FT MSL. GENERAL\_UTILITY 475 FT FROM DER, 564 FT RIGHT OF CENTERLINE, 19 FT AGL/271 FT MSL. FENCE, VEHICLES ON ROAD, LIGHTING, POLE BEGINNING 488 FT FROM DER, 287 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/282 FT MSL. TREE, POLE BEGINNING 1023 FT FROM DER, 376 FT LEFT OF CENTERLINE, UP TO 299 FT MSL. TREE, POLE, VEHICLES ON ROAD BEGINNING 1118 FT FROM DER, 32 FT RIGHT OF CENTERLINE, UP TO 34 FT AGL/286 FT MSL. TREE, VEHICLES ON ROAD, POLE BEGINNING 1183 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 303 FT MSL. TREES BEGINNING 1303 FT FROM DER, 10 FT LEFT OF CENTERLINE, UP TO 309 FT MSL. TREE 1446 FT FROM DER, 15 FT RIGHT OF CENTERLINE, 53 FT AGL/294 FT MSL. TREES BEGINNING 1466 FT FROM DER, 17 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/315 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 1789 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 328 FT MSL. TREE 1853 FT FROM DER, 518 FT RIGHT OF CENTERLINE, 317 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 1863 FT FROM DER, ON CENTERLINE, UP TO 322 FT MSL. TREES BEGINNING 2163 FT FROM DER, 52 FT RIGHT OF CENTERLINE, UP TO 71 FT AGL/327 FT MSL. POLE, TREE BEGINNING 2175 FT FROM DER, 8 FT LEFT OF CENTERLINE, UP TO 359 FT MSL. TREE 2213 FT FROM DER, 273 FT RIGHT OF CENTERLINE, 76 FT AGL/329 FT MSL. TREES BEGINNING 2218 FT FROM DER, 159 FT RIGHT OF CENTERLINE, UP TO 331 FT MSL. TREES BEGINNING 2230 FT FROM DER, 161 FT RIGHT OF CENTERLINE, UP TO 78 FT AGL/332 FT MSL. TREES BEGINNING 2252 FT FROM DER, 3 FT RIGHT OF CENTERLINE, UP TO 78 FT AGL/333 FT MSL. TREES BEGINNING 2279 FT FROM DER, 11 FT RIGHT OF CENTERLINE, UP TO 87 FT AGL/341 FT MSL. TREES BEGINNING 2339 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 93 FT AGL/363 FT MSL. TREE 2343 FT FROM DER, 8 FT RIGHT OF CENTERLINE, 71 FT AGL/344 FT MSL. TREES BEGINNING 2347 FT FROM DER. 9 FT RIGHT OF CENTERLINE. UP TO 353 FT MSL. TREES BEGINNING 2383 FT FROM DER. 9 FT LEFT OF CENTERLINE. UP TO 90 FT AGL/364 FT MSL. TREE, POLE BEGINNING 2429 FT FROM DER, ON CENTERLINE, UP TO 91 FT AGL/369 FT MSL. TREES BEGINNING 2468 FT FROM DER, 10 FT RIGHT OF CENTERLINE, UP TO 82 FT AGL/360 FT MSL. TREES BEGINNING 2492 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 89 FT AGL/368 FT MSL. TREES BEGINNING 2667 FT FROM DER, 13 FT LEFT OF CENTERLINE, UP TO 378 FT MSL. TREES BEGINNING 2730 FT FROM DER, 18 FT LEFT OF CENTERLINE, UP TO 77 FT AGL/379 FT MSL. TREES BEGINNING 2752 FT FROM DER, 27 FT RIGHT OF CENTERLINE, UP TO 78 FT AGL/370 FT MSL. TREES BEGINNING 2777 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 81 FT AGL/374 FT MSL. TREES BEGINNING 2783 FT FROM DER, 6 FT RIGHT OF CENTERLINE, UP TO 83 FT AGL/377 FT MSL. TREE, VEGETATION, VEHICLES ON ROAD BEGINNING 2816 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 78 FT AGL/383 FT MSL. TREES BEGINNING 2962 FT FROM DER, 14 FT RIGHT OF CENTERLINE, UP TO 378 FT MSL. TREES BEGINNING 3023 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 68 FT AGL/382 FT MSL. TREES BEGINNING 3046 FT FROM DER, 39 FT RIGHT OF CENTERLINE, UP TO 67 FT AGL/384 FT MSL. TREES BEGINNING 3049 FT FROM DER, 14 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/388 FT MSL. TREES BEGINNING 3083 FT FROM DER, 15 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/396 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 3090 FT FROM DER, 8 FT LEFT OF CENTERLINE, UP TO 389 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 3107 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 397 FT MSL. TREES BEGINNING 3115 FT FROM DER, 56 FT RIGHT OF CENTERLINE, UP TO 400 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 3121 FT FROM DER, ON CENTERLINE, UP TO 69 FT AGL/404 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 3162 FT FROM DER, 16 FT RIGHT OF CENTERLINE, UP TO 413 FT MSL. TREE, VEGETATION BEGINNING 3194 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 406 FT MSL. TREE, VEHICLES ON ROAD, TERRAIN, VEGETATION BEGINNING 3230 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/421 FT MSL. TREE, VEGETATION BEGINNING 3450 FT FROM DER, 6 FT LEFT OF CENTERLINE, UP TO 413 FT MSL. TREE, VEGETATION, TERRAIN BEGINNING 3517 FT FROM DER, 9 FT RIGHT OF CENTERLINE, UP TO 423 FT MSL. TREE, VEGETATION BEGINNING 3631 FT FROM DER, 33 FT RIGHT OF CENTERLINE, UP TO 424 FT MSL. TREE, VEGETATION BEGINNING 3658 FT FROM DER, 15 FT RIGHT OF CENTERLINE, UP TO 426 FT MSL. TREES BEGINNING 3796 FT FROM DER, 3 FT LEFT OF CENTERLINE, UP TO 37 FT AGL/414 FT MSL. TREES BEGINNING 3799 FT FROM DER, 59 FT RIGHT OF CENTERLINE. UP TO 428 FT MSL. TREES BEGINNING 3807 FT FROM DER. 18 FT RIGHT OF CENTERLINE. UP TO 62 FT AGL/435 FT MSL. TREES BEGINNING 3814 FT FROM DER, 55 FT LEFT OF CENTERLINE, UP TO 49 FT AGL/416 FT MSL. TREE, VEGETATION, BUILDING BEGINNING 3826 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 43 FT AGL/417 FT MSL. TREES BEGINNING 3830 FT FROM DER, 62 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/438 FT MSL. TREES BEGINNING 3833 FT FROM DER, 11 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/439 FT MSL. TREES BEGINNING 3892 FT FROM DER, 7 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/440 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 3946 FT FROM DER, 1 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/444 FT MSL. TREE, VEGETATION, POLE, CATENARY, ELEVATOR BEGINNING 4115 FT FROM DER, ON CENTERLINE, UP TO 81 FT AGL/451 FT MSL. TREE, BUILDING, TANK, STACK, POLE BEGINNING 4680 FT FROM DER, 11 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/460 FT MSL. TREES BEGINNING 1 NM FROM DER, 1021 FT LEFT OF CENTERLINE, UP TO 418 FT MSL. TREE 1 NM

Page 1 of 3

2

CHECKED

AIRPORT	AIRPORT ID	CITY	<b>STATE</b>	AMDT NO	EFFECTIVE DATE
BILL AND HILLARY CLINTON NTL/ ADAMS FLD	KLIT	LITTLE ROCK	AR	10	24 MARCH 2022

FROM DER, 1157 FT LEFT OF CENTERLINE, 420 FT MSL. TREE 1 NM FROM DER, 586 FT LEFT OF CENTERLINE, 426 FT MSL. TREES BEGINNING 1 NM FROM DER, 298 FT LEFT OF CENTERLINE, UP TO 431 FT MSL. TREES BEGINNING 1 NM FROM DER, 160 FT LEFT OF CENTERLINE, UP TO 78 FT AGL/435 FT MSL. TREE, POLE BEGINNING 1.1 NM FROM DER, 1557 FT RIGHT OF CENTERLINE, UP TO 464 FT MSL. TREES BEGINNING 1.2 NM FROM DER, 2205 FT RIGHT OF CENTERLINE, UP TO 58 FT AGL/465 FT MSL. TREES BEGINNING 1.2 NM FROM DER, 2302 FT RIGHT OF CENTERLINE, UP TO 460 FT MSL.

NOTE: RWY 22L: VEHICLES ON ROAD 10 FT FROM DER, 389 FT LEFT OF CENTERLINE, 275 FT MSL. VEHICLES ON ROAD, FENCE BEGINNING 111 FT FROM DER, 32 FT LEFT OF CENTERLINE, UP TO 277 FT MSL. TREE 564 FT FROM DER, 648 FT LEFT OF CENTERLINE, 307 FT MSL. TREE, POLE, VEHICLES ON ROAD BEGINNING 607 FT FROM DER, 29 FT LEFT OF CENTERLINE, UP TO 318 FT MSL. POLE 718 FT FROM DER, 629 FT RIGHT OF CENTERLINE, 285 FT MSL. TREE, POLE BEGINNING 966 FT FROM DER, 38 FT LEFT OF CENTERLINE, UP TO 72 FT AGL/325 FT MSL. POLE 979 FT FROM DER, 502 FT RIGHT OF CENTERLINE, 36 FT AGL/295 FT MSL. TREES BEGINNING 989 FT FROM DER, 25 FT RIGHT OF CENTERLINE, UP TO 49 FT AGL/296 FT MSL. TREE 1010 FT FROM DER, 52 FT RIGHT OF CENTERLINE, 46 FT AGL/297 FT MSL. TREE, VEHICLES ON ROAD BEGINNING 1023 FT FROM DER, 62 FT RIGHT OF CENTERLINE, UP TO 51 FT AGL/300 FT MSL. VEHICLES ON ROAD BEGINNING 1319 FT FROM DER, 114 FT RIGHT OF CENTERLINE, UP TO 51 FT AGL/301 FT MSL. VEHICLES ON ROAD 1440 FT FROM DER, 153 FT RIGHT OF CENTERLINE, 52 FT AGL/303 FT MSL. TREES BEGINNING 1550 FT FROM DER, 469 FT LEFT OF CENTERLINE, UP TO 331 FT MSL. TREE 1555 FT FROM DER, 516 FT RIGHT OF CENTERLINE, 311 FT MSL. TREE, SIGN, TOWER, POLE BEGINNING 1622 FT FROM DER, 100 FT LEFT OF CENTERLINE, UP TO 348 FT MSL. TREE, POLE BEGINNING 2067 FT FROM DER, 19 FT LEFT OF CENTERLINE, UP TO 367 FT MSL. POLE 2142 FT FROM DER, 1049 FT RIGHT OF CENTERLINE, 320 FT MSL. TREES BEGINNING 2280 FT FROM DER, 197 FT LEFT OF CENTERLINE, UP TO 379 FT MSL. TREE, POLE BEGINNING 2466 FT FROM DER, 42 FT LEFT OF CENTERLINE, UP TO 382 FT MSL. TREES BEGINNING 4646 FT FROM DER, 1615 FT RIGHT OF CENTERLINE, UP TO 386 FT MSL. TREES BEGINNING 4744 FT FROM DER, 1583 FT RIGHT OF CENTERLINE, UP TO 397 FT MSL. TREES BEGINNING 4938 FT FROM DER, 1374 FT RIGHT OF CENTERLINE, UP TO 413 FT MSL. TREES BEGINNING 5627 FT FROM DER, 1739 FT RIGHT OF CENTERLINE, UP TO 49 FT AGL/416 FT MSL. TREE 5667 FT FROM DER, 1763 FT RIGHT OF CENTERLINE, 43 FT AGL/417 FT MSL. TREES BEGINNING 5670 FT FROM DER, 1766 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/423 FT MSL. TREES BEGINNING 5785 FT FROM DER, 1779 FT RIGHT OF CENTERLINE, UP TO 48 FT AGL/430 FT MSL. TREES BEGINNING 5807 FT FROM DER, 1800 FT RIGHT OF CENTERLINE, UP TO 50 FT AGL/431 FT MSL. TREES BEGINNING 5812 FT FROM DER, 1815 FT RIGHT OF CENTERLINE, UP TO 53 FT AGL/435 FT MSL, TREES BEGINNING 5865 FT FROM DER, 1794 FT RIGHT OF CENTERLINE, UP TO 56 FT AGL/437 FT MSL. TREES BEGINNING 5874 FT FROM DER, 1816 FT RIGHT OF CENTERLINE, UP TO 57 FT AGL/438 FT MSL. TREES BEGINNING 5883 FT FROM DER, 1839 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/439 FT MSL. TREES BEGINNING 5920 FT FROM DER, 1779 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/440 FT MSL. TREES BEGINNING 6021 FT FROM DER, 1751 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/444 FT MSL. TREE 1 NM FROM DER, 1830 FT RIGHT OF CENTERLINE, 67 FT AGL/447 FT MSL. TREES BEGINNING 1 NM FROM DER, 1809 FT RIGHT OF CENTERLINE, UP TO 70 FT AGL/450 FT MSL. TREE 1.2 NM FROM DER, 2264 FT RIGHT OF CENTERLINE, 59 FT AGL/460 FT MSL.

NOTE: RWY 22R: LIGHTING 88 FT FROM DER, ON CENTERLINE, 5 FT AGL/258 FT MSL. LIGHTING 297 FT FROM DER, ON CENTERLINE, 8 FT AGL/261 FT MSL.BUILDING 348 FT FROM DER, 478 FT RIGHT OF CENTERLINE, 17 FT AGL/267 FT MSL. VEHICLES ON ROAD BEGINNING 402 FT FROM DER, 380 FT RIGHT OF CENTERLINE, UP TO 268 FT MSL. VEHICLES ON ROAD BEGINNING 523 FT FROM DER, 400 FT RIGHT OF CENTERLINE, UP TO 269 FT MSL. VEHICLES ON ROAD 587 FT FROM DER, 646 FT LEFT OF CENTERLINE, 268 FT MSL. VEHICLES ON ROAD 646 FT FROM DER, 570 FT RIGHT OF CENTERLINE, 274 FT MSL. POLE, VEHICLES ON ROAD BEGINNING 685 FT FROM DER, 393 FT RIGHT OF CENTERLINE, UP TO 276 FT MSL. VEHICLES ON ROAD 700 FT FROM DER, 680 FT LEFT OF CENTERLINE, 271 FT MSL. VEHICLES ON ROAD 758 FT FROM DER, 683 FT LEFT OF CENTERLINE, 274 FT MSL. VEHICLES ON ROAD BEGINNING 792 FT FROM DER, 618 FT LEFT OF CENTERLINE, UP TO 275 FT MSL. FENCE, TREE, VEHICLES ON ROAD, POLE BEGINNING 818 FT FROM DER, 152 FT RIGHT OF CENTERLINE, UP TO 32 FT AGL/282 FT MSL. TREE, POLE, STACK, BUILDING, TANK BEGINNING 910 FT FROM DER, 312 FT RIGHT OF CENTERLINE, UP TO 292 FT MSL. VEHICLES ON ROAD BEGINNING 925 FT FROM DER, 642 FT LEFT OF CENTERLINE, UP TO 282 FT MSL. VEHICLES ON ROAD BEGINNING 968 FT FROM DER, 361 FT LEFT OF CENTERLINE, UP TO 285 FT MSL. TREES BEGINNING 1204 FT FROM DER, 187 FT LEFT OF CENTERLINE, UP TO 68 FT AGL/305 FT MSL. TREES BEGINNING 1334 FT FROM DER, 721 FT LEFT OF CENTERLINE, UP TO 66 FT AGL/307 FT MSL. TREE, POLE BEGINNING 1348 FT FROM DER, 94 FT RIGHT OF CENTERLINE, UP TO 44 FT AGL/294 FT MSL. TREE 1623 FT FROM DER, 687 FT RIGHT OF CENTERLINE, 302 FT MSL. TREES BEGINNING 1624 FT FROM DER, 931 FT LEFT OF CENTERLINE, UP TO 62 FT AGL/308 FT MSL. TREE 1664 FT FROM DER, 945 FT LEFT OF CENTERLINE, 62 FT AGL/311 FT MSL. TREES BEGINNING 1674 FT FROM DER, 697 FT LEFT OF CENTERLINE, UP TO 322 FT MSL. TREES BEGINNING 1726 FT FROM DER, 270 FT RIGHT OF CENTERLINE, UP TO 307 FT MSL. TREES BEGINNING 1929 FT FROM DER, 274 FT RIGHT OF CENTERLINE, UP TO 61 FT AGL/310 FT MSL. TREES BEGINNING 1970 FT FROM DER, 297 FT RIGHT OF CENTERLINE, UP TO 311 FT MSL. TREES BEGINNING 2087 FT FROM DER, 550 FT LEFT OF CENTERLINE, UP TO 330 FT MSL. TREE 2136 FT FROM DER, 397 FT RIGHT OF CENTERLINE, 315 FT MSL. TREES BEGINNING 2194 FT FROM DER, 874 FT LEFT OF CENTERLINE, UP TO 332 FT MSL. TREE 2210 FT FROM DER, 481 FT RIGHT OF CENTERLINE, 321 FT MSL. TREES BEGINNING 2478 FT FROM DER, 997 FT LEFT OF CENTERLINE, UP TO 336 FT MSL. TREES BEGINNING 2727 FT FROM DER, 1222 FT LEFT OF CENTERLINE, UP TO 345 FT MSL. TREES BEGINNING 2831 FT FROM DER, 407 FT LEFT OF CENTERLINE, UP TO 364 FT MSL. TREES BEGINNING 3023 FT FROM DER, 834 FT LEFT OF CENTERLINE, UP TO 379 FT MSL. TREES BEGINNING 3221 FT FROM DER, 578 FT LEFT OF CENTERLINE, UP TO 411 FT MSL. TREES BEGINNING 3593 FT FROM DER, 695 FT LEFT OF CENTERLINE, UP TO 413 FT MSL. TREES BEGINNING 3711 FT FROM DER, 597 FT LEFT OF CENTERLINE, UP TO 417 FT MSL, TREES BEGINNING 3995 FT FROM DER, 530 FT LEFT OF CENTERLINE, UP TO 430 FT MSL, TREES BEGINNING 4267 FT FROM DER, 749 FT LEFT OF CENTERLINE, UP TO 431 FT MSL. TREE, POLE, VEGETATION BEGINNING 4374 FT FROM DER, 678 FT LEFT OF CENTERLINE, UP TO 447 FT MSL. TREES BEGINNING 5641 FT FROM DER, 997 FT LEFT OF CENTERLINE, UP TO 448 FT MSL. TREE 5948 FT FROM DER, 1935 FT LEFT OF CENTERLINE, 449 FT MSL. TREES BEGINNING 5950 FT FROM DER, 1153 FT LEFT OF CENTERLINE, UP TO 457 FT MSL. TREES BEGINNING 6029 FT FROM DER, 1051 FT LEFT OF CENTERLINE, UP TO 462 FT MSL. TREES BEGINNING 1.3 NM FROM DER, 2662 FT LEFT OF CENTERLINE, UP TO 474 FT MSL. TREE 1.4 NM FROM DER, 2662 FT LEFT OF CENTERLINE, 482 FT MSL. TREE 1.4 NM FROM DER, 2756 FT LEFT OF CENTERLINE, 487 FT MSL. TREES BEGINNING 1.4 NM FROM DER, 2703 FT LEFT OF CENTERLINE, UP TO 491 FT MSL. TREE 1.4 NM FROM DER, 2730 FT LEFT OF CENTERLINE, 499 FT MSL. TREES BEGINNING 1.5 NM FROM DER, 2714 FT LEFT OF CENTERLINE, UP TO 503 FT MSL. TREES BEGINNING 1.5 NM FROM DER, 2413 FT LEFT OF CENTERLINE, UP TO 504 FT MSL. TREE, TANK BEGINNING 1.5 NM FROM DER, 2622 FT LEFT OF CENTERLINE, UP TO 62 FT AGL/513 FT MSL. TREES BEGINNING 1.6 NM FROM DER, 2475 FT LEFT OF CENTERLINE, UP TO 506 FT MSL.

NOTE: RWY 36: VEHICLES ON ROAD 117 FT FROM DER, 507 FT LEFT OF CENTERLINE, 263 FT MSL. VEHICLES ON ROAD 175 FT FROM DER, 538 FT RIGHT OF CENTERLINE, 265 FT MSL. TREE, POLE BEGINNING 243 FT FROM DER, 541 FT RIGHT OF CENTERLINE, UP TO 347 FT MSL. TOWER 568 FT FROM DER, 504 FT LEFT OF CENTERLINE, 60 FT AGL/313 FT MSL. TREE, POLE BEGINNING 747 FT FROM DER, 2 FT LEFT OF CENTERLINE, UP TO 345 FT MSL. TREE, POLE BEGINNING 1074 FT FROM DER, 11 FT RIGHT OF CENTERLINE, UP TO 354 FT MSL. TREES BEGINNING 1647 FT FROM DER, 78 FT LEFT OF CENTERLINE, UP TO 365 FT MSL. TREE 3380 FT FROM DER, 830 FT RIGHT OF CENTERLINE, 355 FT MSL. TREES BEGINNING 3456 FT FROM DER, 938 FT RIGHT OF CENTERLINE, UP TO 359 FT MSL. TREE 3797 FT FROM DER, 484 FT LEFT OF CENTERLINE, 366 FT MSL. TREE 3910 FT FROM DER, 545 FT RIGHT OF CENTERLINE, 368 FT MSL. TREE 4585 FT FROM DER, 1353 FT RIGHT OF CENTERLINE, 114 FT AGL/374 FT MSL.

CHECKED

AIRPORT	AIRPORT ID CITY		<b>STATE</b>	AMDT NO	EFFECTIVE DATE
BILL AND HILLARY CLINTON NTL/ ADAMS FLD	KLIT	LITTLE ROCK	AR	10	24 MARCH 2022

#### CONTROLLING OBSTACLES:

RWY 18: 421 FT MSL TREE (05-027128) 344249.97N/0921429.81W (CLIMB GRADIENT), 451 FT MSL TREE (05-078627) 344241.39N/0921437.68W (CLIMB-TO ALTITUDE), 465 MSL TREE (05-075338) 344208.87N/0921451.08W (CEILING), 460 MSL TREE (05-074505) 344207.39N/0921451.22W (VISIBILITY) RWY 22L: 444 FT MSL TREE (05-027082) 344242.78N/0921424.78W (CLIMB GRADIENT/CLIMB-TO ALTITUDE), 460 MSL TREE (05-078650) 344235.83N/0921439.16W (CEILING/VISIBILITY)

RWY 22R: 411 FT MSL TREE (05-075938) 344249.51N/0921433.84W (CLIMB GRADIENT), 447 FT MSL TREE (05-027130) 344239.93N/0921441.87W (CLIMB-TO ALTITUDE), 513 MSL TREE (05-076439) 344154.93N/0921517.03W (CEILING), 506 FT MSL TREE (05-074025) 344152.16N/0921518.97W (VISIBILITY)

#### REMARKS:

FLIGHT INSPECTED BY COLTON CROWDER	<i>Digitally signed by</i> <b>ALLAN WILL</b> Feb 02, 2022	OFFICE FPO	<b>DATE</b> 02/01/2022	
DEVELOPED BY	Digitally signed by	OFFICE	DATE	
PHILLIP BRANDENBURG	PHILLIP BRANDENBURG Dec 13, 2021	AJV-A423	10/27/2021	
APPROVED BY	Digitally signed by ALLAN WILL	OFFICE	DATE	TITLE
MARLON ROBINSON	Feb 02, 2022	AJV-A420		MANAGER
REQUIRED EFFECTIVE DATE: ROUTINE				

```
COORDINATED WITH:
```

<u>A4A</u>	$\times$	<u>ALPA</u>	$\times$	AOPA	$\times$	<u>APA</u>	$\boxtimes$	<u>HAI</u>
------------	----------	-------------	----------	------	----------	------------	-------------	------------

NBAA 🔀 🛛 OTHER: LIT ATCT, LIT APP CON, AMGR, ST. AV. DIR.

## CHANGES - REASONS:

1. CHANGED RWY 18 TAKEOFF MINS FROM 200-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 385 FT PER NM TO 500 TO 300-1 5/8 OR STANDARD WITH MINIMUM CLIMB OF 420 FT PER NM TO 500 - PER UPDATED RWY 36 DISP THLD POSITIONING/LATEST RWY SURVEYS.

2. CHANGED RWY 22L TAKEOFF MINS FROM 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 222 FT PER NM TO 500 TO 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 240 FT PER NM TO 500. - REVISED OBSTACLE DATA.

3. CHANGED RWY 22R TAKEOFF MINS FROM 300-2 OR STANDARD WITH MINIMUM CLIMB OF 337 FT PER NM TO 800 TO 300-2 OR STANDARD WITH MINIMUM CLIMB OF 395 FT PER NM TO 500. - REVISED OBSTACLE DATA.

4. UPDATED ALL TAKEOFF OBS NOTES - REVISED OBSTACLE DATA.