

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW19 CLIMBING LEFT TURN TO 2000 DIRECT IMOXE AND HOLD. ADDITIONAL FLIGHT DATA: CHART FAS OBST: 189 TREE 311354N/0815454W CHART BRUNSWICK AWOS-3 CINIB TO RW19: 3.10/40. CHART COASTAL 1, 4 AND 5 MOA											
SSI VORTAC	GOVYE (FB)	325.80 / 26.90	2000												
AYS VORTAC	OLMAF (FB)	079.88 / 30.94	2300												
GOVYE (IAF)	IMOXE (NOPT) (FB)	282.34 / 5.00	2000												
OLMAF (IAF)	IMOXE (NOPT) (FB)	102.24 / 5.00	2000												
IMOXE (IF/IAF)	CINIB (FB)	192.29 / 6.70	1700												
CINIB (FAF) (SEE FORM 8260-10)	JIVBA/1.60 NM TO RW19 (FB)	192.29 / 3.20													
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD N IMOXE, RT, 192.29 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC: 192.29 FAF: CINIB DIST FAF TO MAP: 4.80 THLD: 4.80 4. MIN. ALT: IMOXE 2000, CINIB 1700, JIVBA/1.60 NM TO RW19 620 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u> </u> TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW19 2700				MAG VAR: 6W EPOCH YEAR: 2010											
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A X											
CATEGORY =====>	A		B		C		D		E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	500	1	415	500	1	415	500	1 1/4	415	500	1 1/4	415			
CIRCLING	560	1	475	560	1	475	560	1 1/2	475	780	2 1/4	695			
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: USE BRUNSWICK GOLDEN ISLES ALTIMETER SETTING, WHEN NOT RECEIVED, USE WAYCROSS (SEE FORM 8260-10)															
CITY AND STATE		ELEVATION: 85 TDZE: 85		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:					
NAHUNTA, GA		AIRPORT NAME: BRANTLEY COUNTY				RNAV (GPS) Y RWY 19, ORIG				AMDT: NONE					
						15 DEC 2011				DATED					

Pub 12/15/11

72 11-25

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JIVBA/1.60 NM TO RW19	RW19 (MAP) (FO)	192.28 / 1.60	
RW19 (MAP)	485 MSL	192.28	
485 MSL	IMOXE (FO)		2000

NOTES, (CONT.):

ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET, INCREASE LNAV CAT D VISIBILITY 1/4 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON SSI VORTAC AIRWAY RADIALS 302 CW 018.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT AYS VORTAC ON V243 NORTHWEST BOUND.

QUALITY
6
CHECKED

CITY AND STATE

NAHUNTA, GA

ELEVATION: 85

TDZE: 85

AIRPORT NAME:

BRANTLEY COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 19, ORIG

15 DEC 2011

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 4J1 K7FR19-Y AAYS	010AYS	K7D	OV	IF						18000		B JS	I
SUSAP 4J1 K7FR19-Y AAYS	020OLMAPK7EA0E	A	020TF			07990309		+ 02300				B JS	I
SUSAP 4J1 K7FR19-Y AAYS	030IMOXEK7EA0EE	B	010TF			10220050		+ 02000				B JS	I
SUSAP 4J1 K7FR19-Y AIMOXE	010IMOXEK7EA0EE	AR	HF			19230040		+ 02000		18000		B JS	I
SUSAP 4J1 K7FR19-Y ASSI	010SSI	K7D	OV	IF						18000		B JS	I
SUSAP 4J1 K7FR19-Y ASSI	020GOVYEK7EA0E	A	020TF			32580269		+ 02000				B JS	I
SUSAP 4J1 K7FR19-Y ASSI	030IMOXEK7EA0EE	B	010TF			28230050		+ 02000				B JS	I
SUSAP 4J1 K7FR19-Y R	010IMOXEK7EA0E	I	IF					+ 02000		18000		B JS	I
SUSAP 4J1 K7FR19-Y R	020CINIBK7EA1E	F	051TF			19230067		+ 01700			RW19	K7PGB JS	I
SUSAP 4J1 K7FR19-Y R	020CINIBK7EA2WN			N		ALNAV						JS	I
SUSAP 4J1 K7FR19-Y R	021JIVBAK7EA0E	S	031TF			19230032		V 0062000650		-310		B JS	I
SUSAP 4J1 K7FR19-Y R	030RW19	K7PGOGY	M	031TF		19230016		00121		-310		B JS	I
SUSAP 4J1 K7FR19-Y R	040		0 M	CA		1923		+ 00485				B JS	I
SUSAP 4J1 K7FR19-Y R	050IMOXEK7EA0EY	L	DF					+ 02000				B JS	I
SUSAP 4J1 K7FR19-Y R	060IMOXEK7EA0EE	R	HM			19230040		+ 02000				B JS	I

QUALITY
6
CHECKED

CITY AND STATE NAHUNTA, GA	ELEVATION: 85	TDZE: 85	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 19, ORIG 15 DEC 2011	SUP:	
	AIRPORT NAME:				AMDT:	NONE
	BRANTLEY COUNTY				DATED:	

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
6
CHECKED

CITY AND STATE NAHUNTA, GA	ELEVATION: 85 AIRPORT NAME: BRANTLEY COUNTY	TDZE: 85 FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 19, ORIG 15 DEC 2011	SUP:
				AMDT: NONE
				DATED: