

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
URAYE (IAF)	OBUGE (NOPT) (FB)	298.79 / 5.00	3000	LNAV: RW21	
EPZOK (IAF)	OBUGE (NOPT) (FB)	118.67 / 5.00	3000	CLIMBING RIGHT TURN TO 3000 DIRECT GENUS AND HOLD.	
OBUGE (IF/IAF)	ETOXY (FB)	208.73 / 6.10	2500	ADDITIONAL FLIGHT DATA: HOLD N, RT, 170.00 INBOUND. CHART FAS OBST: 1109 TREE 381527N/0842551W CHART VDP AT 1.20 MILES TO RW21. ETOXY TO RW21: 3.04/30	

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD NE OBUGE, RT, 208.73 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 208.70 FAF: ETOXY DIST FAF TO MAP: 4.72 THLD: 4.72
- MIN. ALT: OBUGE 3000, ETOXY 2500, CUDIG/1.90 NM TO RW21 1580
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH: 34:1 IS CLEAR
- MSA FROM:

MAG VAR: 3W EPOCH YEAR: 1990

**MINIMUMS**

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X										
CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1360	1	413	1360	1	413	1360	1 1/4	413	1360	1 1/4	413			
CIRCLING	1420	1	473	1420	1	473	1420	1 1/2	473	1580	2	633			

NOTES:  
CHART NOTE: DME/DME RNP-0.3 NA.  
CHART NOTE: VDP NA WITH LEXINGTON ALTIMETER SETTING.  
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LEXINGTON ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET; INCREASE LNAV AND CIRCLING CAT D VISIBILITY 1/4 MILE.



CITY AND STATE GEORGETOWN, KY	ELEVATION: 947 TDZE: 947 AIRPORT NAME: GEORGETOWN SCOTT COUNTY - MARSHALL FLD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 21, ORIG 29 JUL 2010	SUP: AMDT: NONE DATED
----------------------------------	--	------------------------------	--	-----------------------------

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	119/30 CW 299/30 (NOPT)	OBUGE (IF/IAF) (FB)	3000
2.	299/30 CW 029/30	299/10 CW 029/10	3100
	299/10 CW 029/10	URAYE (IAF) (FB)	3000
3.	029/30 CW 119/30	EPZOK (IAF) (FB)	3000

CITY AND STATE  
GEORGETOWN, KY

ELEVATION: 947 TDZE: 947  
AIRPORT NAME:  
GEORGETOWN SCOTT COUNTY - MARSHALL  
FLD

FACILITY IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) Y RWY 21, ORIG  
29 JUL 2010

SUP: **QUALITY CHECKED**  
AMDT: NONE  
DATED:

